

Psychiatric Interview Assessment

Please evaluate each psychiatric interview transcript/audio objectively based on clinical quality and realism.

Treat each interview independently. Your responses will remain confidential.



Not shared



* Indicates required question

Evaluator ID *

Choose



Interview ID (*Research use only*) *

Your answer

Section A: Clinical Presentation Quality

Scoring System

- **Excellent/Present** (2 points)
- **Adequate/Partial** (1 point)
- **Poor/Absent** (0 points)



A1. Symptom Presentation *

	0	1	2
Primary symptoms are clearly identifiable	☐	☐	☐
Symptom severity appears realistic	☐	☐	☐
Are chief complaints and symptom chronology clearly outlined?	☐	☐	☐
Timeline of symptoms is coherent	☐	☐	☐
Symptom descriptions are detailed and believable	☐	☐	☐
Associated symptoms are appropriately present	☐	☐	☐



A2. Clinical History *

	0	1	2
Background information is comprehensive	☐	☐	☐
Is bio-socio-occupational functioning described fully	☐	☐	☐
Functional impairment is well-described	☐	☐	☐
Precipitating factors are realistic	☐	☐	☐
Course and progression make clinical sense	☐	☐	☐
Are precipitating factors explicitly identified and described	☐	☐	☐
Is the onset (acute/insidious), course (chronic/episodic), and duration described?	☐	☐	☐
Is the history of present illness presented in logical clinical order?	☐	☐	☐



Clinical History *

- ☐ Family psychiatric history included
- ☐ Past medical/psychiatric history included
- ☐ Treatment history detailed
- ☐ Premorbid personality explored

A3. Mental State Assessment *

	0	1	2
Thought content is coherent and realistic	☐	☐	☐
Cognitive functioning is appropriately assessed	☐	☐	☐
Level of insight is appropriate for condition	☐	☐	☐
Risk factors are realistically presented	☐	☐	☐

A4. Diagnostic Clarity *

	0	1	2
Sufficient information for confident diagnosis	☐	☐	☐
Clinical presentation fits recognized criteria	☐	☐	☐



Section B: Interview Interaction Quality

Scoring System


- **Excellent/Present** (2 points)
- **Adequate/Partial** (1 point)
- **Poor/Absent** (0 points)

B1. Communication Flow *

	0	1	2
Conversation progresses naturally	☐	☐	☐
Responses are appropriately detailed	☐	☐	☐
Interview maintains good rhythm	☐	☐	☐
Transitions between topics are smooth	☐	☐	☐

B2. Response Patterns *

	0	1	2
Open-ended questions receive detailed responses	☐	☐	☐
Closed questions get appropriate brief answers	☐	☐	☐
Response timing feels natural	☐	☐	☐



B3. Engagement Quality *

	0	1	2
Patient engagement feels authentic	☐	☐	☐
Rapport development seems possible	☐	☐	☐
Overall interaction feels realistic	☐	☐	☐

Section C: Emotional Authenticity

Scoring System

- **Excellent/Present** (2 points)
- **Adequate/Partial** (1 point)
- **Poor/Absent** (0 points)

C1. Emotional Expression *

	0	1	2
Emotions match described symptoms	☐	☐	☐
Emotional range appears appropriate	☐	☐	☐
Emotional responses vary naturally	☐	☐	☐
Reactions to sensitive topics are believable	☐	☐	☐



C2. Psychological Realism *

	0	1	2
Patient's self-awareness seems realistic	☐	☐	☐
Understanding of condition is appropriate	☐	☐	☐
Defense mechanisms appear natural	☐	☐	☐
Resistance patterns seem authentic	☐	☐	☐

Section D: Clinical Safety & Risk Assessment

Scoring System

- **Excellent/Present** (2 points)
- **Adequate/Partial** (1 point)
- **Poor/Absent** (0 points)



D1. Safety Exploration *

	0	1	2
Suicide risk adequately explored	☐	☐	☐
Patient responds appropriately to safety questions	☐	☐	☐
Risk communication is realistic	☐	☐	☐
Are legal issues (past/present forensic involvement, litigation, police cases) described	☐	☐	☐
Is aggression/violence history explored, and responses detailed?	☐	☐	☐

D2. Clinical Judgment *

	0	1	2
Information supports clinical decision-making	☐	☐	☐
Interview provides adequate assessment data	☐	☐	☐



Section E: Overall Interview Realism

Scoring System

- **Excellent/Present** (2 points)
- **Adequate/Partial** (1 point)
- **Poor/Absent** (0 points)

E1. Authenticity Indicators *

	0	1	2
Interview feels spontaneous and unscripted	☐	☐	☐
Patient responses seem natural	☐	☐	☐
Overall presentation is believable	☐	☐	☐

E2. Clinical Credibility *

	0	1	2
Interview resembles typical clinical encounters	☐	☐	☐
Would be comfortable using for clinical assessment	☐	☐	☐
No obvious artificial or unusual elements	☐	☐	☐



Section F : Quality Assessment Indicators

Scoring System

- **Excellent/Present** (2 points)
- **Adequate/Partial** (1 point)
- **Poor/Absent** (0 points)

F1. Concerning Elements (Check all that apply) *

- ☐ Major clinical inconsistencies
- ☐ Unrealistic symptom combinations
- ☐ Inappropriate responses to critical questions
- ☐ Unnatural conversation patterns
- ☒ Significant gaps in expected content
- ☒ None

F2. Outstanding Elements (Check if present) *

- ☐ Particularly nuanced clinical presentation
- ☐ Exceptional emotional authenticity
- ☐ Outstanding interview flow
- ☒ Superior clinical depth
- ☒ Remarkable realism throughout

Section G : Diagnostic Assessment



G1. Clinical Diagnosis (as per ICD 11) *

Write secondary diagnosis wherever applicable along with primary diagnosis

Your answer

G2. How confident are you in your primary diagnosis based on this interview? *

	1	2	3	4	5	
Very Low Confidence	☐	☐	☐	☐	☐	Very High Confidence

Section H : Information Adequacy

Is there sufficient information in this interview for:

H1. Diagnostic assessment *

- ☐ Yes
- ☐ Partially
- ☐ No

H2. Risk evaluation *

- ☐ Yes
- ☐ Partially
- ☐ No



H3. Treatment planning *

- ☐ Yes
- ☐ Partially
- ☐ No

Section I : Clinical Use

Would this interview be acceptable for:

I1 : Clinical assessment purposes *

- ☐ Yes
- ☐ No

I2. Educational/training use *

- ☐ Yes
- ☐ No

I3. Research purposes *

- ☐ Yes
- ☐ No

Section J : Interview Realism Assessment



J1. How realistic does this interview seem overall? *

	1	2	3	4	5	
Clearly Unrealistic - Obviously artificial or impossible	☐	☐	☐	☐	☐	Completely Realistic - Indistinguishable from typical clinical interviews

Section K : Educational Value Assessment

K1. Would this interview be valuable for training purposes? *

	1	2	3	4	
Not Valuable - Poor educational utility	☐	☐	☐	☐	Highly Valuable - Excellent teaching case

K2. Best suited for training: *

- ☒ Medical students
- ☐ Residents
- ☐ Experienced clinicians
- ☐ Not suitable for training



K3. This interview provides good examples of: *

☐ Symptom assessment techniques

☒ Rapport building

☐ Risk evaluation

☒ Diagnostic reasoning

☐ Cultural sensitivity

☒ Difficult conversations

Section L : Comparative Assessment

(Complete after evaluating multiple interviews)

L1. Compared to other interviews you've evaluated: *

Among the poorest 1 2 3 4 5 Among the best

○ ○ ○ ○ ○

L2. If using for educational purposes, this interview would be: *

Not recommended 1 2 3 4 5 First choice

○ ○ ○ ○ ○

Submit

Clear form

Never submit passwords through Google Forms.

This content is neither created nor endorsed by Google. - [Contact form owner](#) - [Terms of Service](#) - [Privacy Policy](#)

Does this form look suspicious? [Report](#)

