

# GET .../midjourney/channel | Experimental API for AI services

---

[API](#) [useapi.net/docs/api-v2/get-account-midjourney-channel](https://useapi.net/docs/api-v2/get-account-midjourney-channel)



1. [Midjourney API v2](#)
2. [GET .../midjourney/channel](#)

## Retrieve Midjourney configuration for `channel1`

---

December 2023 (May 5, 2025)

### Table of contents

---

1. [Request Headers](#)
2. [Responses](#)
3. [Model](#)
4. [Examples](#)
5. [Try It](#)

| <https://api.useapi.net/v2/account/midjourney/channel1>

The `channel1` value should correspond to an account configured previously via a [POST account/midjourney](#) request.

#### Request Headers

Authorization: Bearer {API token}

`API token` is required, see [Setup useapi.net](#) for details.

#### Responses

- [200](#)
- [401](#)
- [404](#)

#### [200 OK](#)

```
{  
  "channel": "Discord channel id",  
  "discord": "Discord token",  
  "maxJobs": 1-15  
}
```

## Model

```
{ // TypeScript, all fields are optional
  discord: string,
  channel: string,
  maxJobs: number,
  pendingModMessage: string
}
```

## Examples

- [Curl](#)
- [JavaScript](#)
- [Python](#)

```
curl https://api.useapi.net/v2/account/midjourney/<channel> \
-H "Accept: application/json" \
-H "Authorization: Bearer ..."
```

Try It