

POST jobs/remix | Experimental API for AI services

[API](#) useapi.net/docs/api-v2/post-jobs-remix



1. [Midjourney API v2](#)
2. [POST jobs/remix](#)

Midjourney [/prefer remix](#) command to toggle remix mode on/off.

December 2023 (August 15, 2025)

Table of contents

1. [Request Headers](#)
2. [Request Body](#)
3. [Responses](#)
4. [Model](#)
5. [Examples](#)
6. [Try It](#)

Use this endpoint to submit the Midjourney [/prefer remix](#) command to your [Discord Midjourney channel](#).

| <https://api.useapi.net/v2/jobs/remix>

Request Headers

Authorization: Bearer {API token}
Content-Type: application/json

[API token](#) is required, see [Setup useapi.net](#) for details.

Request Body

```
{  
  "channel": "Discord channel id",  
  "replyUrl": "Place your call back URL here",  
  "replyRef": "Place your reference id here"  
}
```

- [channel](#) is optional, if not provided randomly selected available account from [account/midjourney](#) will be used. See [Setup Midjourney](#) for details. Specify the [channel](#) value when you wish to use a specific account from the configured list at [account/midjourney](#).

- **replyUrl** is optional, if not provided value from [useapi.net account](#) will be used.
Place here your callback URL. API will call the provided **replyUrl** once job completed or failed.
Maximum length 1024 characters.
We recommend using sites like [webhook.site](#) to test callback URL functionality.
- **replyRef** is optional, place here your reference id which will be stored and returned along with this job response / result.
Maximum length 1024 characters.

Responses

- [200](#)
- [400](#)
- [401](#)
- [402](#)
- [502](#)
- [596](#)

[200 OK](#)

```
{
  "jobid": "<jobid>",
  "verb": "remix",
  "status": "completed",
  "created": "2023-09-09T02:04:52.667Z",
  "updated": "2023-09-09T02:04:53.490Z",
  "discord": "<ABC...secured...xyz>",
  "channel": "<Discord channel id>",
  "replyUrl": "https://webhook.site/abc",
  "replyRef": "<your optional reference id>",
  "messageId": "<Discord message id>",
  "timestamp": "2023-09-09T02:04:52.774000+00:00",
  "content": "Remix mode turned on! Clicking the variation buttons will now give you a chance to edit your prompt! You can always turn this off by running `/prefer remix` again.",
  "code": 200
}
```

Model

```
{ // TypeScript, all fields are optional
  jobid: string,
  verb: 'remix',
  status: 'completed' | 'failed',
  created: string, // YYYY-MM-DDTHH:mm:ss.sssZ, ISO 8601, UTC
  updated: string, // YYYY-MM-DDTHH:mm:ss.sssZ, ISO 8601, UTC
  discord: string, // Provided for debugging purposes only, contains the first 3 and
the last 3 characters of the original value
  channel: string,
  replyUrl: string,
  replyRef: string,
  messageId: string,
  content: string,
  timestamp: string,
  error: string,
  errorDetails: string,
  code: number
}
```

Examples

- [Curl](#)
- [JavaScript](#)
- [Python](#)

```
curl -H "Accept: application/json" \
      -H "Content-Type: application/json" \
      -H "Authorization: Bearer ..." \
      -X POST https://api.useapi.net/v2/jobs/remix \
      -d '{"channel": "..."}'
```

Try It