# Python 101 x Scipy

(4) Python Basics Part 3

AIAT Academy

Python Basics' Outline (Part 3)

- Control Flow (Condition)

- List

- Loops

- Dictionary

Control Flow (Condition)

Control Flow (If Statements)

No parentheses   Colon

```python
if you_fell_asleep:
    print("Please, have some coffee!")
```

No curly braces

Use tap to indent

Control Flow (If Statements)

```python
if some_condition:

    print("Some condition holds")

elif other_condition:

    print("Other condition holds")

else:

    print("Neither condition holds")
```

Zero of more elifs

Else is optional

Python has no `switch` statement

Lists

Lists

Versatile

Incredibly common

$\approx$ ArrayList or Vector

Basic Lists

```python
# Create a new list

Empty = []

letters = ['a', 'b', 'c', 'd']

numbers = [1, 2, 3]
```

$$\textbf{Numbers} = \boxed{1} \boxed{2} \boxed{3}$$

| Index | 0 | 1 | 2 |

Basic Lists

```python
# Create a new list
Empty = []
letters = ['a', 'b', 'c', 'd']
numbers = [1, 2, 3]


# Lists can contain elements of different types
mixed_list = [2, 4, "minutes"]


# Append elements to the end of a list
numbers.append(7)    # >> numbers == [1, 2, 3, 7]
```

Nested Lists

```python
# Create a new list
Empty = []
letters = ['a', 'b', 'c', 'd']
numbers = [1, 2, 3]
numbers.append(7)      # >> numbers == [1, 2, 3, 7]

# Lists can contain anything – even other lists!
x = [letters, numbers]
x             # >> [['a', 'b', 'c', 'd'], [1, 2, 3, 7]]

x[0]          # >> ['a', 'b', 'c', 'd']
x[0][1]    # >> 'b'
```

Loops

Loops

Loop explicit over data

Strings, lists, etc.

```
for item in iterable:
    process(item)
```

No loop counter!

Loops (range)

```python
range(3)
# generates 0, 1, 2

range(5, 10)
# generates 5, 6, 7, 8, 9

range(2, 10, 3)
# generates 2, 5, 8

range(-2, -20, -4)
# generates -2, -6, -10, -14, -18
```

Loops (range)

```python
range(3)
# generates 0, 1, 2

for i in range(3):
    print(i)
# >> 0
# >> 1
# >> 2
```

Loops (break)

```python
for i in range(10):
    if i == 5:
        break
    print(i, end=',')
# >> 0, 1, 2, 3, 4,
```

Loops (While)

```python
breakpoint = 10
i = 0
While(i != breakpoint):
    print(i, end=',')
    i = i + 1
print("Stop")
# >> 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, Stop
```

Dictionary

Dictionary

$\{ \}$ $\approx$ Words with their meanings (values)

Basic Dictionary

```
# Create a new
dictionary
dict = {}
dict['ant'] = มด
dict['boat'] = เรือ
dict['cat'] = แมว
```

key is Strings

value can be anything

$$dict['ant'] = มด$$

Value =

มด	เรือ	แมว

key   ant   boat   cat