




All your money. In one place.

A Flutter app that brings Philippine banks and e-wallets into one view.

Alessandra Dagdag

BS Computer Science, 3rdyear · ADET Final Project · October 2026




01. The problem

Your money lives in

GCash for daily spending, Maya for payments, MariBank for savings, and a bank or two on top.

To know your real total, you open each app and add it up yourself.




PeraFolio shows the total balance, all activity and transfers between accounts on **one screen**.

02. Origin


Four years in the making.

PeraFolio started long before this subject. This term was the first time I built it properly.




03. Demo


One transfer, end to end.




1 **Dashboard**
₱45,680 total is computed from connected accounts



2 **Validation**
₱20,000 blocked: exceeds GCash balance plus ₱15 fee




3 **Review**
₱2,000 + ₱15 fee = ₱2,015, balance after ₱10,435



4 **Result**
Totalis now ₱45,665: only the fee left the system

04. Tech


Built with Flutter, Hive and Supabase.



05. Architecture

Screens never talk to storage directly.

Every thing goes through one state class and one interface, so the database can change without touching a screen.



06. The transfer

How a transfer stays correct.

`validateTransfer()` — 4 checks, in order

- 1 Both accounts exist
- 2 Source and destination are different
- 3 Amount is more than ₱0
- 4 Amount + ₱15 fee fits the source balance

Returns an error message, or `null` when allowed. Runs on every keystroke, and again inside `confirmTransfer()`.

`confirmTransfer()` · line 265

```
final error = validateTransfer(...);  
if (error != null) throw StateError(error);  
  
source.balance -= transfer.total;           // amount + fee  
destination.balance += amount;  
  
await _storage.saveAccounts([source, destination]);  
await _storage.saveTransfer(transfer);  
// + money-out and money-in records, a notification  
  
notifyListeners();           // every screen updates
```

₱45,680 → ₱45,665 The difference is exactly the ₱15 fee. A unit test also checks GCash ends at ₱10,435.

07. Challenges

Three things that slowed me down.

01

Project structure

My Flutter folder had no pubspec.yaml, so nothing would run.

FIX

Rebuilt the Flutter project at the repo root.

02

Sync to async

Hive reads instantly. Supabase is a network call.

FIX

Every load and save became async behind AppStore.

03

Time zones

Postgres returns UTC, so activity times were 8 hours off.

FIX

toUtc() when saving, toLocal() when reading.


Honest note

I used AI tools a lot, logged in AI-USAGE.md. My rule: no code I can't explain.

08. Next

Next: make the database real.

The Supabase store and schema are already in the project. Today's demo ran on Hive because the live project isn't fully configured yet.





**All your money.
In one place.**

Alessandra Dagdag · github.com/aichangtries/PERAFOLIO-ADET