BODHI COMMAND CENTER -- Luma Handoff Brief

Prepared by: Bodhi Valentine (via Claude) **Date:** March 25, 2026 **Urgency:** High -- core operational tool, daily use **Document purpose:** Complete design brief for rebuilding a personal operational dashboard from a static status page into a multi-screen interactive control surface.

1. Project Identity

Project name: Bodhi Command Center **Live URL:** bodhi-command-center.netlify.app **Deployed from:** Static HTML/CSS/JS in Netlify **Current version:** v0.3.1

The Command Center is Bodhi's personal operational dashboard. It is the single surface where he tracks all active work, agent activity, deliverables, blockers, and upcoming deadlines across multiple concurrent projects and AI agents. This is not a team tool. It is a one-person cockpit.

The current version works as a read-only status page. It needs to become an interactive control surface where Bodhi can see, act on, and manage everything from one place.

2. User Context

Who is Bodhi: A content strategist and creative director running multiple projects simultaneously across several companies (Harmonic/Beacon, SEASONS, Framezero Creative, and others). He manages work through a system of Claude AI agents -- currently 10+ agents running scheduled and on-demand tasks.

Neurotype: AuDHD. This is a primary design constraint, not a secondary consideration. Every design decision must account for:

- Scannable layouts that do not require scrolling to find critical information
- Clear visual hierarchy so the eye knows where to go first
- No information overload -- density is fine, clutter is not
- Color-coded status at a glance (stoplight logic)
- Next actions always visible, never buried

Daily use pattern: Bodhi opens the Command Center multiple times per day to check what agents are doing, what needs his attention, what is blocked, and what is coming up. He needs to act on items directly from the dashboard, not just read about them.

3. Design Philosophy

This is not a spaceship. This is not a wellness spa poster. No lotus flowers, no sci-fi cockpit chrome.

The Command Center is the membrane between two forms of intelligence. Bodhi is the human on the form side, the organic. Claude and the agents are the digital realm. The Command Center is the shared interface -- the breathing, living, real-time place where that collaboration surfaces. It is a threshold, not a control panel.

The glass stays. Glass as functional transparency -- seeing through into the digital realm, the agents seeing through into yours. Not decorative. Structural.

Mindfulness with teeth. The energy is Tom Ford minimalism meets Dieter Rams precision. Something that whispers control, not screams it. The edge comes through in razor-sharp type choices, unexpected accent colors, or the way information breathes with just enough asymmetry to feel alive.

Intelligence is everywhere. It is not artificial. It is not human. It is not proprietary to anything. It is the expression of life through form. The Command Center should feel like that -- a conduit, not a container.

What this means visually:

- Refined and sexy, not utilitarian
- Quiet tension, not calm emptiness
- Every surface should feel intentional, almost tailored
- The glass vibe communicates transparency between intelligences, not decoration
- Design for a future where websites are disappearing and these become HUDs or voice interfaces -- build something that already feels like it belongs in that world

3b. The Creative Brief

What exists now (v0.3.1)

The current dashboard has a header bar with date, time, and "10 agents active" indicator. A left sidebar lists 7 projects with activity status (Active, In Progress, Idle) and time-since-last-activity. The main content area shows a "Weekly Debrief" view with a "DO TODAY" section of numbered, tagged action items and a "PRIORITY WHEN BACK MONDAY" section. Dark theme with teal/coral/green accent colors. Version indicator (v0.3.1) in bottom right.

What it needs to become

A multi-screen interactive control surface. Each screen is its own composition, sharing the same visual DNA (glass, dark surfaces, stoplight color logic, typography system) but optimized for its own information type.

Core capabilities across all screens:

Actionable everything. Every item can be clicked to expand an inline review panel (modal or overlay). From that panel, Bodhi can approve, reject, mark waiting, or mark blocked. Status changes propagate visually in real time.

Stoplight color system. Every interactive element uses consistent color-coded status:

- **GREEN (#34D399):** Approved, Done, Good to go
- **YELLOW (#FBBF24):** Waiting, In Review, Pending input
- **RED (#F87171):** Blocked, Rejected, Needs attention
- **GRAY (#6B7280):** On Hold, Paused, Inactive
- **ORANGE (#FB923C):** Urgent, Deadline approaching, Screen-takeover warning

Inline review. When Bodhi clicks a deliverable that needs review, the content appears in a modal/overlay with close, approve, reject, and comment functions. Just-in-time review -- the work comes to him rather than requiring navigation elsewhere.

Deep drill-down. Every card, agent, and deliverable is clickable with progressive disclosure. Surface level shows status at a glance. One click shows detail. Another click goes deep into the agent or project context.

4. Screen Architecture (Multi-Screen)

Each screen is its own composition sharing the same visual DNA -- glass, dark surfaces, stoplight logic, typography. Navigation between screens should feel like moving through a single environment, not jumping between pages.

Screen 1: Agent Activity (The Main Hub)

The home screen. The first thing Bodhi sees. Shows the current state of the entire system at a glance.

- Urgent banner (full width, top) -- pulsing indicator for time-critical items. Cannot be dismissed until resolved.
- A compact summary row pulling the most critical item from each other screen (top blocker, next approval needed, nearest date).
- Agent status grid -- all active agents as compact cards showing name, project, current state (color-coded pip), last active timestamp. Agents requiring screen takeover are visually distinct. Click any agent to expand its activity log.
- Agent schedule -- when agents are scheduled to run today, which require screen takeover, which run in background. Screen-takeover agents must be deferrable from this view.

Screen 2: Deliverables

All active deliverables across all projects. Each deliverable is a card showing name, project, status, owner, and next action. Cards are grouped or filterable by project and/or status.

- Click to expand for detail and action buttons
- "Go Deep" opens full modal for inline review with approve/reject/waiting/close actions
- Completed items fade or move to a "done" section

Screen 3: Key Dates / Calendar

A timeline view of upcoming dates and deadlines.

- Imminent dates (within 48 hours) are red
- Soon dates (within a week) are orange
- Everything else is default
- Each date entry shows what it blocks or enables
- Connects visually to deliverables and blockers

Screen 4: Blockers

Dedicated view of everything that is stuck and why.

- Each blocker shows who/what is blocking, what it blocks, how long it has been blocked
- Red pips throughout
- Grouped by blocking person/dependency so Bodhi can see "Amir is blocking 3 things" at a glance
- Actions available: escalate, mark resolved, add note

Screen 5: People / Approvals

Two-part screen: people waiting on Bodhi, and items Bodhi is waiting on from others.

- Waiting on Bodhi: yellow pips. Shows who, what, and deadline. Clicking opens the relevant review context.
- Bodhi waiting on others: organized by person. Shows what was requested, when, and current status.

- Approval actions: Confirm Approved, Send Back, Mark Waiting On [person], Flag Blocked.

5. Color Palette (Strict)

Status Colors

- **Green #34D399:** Approved, done, active, healthy
- **Yellow #FBBF24:** Waiting, in review, pending
- **Red #F87171:** Blocked, rejected, error, urgent-imminent
- **Gray #6B7280:** On hold, paused, inactive
- **Orange #FB923C:** Urgent, deadline approaching, screen-takeover warning

Background and Surface Colors

- **Deep black #090B10:** Page background
- **Dark navy #0D0F14:** Secondary background
- **Card dark #141720:** Card/module backgrounds
- **Card hover #1C202E:** Card hover state

Text Colors

- **Primary #E2E4EA:** Headers, card names, primary content
- **Secondary #8B8FA3:** Descriptions, secondary info
- **Tertiary #50546A:** Timestamps, metadata, subtle labels

Border Colors

- **Default:** rgba(255,255,255,0.06) for card borders and dividers
- **Hover:** rgba(255,255,255,0.12) for interactive hover states
- **Accent:** rgba(255,255,255,0.18) for active/focused elements

Glass Treatment

Glass is functional transparency, not decoration. Use it to create depth and the sense of looking through into the digital layer. Specific implementation is at Luma's discretion, but the glass language must remain consistent across all screens.

Forbidden

No white backgrounds. No bright saturated backgrounds. All color is in accents and indicators, not surfaces. No gradients on surfaces (glass treatment excepted where it serves the transparency metaphor). Flat, matte backgrounds only. No emojis anywhere in the interface. Status is communicated through color pips and text labels only.

6. Typography

Display/Headers: Outfit (weights 600-800). Used for section titles, module headers, the main "Command Center" title. All section headers are uppercase with letter-spacing 0.08-0.1em.

Body/Content: Sora (weights 300-600). Used for card content, descriptions, timestamps, labels. Card names use Sora 500 at 0.85-0.9rem. Status badges use Sora 600 at 0.65-0.7rem uppercase. Timestamps and metadata use Sora 400 at 0.72-0.78rem. No font size below 0.65rem.

Both fonts are available via Google Fonts. Type choices should feel razor-sharp -- precision, not softness.

7. Interaction Patterns

Navigation Between Screens

Moving between the five screens should feel like moving through a single environment. Not page reloads. Not jarring transitions. The navigation itself should reinforce the glass/transparency metaphor -- sliding, revealing, or dissolving between views. Implementation at Luma's discretion.

A persistent navigation element (sidebar, top bar, or floating control) should always show which screen you are on and provide one-click access to any other screen. The nav should also surface a tiny status summary for each screen (e.g., a red pip on "Blockers" if there are active blockers, a count on "Approvals" if items are waiting).

Card Click (Progressive Disclosure)

Default state: Card shows name + status badge. Compact.

First click: Card expands to show detail panel below the card top. Shows context, next action, and action buttons (approve, reject, mark waiting).

Second click or "Go Deep" button: Opens full modal overlay with complete context, history, and inline content for review.

Modal/Overlay System

Dark overlay background at rgba(0,0,0,0.7). Modal card uses the same card-dark background (#141720) with accent border. Close button in top-right. Action buttons at bottom: Approve (green), Reject (red), Mark Waiting (yellow), Close (gray). Content area scrolls independently if needed. Modal width 600-800px, centered.

Status Transitions

When Bodhi changes a status (e.g., marks "approved"):

1. Button press animation (subtle scale + color flash)
2. Badge color transitions smoothly to new state
3. If item is complete, card fades or moves to completed section
4. Change is reflected everywhere the item appears across all screens

Agent Drill-Down

Clicking an agent card in the grid opens an expanded panel or sidebar showing: Agent name and project. Current state and what it is working on. Last 5 actions taken with timestamps. Next scheduled run. Whether it requires screen takeover. A "Pause" or "Defer" button for screen-takeover agents.

8. Current Data (for Initial Build)

Active Deliverables

1. **Operation Frankenstein Visual Deck** -- URGENT (send to Kelli before Thu Mar 27)
2. **SensAI Pillar Page Copy v2** -- IN PROGRESS (Bodhi refining)
3. **SensAI Solution Brief v4** -- IN PROGRESS (Bodhi refining)
4. **Blog Post 1** -- PUBLISHED (needs self-healing revision decision from Sarah)
5. **Blog Post 2** -- IN SME REVIEW (outline awaiting feedback)
6. **Blog Post 3** -- BLOCKED (3 questions for Amir)
7. **Beacon ISM Landing Page** -- ON HOLD (waiting on Juan's GTM deck)

Key Dates

- **Thu Mar 27:** Bodhi leaves for dad's living wake. Op Frank deck must go to Kelli before departure.
- **Fri Mar 28:** Dad's living wake.
- **Sun Mar 30:** Anna meeting re: content.
- **Mon Mar 31:** Bodhi returns.
- **Mon Apr 7:** SensAI webinar + Jocelyn (SEO intern) starts.
- **Mid-April:** SensAI launch + Active GH conference.
- **Week of Apr 13:** ANGA staging.
- **Apr 20:** ANGA shipping deadline.
- **May 19-21:** Fiber Connect.
- **First week of June:** MediaKind sale closes.

Blockers

- **Amir availability:** blocks solution brief final, Blog 3, RCA timing
- **Juan's GTM deck:** blocks Beacon ISM restart
- **Free trial CTA decision (Pam/Asaf/Jeff):** blocks Beacon email campaign
- **Visual identity decision:** blocks all campaign visuals
- **Sarah's feedback:** on pillar page + solution brief (after Bodhi approves)

People Waiting on Bodhi

- **Kelli:** Op Frankenstein deck + assets before Thursday
- **Jen:** Ping when Confluence content updates are done

9. Things to Avoid

- Static, non-interactive status displays that only show information without enabling action
- Emoji for status indication -- use color pips and text labels only
- Generic dashboard aesthetics (white backgrounds, card shadows, rounded everything)
- Information overload without hierarchy -- dense is fine, cluttered is not
- Hidden agent activity -- if an agent is idle or stuck, that must be visible, not buried
- Unannounced screen-takeover events from agents -- always show what is coming
- Tooltip-only information -- critical data belongs in the persistent layout, not behind hovers
- Light mode as default -- this is dark mode only
- Spaceship/sci-fi cockpit aesthetic -- this is not that
- Wellness/spa/meditation aesthetic -- mindfulness yes, soft no
- Decorative glass -- glass is structural transparency, not ornament

10. Success Criteria

The redesigned Command Center succeeds when:

1. Bodhi can open any screen and know within 3 seconds what needs his attention in that domain.
2. He can act on items (approve, reject, defer) without leaving the Command Center.
3. He can see which agents are active, idle, or stuck without clicking into anything.
4. He can see upcoming agent runs and know which ones will take over his screen.
5. Blockers and waiting-on-Bodhi items each have their own dedicated, uncluttered screen.
6. Every color means something. No decorative color. Stoplight logic throughout.
7. The Command Center feels like a living threshold between human and digital intelligence -- not a report, not a spaceship, not a spa.
8. An AuDHD user can parse the full state of any screen at a glance without feeling overwhelmed.
9. Navigation between the five screens feels like moving through one environment, not jumping between pages.
10. The design has quiet tension and refined edge -- Tom Ford minimalism meets Dieter Rams precision.

11. Technical Context

The dashboard is a single-page HTML/CSS/JS application deployed to Netlify from static files. Currently no backend -- all data is hardcoded in the HTML. Future state may involve API connections to Claude agent systems, but the initial redesign should work with static data that can be manually updated. Multi-screen navigation handled client-side (no page reloads). Must be responsive (works on desktop and tablet at minimum). Performance must be fast -- no heavy frameworks, no loading spinners for the initial view.

12. Production Priority

If the full scope cannot be done in one pass, build the screens in this order:

1. **FIRST:** Agent Activity hub (the main screen with agent grid, urgent banner, summary row)
2. **SECOND:** Deliverables screen with interactive cards, expand/collapse, and status action buttons
3. **THIRD:** People / Approvals screen with modal overlay system for inline review
4. **FOURTH:** Blockers screen
5. **FIFTH:** Key Dates / Calendar screen
6. **SIXTH:** Screen-to-screen navigation polish and transitions

13. Approval Flow Architecture

The Command Center is not the place where content gets created or refined. That happens in dedicated Claude project chats (e.g., the Harmonic 360 project). The Command Center is the operational surface that reflects the state of that work.

The approval flow works like this:

1. Dispatch routes a content task to a dedicated agent or project chat.
2. Bodhi refines the deliverable in that project chat, iterating with the AI until satisfied.
3. When Bodhi says "approved, moving on" in that conversation, the deliverable status changes.
4. Dispatch updates the Command Center to reflect the new status (yellow "in progress" becomes green "approved" or transitions to "waiting on Sarah" or whatever the next step is).
5. The next step in the chain triggers automatically (e.g., after pillar page is approved, solution brief alignment begins; after solution brief is approved, it goes to SME review queue).

Design implication: The "Approve" button in the Command Center is for Bodhi to confirm that work completed elsewhere is ready to move forward. It is not where the actual review happens. The modal/overlay should show a summary of what was produced and the current status, with actions like "Confirm Approved," "Send Back," "Mark Waiting On [person]," and "Flag Blocked."

14. Pipeline Architecture (Future State)

The current build uses static data. The architecture should anticipate a future where data flows in automatically:

- An inbox watcher (scheduled task, runs every 30 minutes during work hours) monitors a _inbox/ folder in iCloud for new files Bodhi drops in.
- Files are classified, routed to the correct project brain, and queued for processing.
- Completed work moves through a _drafts/ > _review/ > _approved/ folder pipeline.
- The Command Center reads from a PIPELINE.md state file that tracks what is queued, in progress, in review, approved, or blocked.
- Morning and afternoon recap tasks scan the pipeline and surface what needs attention.

Design implication: Build the UI so that deliverable cards, status indicators, and the summary row on the Agent Activity hub can eventually be populated from a JSON data source or state file rather than hardcoded HTML. Use a clean data layer even in the static version -- a single JavaScript object at the top of the file that holds all deliverable/blocker/date data, with the rendering logic reading from that object. This makes the transition to live data a matter of swapping the data source, not rewriting the UI.

15. Dispatch as Data Source (Architectural Direction)

Dispatch is the orchestration layer that sits above the project chats and agents. It knows:

- What tasks have been started and their current status
- Which agents are running, idle, or stuck
- What deliverables are in progress and who is blocking what
- What the user has approved or sent back

The long-term architecture is: Dispatch writes state to a shared data store (initially PIPELINE.md, eventually Supabase or similar). The Command Center reads from that store and renders the current state. Bodhi interacts with the Command Center to approve/reject/defer. Those actions write back to the store. Dispatch picks up the changes and triggers the next step.

This creates a closed loop: work happens in project chats, state flows through Dispatch, the Command Center reflects and enables action on that state, and actions flow back to Dispatch.

For the initial static build, this means: Structure the data layer as if it were being read from an API, even though it is hardcoded. Use a single dashboardState object with nested arrays for deliverables, blockers, dates, agents, and waitingOnBodhi. All rendering functions read from this object. When the API layer is ready, only the data-fetching code changes.