

Login Options Terminal Remote Desktop SFTP Services C2S S2C SSH About

Server

Host

Port ☐ Enable obfuscation

Obfuscation keyword

Authentication

Username

Initial method

Client key

Passphrase

Kerberos

SPN

☐ GSS/Kerberos key exchange

☐ Request delegation

☒ gssapi-keyex authentication

[Proxy settings](#) [Host key manager](#) [Client key manager](#) [Help](#)

Bitvise Client Key Management | Cryptographic provider: Windows CNG (x86) with additions

Client Key Manager

You have the following SSH user authentication keys:

Location	Algorithm	Size	Pass...	MD5 Fingerprint	Bubble Babble	SHA-256 Fingerprint	Comment
<div></div>							

[Generate New](#) [Modify](#) [Remove](#)

[Import](#) [Export](#) [Change Passphrase](#) [More](#)

此电脑 > 本地磁盘 (C:) > 用户 > Administrator > .ssh

搜索 ".ssh"




文件夹

名称 修改日期 类型 大小

没有与搜索条件匹配的项。

文件名(N):

Bitvise Keypair Files (*.bkp)
Bitvise Keypair Files (*.bkp)
OpenSSH Private Key Files (*.ppk)
All Files (*.*)



Login Options Terminal Remote Desktop SFTP Services C2S S2C SSH About

Server

Host

Port ☐ Enable obfuscation

Obfuscation keyword

Kerberos

SPN

☐ GSS/Kerberos key exchange

☐ Request delegation

☒ gssapi-keyex authentication

Authentication

Username

Initial method

Client key

Passphrase

[Proxy settings](#) [Host key manager](#) [Client key manager](#) [Help](#)

最后 login 即可