

Deployment Guide

Prerequisites

REQUIREMENT	VERSION/SPEC
Docker	24.0+
Docker Compose	2.20+
MySQL	8.0 (built-in container)
Node.js	20.19.0 (prod uses container)
Recommended Server	4 vCPU / 8GB RAM+

Deployment Steps

1. Clone Repositories

```
# Backend
git clone <repo-url> 00-Ghost-5.116.2

# Frontend
git clone <repo-url> 01-jibunsee-react
```

bash

2. Configure Environment Variables

```
cd 00-Ghost-5.116.2
cp .env.example .env
# Edit .env with your settings
```

bash

Key Environment Variables:

VARIABLE	DESCRIPTION	REQUIRED
database__connection__host	MySQL host	☒
database__connection__user	MySQL user	☒
database__connection__password	MySQL password	☒
database__connection__database	Database name	☒
url	Site URL	☒
OPENAI_API_KEY	OpenAI API key	☐ For AI
GEMINI_API_KEY	Google Gemini API key	☐ For AI
DEEPSEEK_API_KEY	DeepSeek API key	☐ For AI
QWEN_API_KEY	Alibaba Qwen API key	☐ For AI
ZHIPU_API_KEY	Zhipu GLM API key	☐ For AI
AWS_ACCESS_KEY_ID	AWS S3/SNS access key	☐ For S3/SNS
AWS_SECRET_ACCESS_KEY	AWS secret key	☐ For S3/SNS
AWS_REGION	AWS region	☐ For S3/SNS

3. Start with Docker Compose

```
# Backend
cd 00-Ghost-5.116.2
docker compose up -d
```

bash

```
# Frontend
cd 01-jibunsee-react
docker compose up -d
```

4. Verify


```
# Backend API
curl http://localhost:2368/ghost/api/admin/

# Frontend
curl http://localhost:3000
```

bash

AWS Setup

S3 (Media Storage)



1. Create S3 bucket
2. Create IAM user with S3 access policy
3. Configure CORS settings
4. Set AWS credentials in environment variables

SNS (SMS Notifications)

1. Configure SMS sender ID in AWS SNS
2. Attach SNS Publish policy to IAM
3. Set AWS credentials in environment variables

[Back to Operations →](#)

Previous page

[Overview](#)

Next page

[Admin Guide](#)