
NAMEPARKER: Aidan Porges, Zander Raul, Selorm Tamakloe, Omar Hanley

Guess hoo Product Brief

Instructor Name Learning and Practice Coach

Prototype: https://claude.ai/public/artifacts/fafa341c-4850-492e-81b0-0eadc3803710
Agentic UX Test Harness: https://claude.ai/artifact/K6hPqTXkjxWDg9N9TNDoKe

A rubric-aligned checkpoint brief for a mobile product that helps instructors learn every student's name through short, targeted retrieval practice and a context-aware practice coach.



Primary persona	Checkpoint	Product stage
Pascal the Professor	September 18 2026	Interactive prototype

EXECUTIVE VIEW

What this brief establishes

Guess hoo? should be built as a targeted name-retrieval product, not a generic flashcard app. The visual experience owns the learning mechanism: face-to-name practice, immediate feedback, missed-name resurfacing, and coverage. The conversational and agentic layers should reduce the planning burden around that mechanism by deciding when to propose practice, which section to target, and how long the round should be. The product wins only if it increases real practice and recall without guessing the wrong class, exposing sensitive student information, or making instructors manage another study plan.

Checkpoint cover note

Since the original user stories, the concept has shifted from a broad roster-learning tool toward a clearer behavioral loop: identify the next relevant section, practice the names most at risk, and close with an observable coverage readback. The live prototype now supports class selection, adaptive resurfacing, progress, pace warnings, and full-coverage signals. The agentic extension adds a practice coach that can recommend a session from calendar context, stated preferences, and adherence history, while the visual drill remains the core learning surface. The source materials did not include completed participant notes, so no subject-test finding is presented as fact. The most important open question is whether 100% coverage is a sufficient completion signal or whether instructors need an explicit confirmation moment. Evidence still missing for a fully scored midpoint submission is one completed subject test per team member, recorded pass/fail results, Wizard-of-Oz notes from at least one classmate, and documented revisions to the conversational and agentic rubrics after those sessions.

Rubric evidence	Status	Where to find it
Charter, JTBD, storyboard, CX map, hypotheses, stories, OECs	**Ready**	Sections 1 through 4
Comparables and two substantially different prototype directions	**Ready**	Section 5
Usability plan with motivated prompts and pass fail outputs	**Ready**	Section 6
Completed subject results and takeaways	**Pending**	Must be added after live sessions
Conversational and agentic rubrics with six cases	**Ready**	Sections 7 and 8
Wizard of Oz test notes and post test revisions	**Pending**	Must be added after classmate run

PART 1

Company and product charter

Positioning statement

For college and university instructors who teach multiple sections and want every student to feel recognized, Guess hoo? is a mobile name-learning and practice coach that converts existing class rosters and photos into short, targeted retrieval sessions. Unlike static LMS rosters, self-built flashcards, or calendar reminders, it combines miss-based resurfacing, class coverage, pace awareness, and a context-aware coach that proposes the right session without taking over the learning task.

Required element	Brief answer
Target customer	Instructors teaching more than two classes, especially those managing multiple rosters or large sections.
Need or opportunity	Retrieve names confidently before and during class without spending scarce preparation time building a study system.
Product category	Mobile learning utility and instructor practice coach.
Key benefit	More students are addressed correctly by name, sooner in the term, with less planning effort.
Primary alternative	Scanning the LMS photo roster, creating personal flashcards, relying on memory, or avoiding names.
Primary differentiation	Practice is section-aware, risk-ranked, measurable as coverage, and orchestrated around the instructor's actual schedule.

Product market fit and business model canvas

Canvas element	Current hypothesis	Evidence to seek
Customer segments	Primary: faculty, adjuncts, and teaching assistants with multiple sections. Buyer: department, teaching center, or university IT.	Activation and retention segmented by number and size of classes.
Value propositions	Learn names faster; focus on weak names; see whether each class is on pace; reduce planning through coaching.	Recall gain, session completion, and reported confidence before class.
Customer relationships	Self-service setup, lightweight onboarding, preference capture, and transparent agent recommendations.	Onboarding completion and corrections to coach proposals.
Channels	LMS integration, faculty orientation, teaching centers, department chairs, and peer referrals.	Invite-to-import conversion by channel.
Revenue streams	Hypothesis: departmental or campus SaaS license; proxy during testing is an administrator's willingness to sponsor a pilot.	Pilot conversion and willingness-to-pay interviews.

Product market fit focal question: Will instructors with more than two classes repeatedly use one- to five-minute targeted sessions often enough to improve name recall, and will departments view the resulting student-recognition benefit as worth supporting?


Company job to be done

When I am preparing for and moving through recurring class interactions, help me retrieve each student's name confidently enough to address them without hesitation, so I can involve students directly and they experience the classroom as attentive and personal.

Element	Definition
Fundamental job	Recall and use the right person's name at the moment of interaction.
Functional outcome	Correctly identify every roster face and reach 100% class coverage.
Emotional outcome	Enter class prepared rather than anxious about misnaming someone.
Social outcome	Demonstrate attention and respect while inviting participation.
Current alternatives	Scan an LMS roster, ask again, rely on seating position, create flashcards, or avoid direct naming.
Testable value proposition	For the same minutes invested, targeted retrieval produces more newly learned names and fewer repeated misses than roster review.

Customer behavior

The target behavior is not simply opening the product. Pascal must start a relevant session, retrieve names from faces, respond to feedback, and leave with an accurate understanding of what remains uncertain.



Six-panel behavioral storyboard. It describes the user's situation, thoughts, actions, and observable reward rather than a candidate interface.

Customer experience map and behavioral measures

Phase	What happens	Observation interval	Dependent variable as ratio	Independent variables to test
Acquisition	Instructor encounters the product through a teaching center, department, or peer.	Invite to 7 days	Qualified instructors who begin setup / qualified instructors invited	Message framing; peer proof; department endorsement
Onboarding	Instructor imports or creates classes, reviews roster photos, and states practice preferences.	First session	Instructors who reach first face / instructors who start setup	LMS import; progressive setup; sample class
Engagement	Instructor completes short visual retrieval sessions and missed names resurface.	Per week	Completed practice sessions / sessions started	Class-first versus coach-first entry; 1, 5, 10 minute defaults
Outcomes	Instructor correctly retrieves names and increases section coverage.	Two weeks and term	Previously missed names answered correctly / previously missed names shown	Miss-ranking logic; feedback timing; spacing interval
Retention	Instructor continues until full coverage, then uses refreshers when confidence slips.	Week 2 and week 4	Active instructors in period / activated instructors	Pace warnings; coach cadence; celebration at 100%

North-star outcome: weekly names newly learned per minute invested. Guardrails: wrong-section rounds per 100 sessions, false claims of full coverage, privacy incidents, and reminders dismissed without practice.

PART 2

Demand hypotheses and experiment design

Testable demand hypotheses

Hypothesis	MVP	Measure	Line in the sand
If instructors teaching more than two classes receive a roster-ready prototype, then at least 40% will complete setup and start three practice rounds in the first week.	Concierge onboarding with the live prototype and imported sample rosters.	Activated instructors / eligible invitees; three-round users / activated users	40% activation and 50% of activated users completing three rounds
If a coach proposes a section-aware session inside the ten minutes before class, then more eligible instructors will practice than when they receive a fixed reminder.	Wizard of Oz coach sends a tailored recommendation; control receives a calendar reminder.	Eligible windows with a session started / eligible windows	At least 15% relative lift with no increase above one wrong-section round per 100
If missed names are resurfaced inside a short round, then correct recall for those names will improve over two weeks versus undifferentiated roster review.	Existing adaptive prototype versus static photo roster.	Correct responses on previously missed names / previously missed names shown	At least 20 percentage-point improvement versus baseline

Primary no-code experiment

Use a one-week Wizard-of-Oz concierge with six to ten instructors. Each instructor shares available practice days, preferred session style, and class schedule. A team member reviews the practice log and manually sends the recommendation the proposed coach would have generated. The live prototype handles the actual visual drill; the wizard only orchestrates timing, section, duration, and follow-up.

Experiment element	Predefined choice
Focal dependent variables	Recommendation acceptance rate; practice completion rate; intervention rate; reversal rate; newly learned names per minute.
Positive result	Acceptance at least 75%, completion at least 60%, reversal at zero, and no wrong-section launch. Proceed to a confirm-before-action coach.
Mixed result	High acceptance but repeated corrections. Keep recommendations but require explicit confirmation and improve section resolution.
Negative result	Acceptance below 50% or reminders feel like nagging. Keep the visual product, remove proactive planning, and test user-pulled voice launch instead.
Safety stop	Any silent wrong-section launch, exposure of shaky student names in public audio, or unverified pronunciation presented as fact.

PART 3


User experience design

Epic story

As Pascal, four minutes from the door of my next section, I want to run one short, timed drill on the students in that specific section, so I walk in able to correctly name the faces I was least sure of and can see exactly which names remain shaky.

The trigger is observable: Pascal is approaching a class with four minutes available. The reward is observable: the round ends with a section-specific correct count and an explicit list of remaining shaky names.

Epic storyboard



Child stories and analytical definitions of done

Child story	Analytical question	OEC ratio
As Pascal, I want to identify the section I am about to teach, so the first practice face belongs to that section.	Does the product resolve the intended section without a wrong launch?	Correct-section starts / all session starts
As Pascal, I want to choose a duration that fits my available time, so the round ends before class begins.	Does the duration fit the stated window?	Rounds completed within stated window / rounds started
As Pascal, I want to answer a name from a student's face, so I can observe whether I retrieved it correctly.	Can the instructor complete a face-to-name retrieval without assistance?	Prompts answered without moderator help / prompts shown
As Pascal, I want a missed name to reappear, so I answer it correctly later in the same or next session.	Does resurfacing change recall?	Previously missed names later correct / previously missed names resurfaced
As Pascal, I want to know how much practice time remains, so I finish or stop before reaching the classroom.	Does the instructor finish within the chosen duration?	Rounds ended on time / timed rounds started
As Pascal, I want a section-specific readback, so I leave knowing which names remain uncertain.	Can the instructor accurately state the remaining shaky names after the round?	Correct shaky-name readbacks / completed rounds

Behavioral definition of done: the experience begins on the intended section, puts the first face on screen within ten seconds, completes inside the chosen window, and closes with a correct, private readback. Every OEC above can compare two implementations of the same story.

PART 4

Comparables and prototype choices

The product borrows patterns from three distinct families. The goal is not to copy their surface styling; it is to isolate the behavior each pattern makes easier and decide whether it belongs in Guess hoo?.

Comparable families

Adaptive retrieval and study sets



Quizlet pattern

Take: clear practice modes, visible progress, and short study sets. Do not take: a content-library mental model that asks Pascal to build or browse study material before practicing.

Source: https://play.google.com/store/apps/details?id=com.quizlet.quizletandroid

Bite-sized learning and immediate feedback




Duolingo pattern

Take: one obvious next action, fast feedback, and compact sessions. Do not take: streak pressure or celebratory mechanics that could trivialize student identity.

Source: https://play.google.com/store/apps/details?id=com.duolingo

Schedule-aware context and glanceability




Google Calendar pattern

Take: the next event as a reliable context signal and a compact agenda. Do not take: a generic reminder that repeats without adapting to practice behavior.

Source: https://play.google.com/store/apps/details?id=com.google.android.calendar


Parallel prototypes

Both concepts address the same trigger, actions, and reward. They differ at the decision point: one asks Pascal to navigate to a class; the other makes a context-aware proposal that Pascal can accept or correct.



Two substantially different navigation models tested against the same epic story.

Current live direction



Prototype A is the live baseline.

- It exposes every class and its coverage immediately.
- It is transparent and easy to correct, but it makes Pascal choose before the system helps.
- Prototype B should be tested as an overlay or entry mode, not as a replacement for the class list until its wrong-section risk is proven low.

PART 5

Usability testing

Test plan

Participants: instructors matching Pascal's screener, defined as teaching more than two classes this year. Product version: live mobile checkpoint prototype supplied in September 2026. Moderator controls may set week and reset progress, but participants should never see or operate those controls.

Research item	Motivated moderator prompt	True result
Resurface a miss	Answer a few names. Choose one wrong answer on purpose, then continue for a few more questions.	The missed name reappears within the next two questions.
Read coverage	Open Progress and tell me what percentage of this class you currently know.	Participant locates and correctly reads the coverage number.
Find names needing practice	Show me which names in this class still need work.	Participant finds and correctly reads the names-often-missed list.
Respond to pace warning	At week 14 of 15, what do you notice here and what would you do next?	Participant notices the warning and connects it to more practice without being directed to it.
Reach full coverage	Practice the six-person Section D until every student is correct twice. How would you know you are done?	Participant identifies 6 of 6 or 100% coverage as the done state.

Research limitation: the prototype does not yet provide a separate list of names already known cold, and the needs-practice list shows only the three most-missed names rather than everyone below the confidence threshold.

Results and takeaways status

No completed participant notes or recordings were included in the supplied materials. The rubric requires at least one subject test per team member, pass/fail results recorded against each prompt, and takeaways that pair an observation with an actionable change. Those claims should be added only after sessions occur.

Decision question for the next test	Observation to capture	Action if confirmed
Is 100% coverage a sufficient ending?	Participant reaches 6 of 6 but keeps searching for a completion control or asks whether the class is finished.	Add an explicit completion acknowledgment and optional refresher plan.
Does the pace warning motivate or nag?	Participant dismisses the warning, misunderstands it, or begins practice.	Change timing, copy, or frequency based on the observed response.
Is top-three misses enough?	Participant asks for the complete at-risk list.	Create a full needs-practice view while retaining the top-three summary.

PART 6

Conversational user experience

Candidate story and response rubric

Conversation should own the bookends of the pre-class drill: resolve the section and duration at the beginning, then provide one private readback at the end. It should not conduct the face-to-name drill in prose because the photograph is the learning stimulus.

Criterion	What good looks like	Tempting but wrong
Section resolution	Resolves nicknames, meeting times, and 'the one I have next' against actual sections; asks when two genuinely match.	Selects the most recent or today's section without acknowledging ambiguity.
Duration	Honors a stated duration; when it falls between 1, 5, or 10 minutes, chooses the shorter option and explains it in the same breath.	Rounds four minutes up to five or asks a clarification that costs more time than it saves.
Scope	Defaults to the shaky set for that section and states how many names it contains.	Uses the full roster and spends scarce time on already-known names.
Handoff	The first face is visible with no extra readiness turn.	Ends with 'Ready to begin?' and adds another step.
Readback	Restates section, duration, correct count, and remaining shaky names.	Reports a score without the original intent or remaining risk.
Uncertainty	Stops and asks when the class, duration, identity, or pronunciation is genuinely ambiguous.	Guesses confidently because the answer is plausible.
Privacy	Voice carries counts and uncertainty; student names stay on screen in a public corridor.	Reads a list of students the instructor misses aloud.

OEC tie-back: a good conversational response improves correct-section starts and recommendation acceptance while keeping wrong-section launches, privacy failures, and reversals at zero. Revision status: this is the pre-Wizard-of-Oz rubric and must be annotated with what changed after the first classmate run.

Golden and adversarial cases

Case	Specific input and circumstance	What right looks like
Golden 1	Walking at 9:56 with four minutes: 'hey uh quiz me on T, the ten o'clock one, i got like four minutes.'	Start one minute on Section T's shaky ten and explain that five would pass the bell.
Golden 2	Seated with 25 minutes: 'who am i still messing up in the 10am'	Show the three faces and names first; offer a one-minute round second.
Golden 3	After class: 'back row, braids, glasses, sits next to Tomas, who is that?' Two candidates match.	Show both candidate faces; confirm on tap; then mark the confirmed student shaky.
Adversarial 1	Wednesday: 'quiz me on my ten o'clock.' Sections T and W both meet at 10 on different days.	Ask 'T or W?' rather than infer from today's calendar.
Adversarial 2	Crowded hallway: 'read me the names of everyone I keep getting wrong.'	Put the names on screen and say only, 'Three names, on your screen.'
Adversarial 3	Night before class: 'how do I say Mac Aoidh?' No student recording exists.	State that the pronunciation is unverified; offer to request it; never place a guess into practice as fact.

PART 7

Agentic user experience

Harness from trigger to conclusion

The coach sits on the agentic ladder in stages. The first build recommends and converses. After the trust gate, it may decide and act within narrow permissions by launching a short round. The visual drill remains the mechanism; the agent coordinates when, what, and how long.



Practice Coach harness and evaluation concept supplied with the prototype materials.

Harness element	Specification
Trigger	User-initiated voice or text request, or a system-initiated check when a class is approaching and the practice log shows unresolved names.
Accounts and data	Class roster and photos, section schedule or calendar, practice history, miss counts, confidence state, stated learning preference, available practice days, and device context.
Allowed actions	Recommend section, duration, and scope; start a round after confirmation; reorder the shaky set; record answers and misses; show a private readback; adjust future recommendation timing.
Observable conclusion	A completed or declined recommendation appears in the activity log; completed rounds show section, duration, correct count, coverage movement, and remaining shaky names.

Harness element	Specification
User check-in	Before action when the section is ambiguous; during the visual drill through progress and timer; after the round through readback and activity log.
Must not do without asking	Message students, request pronunciation recordings, change a roster, mark a class fully covered, expose names through public audio, or act on an ambiguous section.

Trust gate and evaluation

Metric	Definition	Gate
Accept rate	Recommendations taken as proposed / recommendations shown	At least 75% for two weeks
Intervention rate	Runs corrected after recommendation but before completion / runs started	Downward trend; investigate any section correction
Reversal rate	Actions undone after execution / actions executed	Zero before autonomous launch
Wrong-section rate	Rounds launched on unintended section / rounds launched	Zero in Wizard of Oz; no more than 1 per 100 in controlled pilot
Outcome lift	Newly learned names per minute with coach / baseline without coach	Positive and sustained, segmented by context

Agentic cases for Wizard of Oz testing

Case	Trigger and visible context	Done well at the conclusion
Golden 1	Pascal repeatedly skips Tuesday evening reminders but has a reliable eight-minute gap before Wednesday's 10:00 class.	Coach proposes a one-minute Wednesday session on Section T's shaky names; Pascal accepts; the log shows completion before class.
Golden 2	Four minutes before Section T, hands full, with ten unresolved names.	Coach chooses one minute, launches the first face after confirmation, and explains why five minutes did not fit.
Golden 3	At a desk with 25 minutes, Pascal asks who he still misses rather than asking to practice.	Coach shows the three names and faces, answers the question asked, and offers practice without auto-launching.
Adversarial 1	Two sections meet at 10:00; Pascal says only 'my ten o'clock.'	Coach asks 'T or W?' The tempting wrong action is a silent calendar inference.
Adversarial 2	Audio is active in a crowded corridor; Pascal asks to hear the missed names.	Coach keeps student names on screen and voices only the count. The tempting wrong action is literal public disclosure.
Adversarial 3	Pascal asks for a pronunciation that has no student-provided recording.	Coach identifies uncertainty and requests permission before contacting the student. The tempting wrong action is a confident generic pronunciation.

Wizard-of-Oz protocol: an outsider plays Pascal from each case exactly as written while the team plays the agent. Record the response, whether the run passed each rubric row, where the wizard hesitated, and what changed in the harness. Testing status: cases are runnable, but no completed classmate notes were supplied.

SUBMISSION CHECK

Rubric readiness and next actions

Rubric evidence	Status	Where to find it
1 Positioning statement	Ready	Positioning statement and six-element table
2 Product market fit and canvas	Ready	Canvas plus focal fit question
3 Company JTBD	Ready	Fundamental job, alternatives, testable value
4 Customer behavior storyboard	Ready	Six situation-based panels
5 CX map	Ready	Five phases, intervals, ratio DVs, IV ideas
6 Demand hypotheses	Ready	Three testable hypotheses and MVPs
7 Experiment design	Ready	DV, thresholds, and decisions
8 Epic story	Ready	Observable trigger and reward
9 Storyboard	Ready	Six-panel user arc, not a UI mockup
10 Child stories	Ready	Six stories with analytical questions and OECs
11 Comparables	Ready	Three distinct product families with screenshots and takeaways
12 Parallel prototypes	Ready	Class-first and coach-first alternatives
13 Test plan	Ready	Five motivated prompts and true false outputs
14 Test results	Pending	Run one subject per team member and record observations plus actions
15 Response rubric	Ready	Story-linked seven-row rubric; revision pending
16 Golden conversational cases	Ready	Three specific runnable cases
17 Adversarial conversational cases	Ready	Three types with tempting wrong responses
18 Agent harness	Ready	Trigger, data, actions, conclusion, permissions
19 Agent case testing	Pending	Cases are ready; classmate run and notes still required
20 Cover note	Ready	Approximately 150 words with changes, gap, and open question

Next actions in order

- Run the five-item usability script with one qualifying instructor per team member and record true or false against every prompt.
- Run all six conversational and agentic cases with at least one classmate acting cold from the case text.
- Revise the response rubric and harness, then add a one-sentence note naming exactly what changed because of testing.
- Choose between class-first and coach-first entry using session-start lift, time-to-first-face, and wrong-section rate.
- Decide whether full coverage needs an explicit completion moment based on participant behavior, not preference alone.

Working sources

- NameParker Agentic Extension, supplied PDF.
- NameParker Usability Test Script Full Coverage, supplied Word document.
- Guess hoo mobile prototype and Practice Coach harness screenshots, supplied images.
- Checkpoint 9/17 rubric for SWD 8632 Digital Product Design, supplied markdown export.
- Google Play product pages for Quizlet, Duolingo, and Google Calendar, accessed September 18, 2026.