

6

5

4

3

2

1

D

C

B

A

D

C

B

A



Aidan Siaotong

Engineering Portfolio

B.S. Mechanical Engineering, University of California, Irvine – 2025

siaotona@uci.edu
[linkedin.com/in/aidansiaotong](https://www.linkedin.com/in/aidansiaotong)
[aidansiaotong.github.io](https://github.com/aidansiaotong)
(818) 318-0452

Driven and curious Mechanical Engineering graduate with a passion for mechanical design and high-volume manufacturing. Experienced with leadership, hands-on skills, cross-functional collaboration, and owning hardware from start to finish.

Seeking to leverage my skills in a work environment where I can grow.

Formula SAE – Upper Steering System (1)

Project Objective

Design, build, and test the upper steering system for Anteater Formula Racing's 2025 competition car.

Personal Contributions (Human Interface Design Engineer)

- Conducted all background research to define project goals and design requirements
- Responsible for all CAD, verification, part sourcing, manufacturing, assembly, testing, and integration with other sub-teams

Steering Non-Uniformity Analysis




- Characterized the non-uniform motion of universal joints in MATLAB to configure steering column parts
- Eliminated non-uniformity present in the previous car's design

Steering Column and Shaft Sizing

- Sized steering column components using hand calculations (Excel) to balance the tradeoff between torsional stiffness and additional mass
- Conducted structural analysis of u-joint parts in ANSYS to verify the strength of selected components in worst-case loading scenarios
- Used APDL commands to relate input torque to rotational deflection of u-joint parts

Steering Support Structural Analysis

- Sized tubing for steering system supporting structures in ANSYS Mechanical
- Used beam elements to quickly iterate through different beam cross sections



Formula SAE – Upper Steering System (2)

Steering Support Sub-Modeling



- Conducted structural analysis of the steering supports using shell elements to verify strength

Manufacturing and Assembly

- Machined steering shafts and brackets using manual/programmable mills and lathes
- Designed and 3D printed welding jigs

Results

- Decreased steering system mass by 12%
- Reduced backlash/play by over 50%
- Drivers claimed that car felt safer and provided better road feedback
- Steering system held up during track testing and competition and passed inspection without issue



Formula SAE – Braking Dynamics Modeling

Project Objective

Characterize FSAE car braking performance and size hydraulic brake system components for safety and efficiency.


Personal Contributions (Lead Human Interface & Brakes Engineer)

- Conducted all background research and studied hydraulic brake systems to define project scope and requirements
- Developed MATLAB scripts to model braking dynamics for a given vehicle profile (geometry, weight distribution)
- Evaluated braking dynamics at extremes of loading conditions to account for all scenarios (GVWR, LLVW)
- Sized hydraulic brake system components to prevent dangerous premature rear wheel lockups
- Verified theoretical pedal force/deceleration ratio remained below 445 N/g
- Parameterized the model and scripts to be flexible for the design of future vehicles


Results

- Successfully passed the brake test at competition for first time in 6 years, using the model to guide brake bias tuning
- Sized hydraulic brake components for the team's next vehicle, increasing maximum safe deceleration by 58%

Gastly at the Brake Test





Braking Dynamics Free-Body Diagram





Assumptions

- Neglected aerodynamic effects (for safety and simplification)
- Neglected rolling resistance (for safety)
- Neglected engine braking (for safety)
- Assumed relative center-of-gravity height is not very sensitive to driver loading conditions
- Assumed vehicle is braking on level ground (track conditions)

Dynamic Axle Loads



Deceleration Ratios



Tesla – Vehicle Engineering, Chassis

I worked in Tesla's Chassis Design department as Mechanical Design Engineering Intern in Summer 2024. At the end of my internship, I was evaluated highly by my mentor and supervisor, who highlighted my strengths in technical execution, critical thinking, problem solving, and teamwork.

Brake-By-Wire Testing Rig

To assist the development of brake-by-wire hardware for a new vehicle, I designed, built, and tested a physical rig for validating brake-by-wire design concepts. My design included interchangeable parts and adjustability to enable testing with different prototype hardware. Within the span of my internship, I successfully conducted testing with the rig to evaluate the effectiveness of protective features, then presented my findings to the department.

Model S NVH Investigation

Noise, vibration, and harshness (NVH) issues were reported by Model S owners, specifically on vehicles outfitted with the Carbon Ceramic Brake Kit. I was tasked with investigating and attempting to reduce the brake pad rattle for this vehicle configuration. I instrumented a Model S with recording equipment and led vehicle-level testing to characterize the brake NVH issue. I tested the vehicle with 5 different pad retaining pin designs, then processed and quantitatively compared audio data across each design in MATLAB. I identified the least disturbing setup, and I created a MATLAB tool that was adaptable for analyzing different audio data and NVH issues.

Cybercab Brake Rotor Drawings

I conducted drawings reviews for a new set of solid and vented brake rotors for the Cybercab. Some features of these brake rotors had never been produced before by the supplier, so I leveraged statistical analysis methods and insights from the Supplier Industrialization team to ensure specific tolerances could be held. I communicated back and forth directly with supplier to effect drawing changes, and I established these drawings as the departmental standard, serving as reference for all future brake rotor sourcing.



Model S with Carbon Ceramic Brakes



Tesla Cybercab



Formula SAE – Carbon Fiber Seat

High-Density Foam Negative Mold



Seat Trimming Stencils



Original Seat



Project Objective

Manufacture carbon fiber seat and improve driver comfortability.

Personal Contributions

- Prepared high-density foam negative mold for carbon fiber layup
- Improved the original seat design for increased driver mobility and rules compliance
- Designed stencils and trimmed the existing seat using a Dremel
- Resurfaced seat with flame-resistant fabric to remedy excessive sanding



Results

- Received positive feedback from design judge at competition about seat construction / build quality
- Improved driver comfortability

Final Seat



BOTS Bracket Design



Rapid Mfg. & Assembly



Project Objective

Rapidly design and implement brake over travel switch (BOTS) bracket to replace ineffective design.

Personal Contributions

- Designed the entire BOTS bracket on the flight to Michigan
- Rapidly iterated versions to reduce support material and print time
- Printed, assembled, and verified the functionality of the BOTS bracket


Results

- Completed entire project in less than 18 hours (including print time)
- Delivered critical part the night before competition with no time to prototype or make mistakes
- Passed BOTS demonstration at technical inspection without issue

Formula SAE – BOTS Bracket

Formula SAE – Head Restraint

Head Restraint Welding Jigs



Head Restraint Tubes



Head Restraint Welded



Project Objective

Manufacture new head restraint (identified rules violation with previous design, prompting redesign).



Personal Contributions

- Supervised the design of a new head restraint to address the previous design's rule violations
- Designed and 3D printed jigs to hold head restraint parts in place for welding
- Manufactured the head restraint using hands-on tools, including tube benders and angle grinders

Results

- Produced robust head restraint design that accommodated all drivers and passed technical inspection without issue

Upper Firewall Design



Project Objective

Redesign upper firewall to accommodate new head restraint design and improve build quality.


Personal Contributions

- Guided new member in the redesign of an improved, rules-compliant upper firewall
- Modified the firewall design for sheet metal bending DFM/A
- Added asymmetric features to aid assembly and to account for welding tolerances
- Designed and 3D printed jigs to hold firewall tabs in place for welding

Results

- Created rules-compliant firewall that was easily manufacturable

Firewall Tab Welding Jigs



3D Printed Jigs



Upper Firewall Installed



Formula SAE – Upper Firewall

Formula SAE – Miscellaneous

Brake Line Flaring




Cockpit Before and After Becoming Lead




Misc. Fabrication




Sheet Metal Bending





Drafting




Project Management




Autonomous Robot Pneumatic Propulsion



A close-up photograph of a 3D printer's extruder assembly. The image shows a black plastic frame holding a silver-colored metal rod. A black plastic component is attached to the right side of the frame. A grey cable runs along the top of the frame. The background is a light-colored carpet.



Quadruped Robot Control Architecture



Bicycle Model



Jewelry Hammer



Thread Checker



Course Projects