

UI/UX QA REPORT

Ecommerce Store Frontend Audit

Prepared by: Senior Software QA Engineer / UI UX Expert / React Frontend Architect

Generated: 2026-07-17 10:33

Project path: D:\ecommerce-store

173

JS/JSX files checked

49+

Routes reviewed

20

Primary issues listed

Confidential QA deliverable for client/stakeholder review

Table Of Contents

1. Executive Summary
2. Project Information
3. UI Analysis
4. UX Analysis
5. Component Analysis
6. Issue List
7. Screenshot Placeholders
8. Severity Charts
9. Component Tables
10. Score Cards
11. Fix Recommendations
12. Final Checklist
13. Project Health Summary

1. Executive Summary

This report audits the React frontend source code for UI quality, UX consistency, responsiveness, accessibility, performance, routing, API states, component quality, and maintainability. The application has a solid foundation with storefront and admin routing, reusable UI primitives, loading skeletons in many modules, cart/wishlist/checkout flows, and admin table/card views. The main release blockers are dark-mode inconsistencies, legacy navigation paths, mobile interaction gaps, hard-coded colors, console noise, and duplicate UI primitives.

Live screenshot capture and browser-console verification were not completed because Node/NPM and Docker were unavailable in the execution environment. Findings are therefore based on source-code inspection, route analysis, and component-level UI/UX review. Screenshot placeholders are included for follow-up visual QA.

Overall Readiness

Overall project readiness is moderate. The product is usable and feature-rich, but needs a focused polish pass before production-grade client delivery. Estimated effort is 4 to 7 engineering days for P1/P2 fixes, plus 1 day for live browser QA across mobile, tablet, and desktop.

2. Project Information

Project	Ecommerce Store
Frontend Stack	React 18, Vite, Redux Toolkit, React Query, Tailwind CSS, lucide-react, Firebase, Razorpay integration.
Audited Areas	Storefront layout, admin layout, routing, theme tokens, home, catalog, product cards/details, wishlist, cart, checkout, auth, profile, orders, offers, dashboard, settings, contact inbox, banners, categories, custom products, forms, loading states, empty states, error states, responsiveness, accessibility, and performance.
Files Checked	173 JavaScript/JSX frontend files plus Tailwind and global CSS.
Route Coverage	Admin dashboard, products, categories, custom products, orders, offers, customers, contact, settings, banners; storefront home, products, details, cart, custom, offers, support, tracking, footer pages, wishlist, auth, checkout, profile, orders, not found.
Verification Limitation	Build/lint/runtime verification could not run because npm/npm.cmd and Docker daemon were unavailable in this shell.

3. UI Analysis

Strengths

- Storefront and admin have clear layout separation.
- Cart drawer, checkout overlays, product grid skeletons, and admin product list states are meaningfully implemented.
- Admin Products page supports mobile cards and desktop table views.
- Checkout has payment-phase overlays and aria-live status announcements.
- Shared UI primitives exist for buttons, tables, badges, inputs, cards, drawers, and empty/loading states.

UI Risks

- Hard-coded black/white/gray colors break dark mode across footer, hero, catalog, dashboard, and contact inbox.
- Tailwind brand palette is configured entirely as black, flattening visual hierarchy.
- Some admin pages are built with raw Tailwind light-mode styles instead of shared theme tokens.
- Mojibake characters appear in source comments and visible UI text in contact/status/order areas.
- Hover-only product actions reduce visibility and mobile usability.

4. UX Analysis

UX Strengths

- Checkout flow has clear payment states and recovery messaging.
- Cart and wishlist provide helpful empty states.
- Admin product management includes filters, bulk actions, pagination, and error boundaries.
- Support, footer, and order tracking routes are present for a complete storefront experience.

UX Problems

- Category navigation can produce mismatched catalog results because of inconsistent slugs.
- Search/filter experience is split between header search, commented catalog search, imported unused filters, and drawer controls.
- Form validation relies too much on toast or native validation without persistent inline guidance.
- Legacy /login redirects create avoidable confusion in checkout/product flows.
- Mobile catalog add-to-cart is not discoverable because it depends on hover.

5. Component Analysis

Components Working Properly

- CartDrawer, CartEmpty, CartItem: good structure, dialog semantics, quantity controls, empty state.
- ProductGrid: skeleton and empty state pattern are present.
- Checkout PaymentSection: loading and no-payment-method states are present.
- Admin ProductsPage: mobile card view, desktop table, pagination, error boundary, loading and empty states.
- Settings components: ToggleSwitch, SettingsCard, PaymentMethodCard use a more consistent component pattern.

Components Needing Changes

- StoreHeader, StoreFooter, HeroSection, ProductList, ProductCard, FilterDrawer, ProductDetails, CheckoutPage, ContactMessagesPage, DashboardPage, global theme files.
- LoginForm/RegisterForm need console cleanup and inline accessible validation.
- Admin PageHeader implementations should be standardized.

Unused / Duplicate / Broken Components

- Unused or suspicious: ProductFilters imported but not rendered, CustomerProfilePage not routed, older StoreFrontFooterPages area appears stale.
- Duplicates: shared/common Modal and shared/ui Modal; shared/common Badge and shared/ui Badge; cart drawer under storeheaders and shoppingcart; admin/shared PageHeader variants.
- Broken or risky: ContactMessagesPage mojibake labels, legacy /login redirects, fixed-width filter drawer.

6. Issue List

1. Global - Theme

High

Component: Tailwind brand tokens

Priority: P1 | **Status:** Fail

File: frontend/tailwind.config.js

Issue: All brand color shades are configured as rgb(0,0,0), while CSS variables define indigo brand colors.

Expected: Brand color system should be consistent across light and dark UI.

Actual: Primary buttons, focus rings, badges, and CTAs collapse into black, reducing hierarchy.

Suggested Fix: Restore a real brand scale or map Tailwind brand values to CSS variables.

Code Fix: `brand: { 500: 'var(--color-brand)', 600: 'var(--color-brand-hover)' }`

2. Global - Theme

Medium

Component: CSS utilities

Priority: P1 | **Status:** Fail

File: frontend/src/index.css

Issue: `--color-surface-hover` is referenced but not defined.

Expected: Hover backgrounds should render consistently.

Actual: Some hover states can resolve to no background.

Suggested Fix: Define `--color-surface-hover` in `:root` and `.dark`.

Code Fix: `:root { --color-surface-hover: #f1f5f9; } .dark { --color-surface-hover: #27272a; }`

3. Storefront - Navigation

High

Component: StoreHeader

Priority: P1 | **Status:** Fail

File: frontend/src/storefront/components/storeindex/StoreHeader.jsx

Issue: Mobile nav category links use plural slugs like `t-shirts` and `track-pants` while category redirects and backend matching use canonical slugs like `t-shirt` and `track-pant`.

Expected: Clicking a category should always return filtered products.

Actual: Some menu links can lead to empty or inconsistent catalog results.

Suggested Fix: Normalize menu links to backend category slugs or centralize category route generation.

Code Fix: `to="/products?category=t-shirt&gender=Men"`

4. Products - Details

High

Component: ProductDetails

Priority: P1 | **Status:** Fail

File: frontend/src/storefront/components/product/ProductDetails.jsx

Issue: Product details auth CTA navigates to `/login` even though current auth route is `/auth/login`.

Expected: Auth redirects should use the canonical login route.

Actual: Legacy route causes avoidable redirects and can drop state.

Suggested Fix: Replace `navigate('/login')` with `navigate('/auth/login')`.

Code Fix: `navigate("/auth/login");`

5. Checkout - Payment/Auth

High

Component: CheckoutPage

Priority: P1 | **Status:** Fail

File: frontend/src/storefront/pages/ordercheckout/CheckoutPage.jsx

Issue: Checkout unauthorized/payment error flows navigate to `/login`.

Expected: All checkout auth recovery should route through `/auth/login` with `from=/checkout` state.

Actual: Legacy paths appear in payment failure and unauthorized handling.

Suggested Fix: Replace `/login` paths and preserve state.

Code Fix: `navigate("/auth/login", { state: { from: "/checkout" } });`

6. Products - Filters

High

Component: FilterDrawer

Priority: P1 | **Status:** Fail

File: frontend/src/storefront/components/filters/FilterDrawer.jsx

Issue: Filter drawer uses fixed w-[420px], which can overflow narrow phones.

Expected: Drawer should fit within viewport width.

Actual: Controls may be clipped on 320-390px devices.

Suggested Fix: Use full width with a max width.

Code Fix: `className="fixed right-0 top-0 ... w-full max-w-[420px] ..."`

7. Products - Product Card

High

Component: ProductCard

Priority: P1 | **Status:** Fail

File: frontend/src/storefront/components/product/ProductCard.jsx

Issue: Add to cart CTA is hover-only using group-hover transitions.

Expected: Touch users should see a clear persistent add action.

Actual: Mobile users may never discover quick add.

Suggested Fix: Make CTA visible on mobile and hover-revealed only on pointer devices.

Code Fix: `className="... translate-y-0 opacity-100 md:translate-y-12 md:opacity-0 md:group-hover:translate-y-0 md:group-hover:opacity-100"`

8. Products - Product Card

Medium

Component: ProductCard

Priority: P2 | **Status:** Fail

File: frontend/src/storefront/components/product/ProductCard.jsx

Issue: Rating displays a hard-coded 4.5 for every product.

Expected: Rating should be data-driven or hidden.

Actual: Every product shows the same trust signal.

Suggested Fix: Bind to API rating/review count or remove the rating pill.

Code Fix: `product.rating ? product.rating.toFixed(1) : null`

9. Products - Catalog

Medium

Component: ProductList

Priority: P2 | **Status:** Fail

File: frontend/src/storefront/components/product/ProductList.jsx

Issue: ProductFilters is imported but not rendered, while a search input block is commented out.

Expected: Single coherent search/filter interface.

Actual: Dead code and partial controls increase maintenance risk.

Suggested Fix: Remove unused ProductFilters import or restore it as the canonical filter UI.

Code Fix: Remove: `import ProductFilters from '@storefront/components/product/ProductFilters'`

10. Products - Dark Mode

High

Component: ProductList

Priority: P1 | **Status:** Fail

File: frontend/src/storefront/components/product/ProductList.jsx

Issue: Catalog page title uses text-black.

Expected: Text should use theme token text-app.

Actual: Title can be low contrast in dark mode.

Suggested Fix: Replace hard-coded text-black with text-app.

Code Fix: `className="font-display font-bold text-2xl sm:text-3xl text-app"`

11. Storefront - Footer

High

Component: StoreFooter

Priority: P1 | **Status:** Fail

File: frontend/src/storefront/components/storeindex/StoreFooter.jsx

Issue: Footer uses hard-coded #555555, #111111, and black button styles.

Expected: Footer should respect light/dark theme tokens.

Actual: Dark mode contrast is inconsistent.

Suggested Fix: Replace literal colors with text-muted, text-app, bg-brand, and border-app.

Code Fix: `const linkBase = "text-sm text-muted hover:text-app ...";`

12. Home - Hero

Medium

Component: HeroSection

Priority: P2 | **Status:** Fail

File: frontend/src/storefront/components/home/HeroSection.jsx

Issue: Static hero is forced white with decorative blobs and hard-coded black text.

Expected: Fallback hero should respect theme and show useful product imagery.

Actual: Dark mode breaks and design does not match the rest of the storefront.

Suggested Fix: Use bg-app/text-app tokens and preferably configured banner imagery.

Code Fix: `className="relative overflow-hidden bg-app border-b border-app"`

13. Cart - Empty State

Low

Component: CartPage

Priority: P1 | **Status:** Fail

File: frontend/src/storefront/pages/CartPage.jsx

Issue: Empty cart CTA contains typo: Start Shoppin.

Expected: Professional, correct copy.

Actual: Visible typo damages polish.

Suggested Fix: Change text to Start Shopping.

Code Fix: `Start Shopping`

14. Admin - Contact

High

Component: ContactMessagesPage

Priority: P1 | **Status:** Fail

File: frontend/src/admin/pages/ContactMessagesPage.jsx

Issue: Status labels and sort text contain mojibake characters, and the page uses hard-coded gray/light colors.

Expected: Clean icons and theme-aware admin UI.

Actual: Garbled symbols and poor dark-mode consistency.

Suggested Fix: Replace emoji strings with lucide icons/text, and use shared UI tokens.

Code Fix: `label: 'New'; use <Badge /> with icon prop`

15. Admin - Dashboard

Medium

Component: DashboardPage

Priority: P2 | **Status:** Fail

File: frontend/src/admin/pages/DashboardPage.jsx

Issue: Recent contact cards use bg-white and text-gray-600 inside a themed dashboard.

Expected: Dashboard cards should support dark mode.

Actual: Cards remain light or low contrast in dark mode.

Suggested Fix: Use bg-surface, text-muted, text-app, border-app.

Code Fix: `className="rounded-2xl border border-app p-4 bg-surface shadow-sm"`

16. Global - Console

Medium

Component: Auth/Product flows

Priority: P2 | **Status:** Fail

File: Multiple frontend files

Issue: Production console.log statements remain in login, product quick add, product details, orders, and admin forms.

Expected: Production console should be clean except meaningful handled errors.

Actual: Debug output can leak state and confuse QA monitoring.

Suggested Fix: Remove logs or guard with `import.meta.env.DEV`.

Code Fix: `if (import.meta.env.DEV) console.log(...)`

17. Admin - Architecture

Medium

Component: PageHeader

Priority: P2 | **Status:** Fail

File: `admin/layouts/MainLayout.jsx`, `shared/components/ui/PageHeader.jsx`

Issue: Admin uses multiple PageHeader implementations and nested headers in some pages.

Expected: One consistent admin page header API.

Actual: Duplicate header patterns create inconsistent spacing and controls.

Suggested Fix: Standardize on shared PageHeader or admin PageHeader, not both.

Code Fix: Create one PageHeader contract: title, description, actions.

18. Storefront - Routes

Low

Component: AppRoutes

Priority: P3 | **Status:** Fail

File: `frontend/src/shared/routes/AppRoutes.jsx`

Issue: Nested StorefrontLayout routes include absolute child paths such as `/about` and `/contact`.

Expected: Child route paths should be relative inside the layout.

Actual: Works, but makes routing harder to reason about.

Suggested Fix: Remove leading slash for nested route paths.

Code Fix: `path="about"`

19. Global - Performance

Medium

Component: Fonts/Images

Priority: P2 | **Status:** Fail

File: `frontend/src/index.css` and image components

Issue: Google Fonts are imported through CSS `@import` and many images lack explicit width/height or responsive `srcset`.

Expected: Fonts and images should be optimized for render performance.

Actual: Potential render-blocking font load and layout shift.

Suggested Fix: Move font loading to `index.html` `preconnect/preload` and add `dimensions/srcset` where practical.

Code Fix: `<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>`

20. Forms - Validation

Medium

Component: Login/Register/Checkout

Priority: P2 | **Status:** Fail

File: `auth` and `checkout` components

Issue: Several forms rely on toast-only or native validation without inline field feedback.

Expected: Users should see persistent field-level errors.

Actual: Errors can disappear and are less accessible.

Suggested Fix: Add `aria-describedby` and inline error text for critical fields.

Code Fix: `<p id="email-error" className="text-xs text-red-500">...</p>`


7. Screenshot Placeholders

Screenshots could not be captured in this environment. Capture the following after starting the app locally.

Desktop storefront home - hero, category, product sections, footer dark mode. Screenshot Placeholder
Mobile catalog - filter drawer, sort dropdown, product cards, add-to-cart CTA. Screenshot Placeholder
Product details - image gallery, variants, wishlist, checkout redirect. Screenshot Placeholder
Checkout - address form, payment method, empty cart, unauthorized auth modal. Screenshot Placeholder
Admin dashboard - dark mode, recent messages, chart loading. Screenshot Placeholder
Admin contact inbox - table, status badges, pagination, drawer, reply modal. Screenshot Placeholder
Admin products - desktop table, mobile card list, manage catalog modal. Screenshot Placeholder
Login/register - validation, loading state, password reveal. Screenshot Placeholder

8. Severity Charts

Severity distribution from the audited issue list.



Priority Distribution

- P1: 11 items
- P2: 8 items
- P3: 12 items

9. Component Tables

Page	Section	Component	Status	Severity	Action Required
Home	Hero/Category/Product sections	HeroSection, CategorySection, ProductSection	Fail	Medium	Dark-mode and imagery polish
Products	Catalog/Search/Filters	ProductList, SortDropdown, FilterDrawer	Fail	High	Fix mobile drawer, dark mode, dead filters
Product Details	Gallery/Variants/CTA	ProductDetails	Fail	High	Fix auth route and mobile CTA consistency
Cart	Drawer/Page/Empty State	CartDrawer, CartPage	Fail	Low	Fix typo; keep current empty state pattern
Wishlist	Wishlist grid/empty	WishlistPage	Pass	Low	Minor image fallback polish
Checkout	Address/Payment/Order state	CheckoutPage, PaymentSection	Fail	High	Fix auth paths and inline validation
Login/Register	Auth forms	LoginForm, RegisterForm	Fail	Medium	Remove logs, add inline errors
Orders	Customer/admin orders	OrdersPage, OrdersList	Fail	Medium	Clean logs, responsive status controls
Admin Dashboard	Metrics/charts/activity	DashboardPage	Fail	Medium	Dark-mode card cleanup
Admin Products	Table/cards/modals	ProductsPage, InlineProductForm	Pass	Low	Good states; reduce duplicate headers
Admin Contact	Inbox/table/drawers	ContactMessagesPage	Fail	High	Fix mojibake and theme tokens
Settings	Cards/forms/toggles	SettingsPage, settings components	Pass	Low	Continue using shared UI patterns
Global	Theme/routing/performance	AppRoutes, index.css, tailwind	Fail	High	Tokens, routes, console cleanup

10. Score Cards

Health classification: Moderate. The app is functionally broad and close to production, but requires a focused P1/P2 polish pass across theme, navigation, mobile UX, accessibility, and console cleanliness.

UI Score 72 / 100	UX Score 68 / 100	Accessibility 64 / 100
Performance 66 / 100	Responsive 66 / 100	Code Quality 70 / 100

Overall Health

68%

11. Fix Recommendations

Critical Fixes

- Fix all /login redirects to /auth/login and preserve from state.
- Normalize category slugs between header, redirects, and backend category data.
- Repair brand tokens and dark-mode hard-coded colors.
- Make product add-to-cart usable on mobile.
- Fix filter drawer width for small devices.

Medium Fixes

- Remove production console.log statements.
- Replace mojibake symbols with clean text or lucide icons.
- Standardize PageHeader, Modal, Badge, and CartDrawer duplicates.
- Add inline validation to auth and checkout forms.
- Optimize font loading and image dimensions.

Minor Improvements

- Fix copy typo in empty cart CTA.
- Convert nested absolute route paths to relative paths.
- Improve empty states in homepage category failure cases.
- Add richer skeletons to admin contact and category modules.
- Add accessible focus trap validation for drawers/modals.

12. Final Checklist

- ☐ Header
- ☐ Footer
- ☐ Navigation
- ☐ Home
- ☐ Products
- ☐ Cart
- ☐ Checkout
- ☐ Login
- ☐ Register
- ☐ Dashboard
- ☐ Mobile
- ☐ Tablet
- ☐ Desktop
- ☐ Accessibility
- ☐ Performance
- ☐ SEO
- ☐ Security

Recommended Verification Commands

When local tooling is available, run: npm run build, npm run lint, and browser QA with desktop 1440px, tablet 768px, mobile 390px and 320px. Capture console output, network failures, and screenshots for all screenshot placeholders.

13. Project Health Summary

Total Components Checked	Approximately 120 frontend components plus pages, stores, hooks, and shared utilities from 173 JS/JSX files.
Total Pages Checked	31 routed page surfaces and route variants across storefront and admin.
Passed	Core cart drawer, product grid skeletons, checkout loading overlays, payment unavailable state, admin product list states, settings component patterns.
Failed	20 documented issues, with the highest risk in theme/dark mode, route consistency, mobile catalog UX, contact page polish, and console output.
Warnings	Live browser QA, screenshots, build, lint, React runtime warnings, and real API loading behavior still require verification in a running environment.
Estimated Time To Fix	P1 fixes: 1.5 to 2.5 days. P2 fixes: 2 to 4 days. Final responsive/browser QA: 1 day.
Overall Project Readiness	Moderate readiness. Suitable for internal/demo use; not yet client-polished for production without P1 and main P2 fixes.