

How Much Weather Is Enough for Predicting Renewable Grid Share?

Aiden Wang¹ Zhiling Lan^{2,3} ¹ Evanston Township High School, Evanston, IL ² University of Illinois Chicago ³ Argonne National Laboratory

SC26 Research Posters · Chicago, IL · 17–19 November 2026



Research Question

1. How much accuracy ERA5 wind, radiation, and temperature add beyond calendar features;
2. Whether this gain is predictable from a grid's wind-versus-solar mix;
3. How far resolution can be coarsened, and whether weighting cells toward mapped generation facilities matters more than grid fineness.

Data

- We analyzed 19 European countries from 2022 to 2026.
- Used 36,000–38,000 hourly Energy-Charts observations per country.
- Combined electricity data with ERA5 weather weighted by wind and solar farm locations and capacities from Global Energy Monitor.

Methodology


- **Two feature sets:**
 - ✓ Calendar (C): five calendar features
 - ✓ Calendar + Weather (C+W): five calendar features + 3 weather features
- **Two predictions:**
 - ✓ Classification: (a) To predict whether renewable share R_t exceeds 50% of load; (b) Area Under the Curve (AUC) metric.
 - ✓ Regression: (a) To predict the continuous renewable share R_t ; (b) coefficient of determination R^2 and Mean Absolute Error (MAE) metrics.
- **Weather-added gain:**
 - ✓ To analyze whether G increases with the wind dominance using the Pearson correlation r

$$R_t = \frac{\text{renewable generation at hour } t}{\text{electrical load at hour } t} \times 100.$$

$$r = \text{Pearson-Corr}(D, G)$$

$$D = \left(\frac{\sum_t \text{wind generation}_t}{\sum_t \text{load}_t} - \frac{\sum_t \text{solar generation}_t}{\sum_t \text{load}_t} \right) \times 100$$

$$G = \text{AUC}_{C+W} - \text{AUC}_C \text{ or } R^2_{C+W} - R^2_C$$




References:

AI disclosure: OpenAI Codex assisted with code, figures, and editing. All results and conclusions were verified by the authors.


- [1] Fraunhofer Institute for Solar Energy Systems ISE, "Energy-Charts." <https://www.energy-charts.info>.
- [2] H. Hersbach et al., "The ERA5 global reanalysis," Quarterly Journal of the Royal Meteorological Society, vol. 146, no. 730, pp. 1999–2049, 2020.
- [3] Global Energy Monitor, "Global Wind Power Tracker" and "Global Solar Power Tracker." <https://globalenergymonitor.org>
- [4] F. Pedregosa et al., "Scikit-learn: Machine learning in Python," JMLR, vol. 12, pp. 2825–2830, 2011.
- [5] G. Ke et al., "LightGBM: A highly efficient gradient boosting decision tree," NeurIPS, vol. 30, 2017.
- [6] OpenAI, "Codex," AI-assisted code development, visualization, and editing, 2026. <https://openai.com/codex/>

Wind-Dominant Grids Benefit from Weather



- Weather-added gain increased with wind dominance for all four models.
- Correlations ranged from $r = 0.809$ to $r = 0.881$
- The relationship used 17 grids with complete wind and solar data.


Weather-Added Gains Are Robust




- Adding weather clearly reduced prediction errors in most countries, depending on the model.
- Wind-heavy countries generally showed the largest and most consistent improvements.

Wind- vs Solar-Dominant Systems

- Study countries colored by wind minus solar share of load.
- Wind-dominant systems appear dark blue; Solar-dominant systems appear in warm tones.
- Ireland and Serbia lack solar observations and are marked unavailable.




Coarser Weather Grids Preserve Accuracy



Moderate coarsening maintained nearly the same prediction quality while reducing weather data processed from 100% at 0.25° to 25.9% at 0.5° and 7.0% at 1°.

Power-Plant-Weighted Weather Predicts Better



- Weighting weather toward wind and solar farms usually outperformed treating all locations equally.
- Average improvements were 0.013–0.017 AUC and 0.043–0.047 R^2 , although some countries did not improve.

Conclusions

- Weather improved renewable-share predictions in most countries.
- Wind-heavy grids benefited most from weather data.
- Coarse grids are enough: 0.5°–1° grids preserve nearly all predictive value