

HTML in Dash

BUILDING DASHBOARDS WITH DASH AND PLOTLY



Alex Scriven
Data Scientist

HTML Revisited

- HTML = language for structuring web content
 - Uses 'tags' like Div, H1>H6
- Dash wraps HTML using dash html components (`dash.html`)
 - H1 tag is `.H1()`
 - Div tag is `.Div()`
- Many more tags available!

```
<div>
  <div style=
    "background-color: red;
    width:250; height:250;">
  </div>
  <div style=
    "background-color: lightblue;
    width:250; height:250;">
    <h1>This box</h1>
  </div>
</div>
```

Structuring tags

- Huge list of HTML tags available (See [documentation](#))
- Important structuring tags:
 - `.Br()` = New line break
 - `.Img()` = Insert an image

Lists in HTML Dash

- `.Ul()` \ `.Ol()` & `.Li()` = Create lists
 - `.Ul()` for unordered list (bullet-points, like these!)
 - `.Ol()` for ordered list (numbered-points)
 - `.Li()` for each list element


We will practice these!

Inserting a company logo

Add company logo above the title;

```
app.layout = html.Div(children=[  
    html.Img(src='www.website.com/logo.png'),  
    html.H1("Our Sales Dashboard")  
])
```

Nice and professional!



E-com global



Our Sales Dashboard

Text tags

Set and format text content

- `.P()` or `.Span()` = Insert plain text
 - Accept a children argument (list of text, `.P()` or `.Span()`)
- `.B()` = **Bold** some text
- `.I()` = *Italicize* some text

HTML text tags in Dash

Some complex formatting:

```
app.layout = html.Div(children=[
    html.H1("Our Sales Dashboard"),
    html.Span(children=[
        f"Prepared: {datetime.now().date()}",
        " by ", html.B("Jessie Parker, "),
        html.I("Data Scientist")
    ])
])
```



Our Sales Dashboard


Prepared: 2021-06-27 by **Jessie Parker**, *Data Scientist*

Breaking up the text

Adding line breaks:

```
app.layout = html.Div([
    html.H1("Our Sales Dashboard"),
    html.Span(children=[
        f"Prepared: {datetime.now().date()}",
        html.Br(),
        " by ", html.B("Jessie Parker, "),
        html.Br(),
        html.I("Data Scientist")]
    ])
```

With line breaks:



Our Sales Dashboard


Prepared: 2021-06-27
by **Jessie Parker**,
Data Scientist

Let's practice!

BUILDING DASHBOARDS WITH DASH AND PLOTLY

CSS Basics in Dash

BUILDING DASHBOARDS WITH DASH AND PLOTLY



Alex Scriven
Data Scientist

What is CSS?


CSS stands for 'Cascading Style Sheets'

- A language to determine how a webpage is styled
- We can control:
 - Text/font properties
 - Size & shape of objects (HTML tags!)
 - Placement of objects

CSS on the web

Most websites have CSS files;

- They are read in on page load
- One way to apply CSS to page elements
- Try opening up developer tools on Chrome to see (Google below!)
- This course: `style` property instead



CSS on HTML elements

CSS can also be used on a HTML element

- Use the `style` property of a tag
- CSS statements in one big string separated by `;`
 - Statements are `property:value;property:value;`

```
<div>
  <div style="background-color: red;
              width:250; height:250;">

  </div>
  <div style="background-color: lightblue;
              width:250; height:250;">
    <h1>This box</h1>
    <h2>Another Title</h2>
  </div>
</div>
```

Some CSS styling

```
<h1>Welcome to the website!</h1>  
<h2 style="font-size:50px;color:red">  
    Enjoy your stay!  
</h2>
```

We can see the styling on our second title:


Welcome to the website!

Enjoy your stay!

Editing live CSS

We can see how to edit some CSS on a live website

- Right click an element > select 'inspect' > edit a CSS property
- Note - only a local change (gone on refresh)



CSS in Dash

- Dash components `style` argument
 - Accepts CSS as a dictionary
- Previous code in a Dash component:

```
app.layout = html.Div([
    html.H1('Welcome to the website!'),
    html.H2('Text',
    style={'font-size': '50px',
          'color': 'red'})
])
```






CSS for color

CSS can be used to set the:

- Background color of an object (`background-color`)
- Text color (`color`)

Both methods accept strings (e.g., 'red') or RGB codes (e.g., `'rgb(0,0,255)'` is blue!)

Some color RGB codes:

Color	RGB Code
	(245, 66, 230)
	(105, 245, 66)
	(245, 66, 87)
	(50, 47, 247)

CSS for Size

CSS can set the size via the `width` and `height` properties

```
app.layout = html.Div([
    # Add & resize the company logo
    html.Img(src=logo_link,
             style={'width': '250px', 'height': '250px'})
])
```

CSS size as a percentage

```
app.layout = html.Div([  
    # Add & resize the company logo  
    html.Img(src=logo_link,  
    style={'width': '50%', 'height': '50%'})  
])
```

- 50% of parent element size

Let's practice!

BUILDING DASHBOARDS WITH DASH AND PLOTLY

Advanced CSS in Dash

BUILDING DASHBOARDS WITH DASH AND PLOTLY




Alex Scriven
Data Scientist

CSS for spacing between objects

The 'Box Model' considers each HTML element as a box with these properties:

- Content of the object (`height` & `width` properties)
- Padding (outside the content)
- Border (between padding and margin)
- Margin (outside the border, separating one element from another)



Adding a border

The `border` CSS argument has three elements:

- `'border': 'A B C'`
 - A = width in pixels
 - B = style (E.g., `solid` or `dotted`)
 - C = color (E.g., `red`)

A border on our app

```
html.Div(dcc.Graph(figure=ecom_bar),  
         style={'width': '500px',  
               'height': '450px',  
               'border': '5px dotted red'})
```




CSS spacing

To set the spacing of an HTML element:

- Specify four numbers for each property (Padding & Margin)
 - Clockwise will be top, right, bottom, left
- Alternatively: one number (will be applied to all sides)
- Alternatively: two numbers for top-bottom and left-right


E.g., `'padding': '10px 5px 5px 15px'`

Produces this:




Adding padding in Dash

No padding:



Adding `'padding': '100px'`:




Adding margin in Dash

No margin:




Adding `margin: 100px auto`:




Centering with auto margin

With: `'margin': '100px'`



With: `'margin': '100px auto'`



CSS for layout

Elements not aligning? HTML elements can either be 'inline' or 'block' elements.


- Inline render on the same line
 - Have no height or width (or box) properties
 - Examples include ``, `<a>`, ``
- Block stack on top of one another as they include a line break
 - Can't have more than one side-by-side
 - Examples include `<h1>`, `<div>`
- There is also inline-block
 - Can set height/width/box properties
 - Can be side-by-side

Inline-block elements

We can create some divs that are block and inline-block;

```
<div style='width:50px;height:50px;
background-color:blue'></div>
<div style='width:50px;height:50px;
background-color:red
display:inline-block'></div>
<div style='width:50px;height:50px;
background-color:green;
display:inline-block'></div>
```

Notice the red beside green?



Let's practice!

BUILDING DASHBOARDS WITH DASH AND PLOTLY