

1. `replace()` - This method is used to replace one substring with another substring.

eg. `str1 = "jai ganesh"`

`new_str = str1.replace("jai",
"shree")`

`print(new_str)` → shree ganesh

- Trims whitespace.

" jai gareth "

lstrip() " jai-gareth" → "jai gareth"
left side

rstrip() "jai gareth " → "jai gareth"

strip() " jai gareth " → "jai gareth"

1. lstrip() — This method is used to remove left side or leading whitespace.

eg. Str1 = " jai ganesb"

new_str = Str1.lstrip()

print(new_str) → "jai ganesb"

2. `rstrip()` – This method is used to remove trailing whitespace or whitespace from right side.

eg. `str3 = "jai gareth"`

`new_str2 = str3.rstrip()`

`print(new_str2)` → "jai gareth"

3. Strip() — This method is used to remove leading as well as trailing whitespace. It removes whitespace from left side as well as right side

eg. Str4 = " jai ganesh "

new_str3 = Str4.strip()

Print(new_str3) → "jai ganesh"

- `Split()` - This method is used to divide string into substring based on the delimiter.

eg. `Str1 = "hello welcome to python"`

① ② ③ ④ ⑤

"hello" "welcome" "to" "python"

`words = Str1.split()`

`Print(words)` → `["hello", "welcome", "to", "python"]`

① ② ③ ④

• partition() — partition method divides the string into 3 parts

1. before separator.
2. Separator.
3. after separator.

eg. Str1 = "hello welcome to python"

before, sep, after = Str1.partition("to")

Print(before) → "hello welcome"

Print(sep) → "to"

Print(after) → "python"

String Conversion's method.

1. lower() — This method converts all characters of the string into lowercase or small letters.

eg. str1 = "JAI GRANESH"

new_str = str1.lower()

print(new_str) → "jai granesh"

2. upper() - This method converts all characters of the string into uppercase or capital letters.

eg. str1 = "jai ganesha"

new_str4 = str1.upper()

print(new_str4) → "JAI GANESHA"



