

Decision Control Instruction.

* Program 1.py

1. Print("jai ganesh")

Print("Hello world")

a = 15

b = 20

c = a + b

end Print() —

o/p — jai ganesh 30
Hello world 50
30
50

1. Until now, all programs are used to execute sequentially

We can change the sequence of execution by using

1. Decision Control instruction.

Three ways we can make decision in
our program

(1)

```
if condition :  
    stat 1  
    stat 2
```

(2)

```
if condition :  
    stat 1  
    stat 2  
  
else :  
    stat 1  
    stat 2
```

(3)

```
if condition1 :  
    stat 1  
elif condition2 :  
    stat 1  
elif condition3 :  
    stat 1  
else :  
    stat 1
```


1) if block -

In if block, else block is optional,

ex.

age = 20 ¹²

Condition
 True
 False

if (age >= 18):

print("you are eligible for voting")
print("voting timings are 9AM to 6PM")

print("program ended")

2] if-else :-

- if the if block condition is true then all the statements inside the if block will execute.
- if the if block condition is false then all the statements inside the else block will execute.

3] if-elif-else block -

- if the if block condition is true then the statements inside the if block will execute.
- if the if block condition is False then it checks the elif condition, if elif condition is true,

then the statements inside the
elif block will execute.

- if elif block's conditions are
false then else statements
will execute.

