

CS1231S1: Discrete Structures
Tutorial #1: Propositional Logic and Proofs
Week 3: 26 – 30 August 2019

Tutorials are meant to reinforce topics taught in lectures. Please try these questions on your own before coming to tutorial. In doing so, you may discover gaps in your understanding. Usually, a tutorial has a mix of easy, moderate and slightly challenging questions. It is perfectly fine if you cannot do some of the questions, but attempt them nonetheless, to at least get some partial solution.

You will be asked to present your answers. Your tutor's job is to guide you, not to provide the answers for you. Also, please keep in mind that the goal of tutorials is not to answer every question here, but to clarify doubts and reinforce concepts. Solutions to all tutorial questions will be given in the following week, but please treat them as a guide, for there are usually alternative ways of solving a problem.

You are also encouraged to raise your doubts or questions on the LumiNUS "Tutorials" forum.

Tutorials are important so attendance is taken and it contributes 5% of your final grade. If you miss a tutorial with valid reason (eg: due to illness), please submit your document (eg: medical certificate) to your respective tutor (softcopy or hardcopy) in advance or within three days after your absence and you will not be penalized for your absence. You are to stick with your officially assigned tutorial group (we give exception for first week of tutorial), or your attendance will not be taken. If you need to join a different group for just once for valid reason, please email Aaron (tantc@comp.nus.edu.sg) in advance citing your reason.

Discussion Questions

To encourage discussion on LumiNUS forum, the questions in this section will not be discussed in tutorial. You may discuss them or post your answer on LumiNUS forum.

- D1. The island of Wantuutrewan is inhabited by two types of people: **knights** who always tell the truth and **knaves** who always lie. Wala comes to a fork in a road on the island. One branch leads to the ancient ruins Wala wants to visit, and the other branch leads deep into the deadly jungle. At the fork stand two natives, one is a knight and the other a knave, who know each other well. However, Wala has no idea who is the knight and who is the knave.

Wala wants to ask for direction to the ruins, but he is allowed to ask only one question to one of the two natives, and the natives, who understand English but cannot speak it, can only point with their fingers. What single question should Wala ask so that he is sure to take the branch leading to the ruins and not the jungle?

(More than one possible answer.)

D2. Let p stand for the proposition “I went to Universal Studios Singapore” and q stand for “I rode the Battlestar Galactica”. Express the following as natural English sentences. For part (f), express it in English before and after simplifying the given proposition.

- (a) $\sim p$
- (b) $p \vee q$
- (c) $p \wedge \sim q$
- (d) $p \rightarrow q$
- (e) $\sim p \rightarrow \sim q$
- (f) $\sim p \vee (p \wedge q)$

D3. Mala has hidden her treasure somewhere on her property. She left a note in which she listed five statements (a-e below) and challenged the reader to use them to figure out the location of the treasure.

- (a) If this house is next to a lake, then the treasure is not in the kitchen.
- (b) If the tree in the front yard is an elm, then the treasure is in the kitchen.
- (c) If the tree in the back yard is an oak, then the treasure is in the garage.
- (d) The tree in the front yard is an elm or the treasure is buried under the flagpole.
- (e) The house is next to a lake.

Where has Mala hidden her treasure?

Tutorial Questions

1. Comment on the following two statements.
 - a. The negation of “ $1 < a < 5$ ” is “ $1 \geq a \geq 5$ ”.
 - b. In propositional logic, “he’s welcome to come along only if he behaves himself” means “if he behaves himself then he’s welcome to come along.”
2. Simplify the propositions below using Theorem 2.1.1 (Epp) and the implication law (if necessary) with only negation (\sim), conjunction (\wedge) and disjunction (\vee) in your final answers. Supply a justification for each step (e.g.: “by the commutative law”).
 - a. $(p \vee \sim q) \rightarrow q$
 - b. $\sim(p \vee \sim q) \vee (\sim p \wedge \sim q)$
 - c. $(p \rightarrow q) \rightarrow r$

Prove, or disprove, that $(p \rightarrow q) \rightarrow r$ logically equivalent to $p \rightarrow (q \rightarrow r)$.

3. The SAFRA-DBS NS50 Lucky Draw 2017 is a lucky draw to win 100,000 AirAsia Miles.¹

The rule says that to qualify for the draw, SAFRA-DBS credit card holders must “charge a minimum of S\$50 nett to their card during the Qualifying Period”, which is 1 July to 30 September 2017.

Let C = “Charge a minimum of S\$50 nett”, P = “Charge during the Qualifying Period”, and W = “Win 100,000 AirAsia Miles”.

- a. Write a conditional statement using C , P and W that describes the rule above.
 - b. Write the converse, inverse, contrapositive and negation forms of the statement in part (a).
4. Some of the arguments below are valid, whereas others exhibit the converse or inverse error. Use symbols to write the logical form of each argument. If the argument is valid, identify the rule of inference that guarantees its validity. Otherwise, state whether the converse or the inverse error is made.
- a. Sandra knows Java and Sandra knows C++.
 \therefore Sandra knows C++.
 - b. If at least one of these two numbers is divisible by 6, then the product of these two numbers is divisible by 6.
Neither of these two numbers is divisible by 6.
 \therefore The product of these two numbers is not divisible by 6.
 - c. If there are as many rational numbers as there are irrational numbers, then the set of all irrational numbers is infinite.
The set of all irrational numbers is infinite.
 \therefore There are as many rational numbers as there are irrational numbers.
 - d. If I get a Christmas bonus, I’ll buy a stereo.
If I sell my motorcycle, I’ll buy a stereo.
 \therefore If I get a Christmas bonus or I sell my motorcycle, I’ll buy a stereo.
5. Prove that there exist $x, y, z \in \mathbb{Z}_{>10}$ such that $x^2 + y^2 = z^2$. What is your proof called? What are these values called?

¹ <https://www.dbs.com.sg/iwov-resources/pdf/cards/promotions/safra-cards-taipei-tnc.pdf>

6. The island of Wantuutrewan is inhabited by two types of people: **knight**s who always tell the truth and **knave**s who always lie. You visit the island and have the following encounters with the natives.



- a. Two natives *A* and *B* speak to you:

A says: Both of us are knights.

B says: *A* is a knave.

What are *A* and *B*?

- b. Two natives *C* and *D* speak to you:

C says: *D* is a knave.

D says: *C* is a knave.

How many knights and knaves are there?

Part (a) has been solved for you (see below). Study the solution, and use the same format in answering part (b).

Answer for part (a):

Proof (by contradiction).

1. If *A* is a knight, then:
 - 1.1 What *A* says is true. (by definition of knight)
 - 1.2 \therefore *B* is a knight too. (that's what *A* says)
 - 1.3 \therefore What *B* says is true. (by definition of knight)
 - 1.4 \therefore *A* is a knave. (that's what *B* says)
 - 1.5 \therefore *A* is not a knight. (since *A* is either a knight or a knave, but not both)
 - 1.6 \therefore Contradiction to 1.
2. \therefore *A* is not a knight.
3. \therefore *A* is a knave. (since *A* is either a knight or a knave, but not both)
4. \therefore What *B* says is true.
5. \therefore *B* is a knight. (by definition of knight)
6. Conclusion: *A* is a knave and *B* is a knight.

Notes:

- It is tempting to say "Contradiction" right after line 1.4. However, this is not valid because contradiction requires $p \wedge \sim p$, but 'knave' is not the negation of 'knight'. Hence line 1.5 is required, before we arrive at the contradiction in 1.6.

7. Prove Lemma 1: The product of any two odd integers is an odd integer.

8. I.M Smart, your CS1231S classmate, came across this question:

If a, b, c are integers such that $a^2 + b^2 = c^2$, then a, b cannot both be odd.

a. Smart attempts to prove the above as follows:

Proof.

1. Suppose a, b are both odd.
2. Then $\exists k, m \in \mathbb{Z}$ s.t. $a = 2k + 1$ and $b = 2m + 1$.
3. Then $a^2 + b^2 = (2k + 1)^2 + (2m + 1)^2$
$$= 4k^2 + 4k + 4m^2 + 4m + 2 = c^2$$
4. Then $c = \sqrt{4k^2 + 4k + 4m^2 + 2}$.
5. But the right hand side is not an integer.
6. This contradicts the fact that c is an integer.
7. Hence, a, b cannot both be odd.

Comment on Smart's proof.

b. Write your own proof using contraposition. You may start your proof with the same line 1 as above. You may also make use of Lemma 1 in the previous question.