

LESSON 5

(Gender and Society)






Table of contents

01

Physical Differences of Men and Women

02

Primary Sexual Characteristics

03

Secondary Sexual Charesteristics

04

Bibliography





Learning Outcomes

1

Discuss the context of men and women physical differences; and

2

Differentiate primary sexual orientation to secondary sexual characteristic.





Objectives

1

To understand the biological and physiological differences between men and women in terms of their physical characteristics.

2

To explore the role of primary sexual orientation in shaping individual's sexual identity and behavior.


3

To appreciate the diversity of human experiences and identities within the spectrum of gender and sexual orientation.

4

To examine the social and cultural factors that may influence the perception and understanding of gender and sexual orientation.






01

Physical Differences of Men and Women

PRIMARY SEXUAL CHARACTERISTICS

Primary sexual characteristics are the physical characteristics that are present at birth and are directly related to the reproductive system.





Produce and transport semen,
which contains sperm.

Release sperm into the female
reproductive tract during sex.

Make male sex hormones,
such as testosterone

PRIMARY FUNCTIONS ARE TO:




The male reproductive system includes both
internal and external parts




GENITALIA

The most obvious primary differences is the genitalia.




Genitalia refers to the external reproductive or sex organs of an individual. In males, the genitalia consist of the penis and scrotum, whereas in females, it includes the vulva, clitoris, vagina, and breasts.

Genitalia play a crucial role in sexual reproduction and are also associated with sexual pleasure and arousal. It is important to care for and maintain proper hygiene of the genitalia to prevent infections and other health issues.



Male Reproductive System



The penis is a male reproductive organ that is responsible for delivering sperm during sexual intercourse. It is made up of erectile tissue that becomes engorged with blood to achieve an erection, allowing for penetration and ejaculation. The penis also serves as a conduit for urine to leave the body.

There is no one-size-fits-all answer to the size of a penis as it can vary greatly from person to person. On average, the erect penis size ranges from around 5 to 7 inches in length and not erect 3.6 inches long when flaccid, but can be smaller or larger. It's important to remember that penis size does not determine sexual pleasure or performance.

The penis has three different parts:

Glans



Shaft




Root




The root of the penis, which attaches to the pelvic bone and contains the bulb of the penis and the two crura (singular: crus) that extend towards the thighs.

The shaft of the penis, which is the main body of the penis and contains the urethra, which carries urine and semen.

The glans, or head, of the penis, which is the sensitive tip and is covered by the foreskin (if present) or the corona in those who are circumcised.








The root of the penis, which attaches to the pelvic bone and contains the bulb of the penis and the two crura (singular: crus) that extend towards the thighs.


The shaft of the penis, which is the main body of the penis and contains the urethra, which carries urine and semen.

The glans, or head, of the penis, which is the sensitive tip and is covered by the foreskin (if present) or the corona in those who are circumcised.



DUCT SYSTEM

Many areas of the male reproductive system are connected via a series of ducts.



The duct system of the male reproductive system consists of several interconnected structures that work together to transport and store sperm.

The duct system includes the following parts:

1.Epididymis: The epididymis is a tightly coiled tube located at the back of the testes. It serves as a storage and maturation site for sperm as they move from the testes to the vas deferens.


2.Vas Deferens: The vas deferens is a long, muscular tube that carries sperm from the epididymis to the ejaculatory duct. It also serves as a passageway for sperm during ejaculation.

Ejaculatory Duct: The ejaculatory duct is a short, narrow tube that connects the vas deferens to the urethra. It passes through the prostate gland and is responsible for transporting sperm and seminal fluid out of the body during ejaculation.


Urethra: The urethra is a tube that runs through the penis and carries urine and semen out of the body. During ejaculation, sperm and seminal fluid pass through the urethra and are expelled from the body.

Overall, the duct system of the male reproductive system plays a crucial role in the transport and storage of sperm, ultimately allowing for the release of sperm during sexual intercourse.

TESTES



OTHER PARTS OF MALE REPRODUCTION SYSTEM





The scrotum is a sac of skin and muscle that holds and protects the testicles. It is located below the penis and acts as a climate control system for the testes, helping to regulate their temperature to ensure proper sperm production.

The testicles, also known as testes, are two organs within the scrotum that produce sperm and testosterone. Sperm is produced in the seminiferous tubules of the testes and then stored in the epididymis before being released during ejaculation. Testosterone is a hormone that plays a key role in the development of male reproductive tissues and secondary sexual characteristics.







The prostate gland is a small gland located just below the bladder and surrounds the urethra, the tube that carries urine and semen out of the body. The prostate gland produces and stores fluid that makes up a part of semen. During ejaculation, the muscles of the prostate gland help to propel this fluid into the urethra, where it mixes with sperm from the testicles to form semen. The prostate gland also plays a role in regulating urine flow.

Bulbourethral Glands: The bulbourethral glands, also known as Cowper's glands, are two pea-sized glands located below the prostate gland. They produce a clear, viscous fluid that lubricates and neutralizes the acidity of the urethra before ejaculation. This fluid helps protect sperm from the acidic environment of the urethra and provides additional lubrication during sexual activity.)









02

FEMALE
REPRODUCTIVE
SYSTEM

Female reproductive system

Internal and external








Uterus: Also known as the womb, the uterus is a hollow, pear-shaped organ located in the pelvis between the bladder and the rectum. **Its main function** is to nourish and protect a developing fetus during pregnancy. **The lining of the uterus**, called the endometrium, thickens each month in preparation for pregnancy. If pregnancy does not occur, the endometrium is shed during menstruation.

Ovary: Ovaries are a pair of small, almond-shaped organs located on either side of the uterus. They are part of the female reproductive system and are responsible **for producing eggs (ova) and hormones such as estrogen and progesterone**. Each month, an ovary releases an egg during ovulation, which may be fertilized by sperm if intercourse occurs.

Fallopian Tube: **Also known as oviducts**, fallopian tubes are slender tubes that extend from each ovary to the uterus. They serve as the pathway for eggs to travel from the ovaries to the uterus. Fertilization typically occurs in the fallopian tube when sperm meet the egg. The fertilized egg then travels to the uterus for implantation and pregnancy.

Hymen: The hymen is a thin membrane that partially covers the opening of the vagina. It is a remnant of tissue from fetal development and can vary in thickness and shape among individuals. Contrary to popular belief, the presence or absence of the hymen is not a reliable indicator of virginity or sexual activity. It can be stretched or torn by various activities, including sexual intercourse, physical exercise, or medical examinations.



DIFFERENT PARTS OF FEMALE REPRODUCTIVE SYSTEM

Vulva: The collective term for the external genitalia of the female reproductive system, including the mons pubis, labia majora, labia minora, clitoris, vestibular bulbs, vulva vestibule, Bartholin's glands, and Skene's glands. It acts as a protective and sensory structure for the internal reproductive organs.

Mons Pubis: The rounded mound of fatty tissue located over the pubic bone in females. It serves as a protective cushion and can vary in size and shape among individuals.

Labia Majora: Two outer folds of skin that surround and protect the vaginal and urethral openings. They contain sweat and oil glands and are covered with pubic hair during puberty.

Labia Minora: Two inner folds of skin located inside the labia majora. They enclose and protect the clitoris, urethra, and vaginal opening. The labia minora can vary in size, shape, and color among individuals.

Clitoris: A highly sensitive organ located at the top of the vulva, composed of erectile tissue and nerve endings. It plays a key role in sexual arousal and pleasure, as it becomes engorged with blood during arousal.

Vestibular Bulbs: Erectile tissue located on either side of the vaginal opening. They become engorged with blood during sexual arousal, contributing to vaginal lubrication and sensation.



Vulva Vestibule: The space enclosed by the labia minora, containing the urethral opening and vaginal opening. It serves as the entrance to the reproductive and urinary systems.


Bartholin's Glands: Small glands located on either side of the vaginal opening. They secrete fluid to lubricate the vagina during sexual arousal, facilitating intercourse.

Skene's Glands: Also known as the paraurethral glands, these are located near the urethral opening and secrete fluid that may contribute to female ejaculation. Their exact function is still debated.

Urethra: The tube through which urine is expelled from the bladder. In females, it is located between the clitoris and the vaginal opening. It also plays a role in the female reproductive system by providing a passageway for sperm during artificial insemination.

Vagina: A muscular tube connecting the external genitals to the cervix of the uterus. It serves as a passageway for menstrual blood, childbirth, and sexual intercourse. The vagina also produces lubrication during sexual arousal.






Chromosomes: Structures within cells that contain genetic information. In humans, chromosomes come in pairs, with one set inherited from each parent. Chromosomal abnormalities can impact reproductive development and health, including fertility.


Reproductive Hormones: Chemical messengers produced by glands such as the ovaries, testes, and pituitary gland. In females, reproductive hormones include estrogen and progesterone, which regulate the menstrual cycle, ovulation, and pregnancy. In males, testosterone is the primary reproductive hormone, responsible for sperm production, sexual development, and other male characteristics. These hormones play crucial roles in reproductive health, fertility, and sexual function.





03

SECONDARY SEXUAL CHARACTERISTICS





Body size and composition: Men tend to have larger body sizes and more muscle mass, while women typically have smaller body sizes and more body fat.


Facial and body hair: Men generally have more facial and body hair, including thicker and coarser hair, while women typically have finer and less noticeable body hair.

Voice: Men typically have lower-pitched voices due to larger vocal cords, while women generally have higher-pitched voices.

Breasts: Women develop breasts during puberty, while men do not have breast tissue development.

Pelvic structure: Women have wider pelvises in order to accommodate childbirth, while men have narrower pelvises.





Muscle mass: Men typically have more muscle mass and greater strength due to higher levels of testosterone, while women have less muscle mass.

Reproductive system: Men have external reproductive organs such as the penis and testes, while women have internal reproductive organs such as the uterus and ovaries.

Overall, these secondary sexual characteristics are determined by hormones, particularly testosterone in men and estrogen in women. These developmental differences between men and women play a role in their physical appearance and functioning.



04

SKELETAL STRUCTURE



Men generally have denser and larger bones compare to women

SEVERAL SKELETAL STRUCTURE

PELVIS

SKULL


SHOULDER

RIBCAGE

LIMB PROPORTIONS

PELVIC INLET & OUTLET

FEMUR ANGLE



There are several skeletal structure differences between men and women, though it's important to note that these differences can vary among individuals and are not absolute. Some general differences include:

Pelvis: Perhaps the most significant difference is in the shape of the pelvis. In females, the pelvis is generally wider and shallower, with a larger pelvic outlet. This adaptation is to accommodate childbirth. In males, the pelvis is typically narrower and taller.

Skull: Male skulls tend to be larger and more robust, with more prominent brow ridges and a more pronounced jawline. Female skulls are usually smaller and more gracile, with smoother contours.

Shoulders: Male shoulders are typically broader and more squared compared to female shoulders, which tend to be narrower and more rounded.

Ribcage: Male ribcages are generally larger and broader, while female ribcages are smaller and have a greater degree of flare at the bottom to accommodate pregnancy.






Limb proportions: In general, male limbs tend to be longer and thicker compared to female limbs of similar height. This is thought to be related to differences in muscle mass and strength between the sexes.


Pelvic inlet and outlet: The pelvic inlet and outlet are wider and more oval-shaped in females, while in males, they are narrower and more heart-shaped.

Femur angle: The angle of the femur (thigh bone) tends to be slightly more angled inward in females, which affects the alignment of the knee joint.

These differences in skeletal structure reflect the evolutionary adaptations related to reproduction, locomotion, and other aspects of human biology. However, it's essential to recognize that there is significant variation within each sex, and these differences are not absolute or deterministic.







The skeletal system can be divided into two main parts: the axial skeleton and the appendicular skeleton.


Axial Skeleton: This part of the skeleton includes the bones along the body's central axis. It consists of the following components:

1. **Skull:** The skull consists of the cranium, which encloses and protects the brain, and the facial bones, which form the structure of the face.
2. **Hyoid Bone:** A U-shaped bone located in the neck, providing support for the tongue and serving as an attachment point for muscles and ligaments.
3. **Vertebral Column (Spine):** The vertebral column consists of individual vertebrae separated by intervertebral discs. It provides structural support for the body, protects the spinal cord, and allows for movement and flexibility.
4. **Ribs:** The ribs are curved bones that form the rib cage, protecting the thoracic organs such as the heart and lungs.
5. **Sternum:** Also known as the breastbone, the sternum is a flat bone located in the center of the chest. It provides attachment points for the ribs and supports the rib cage.

Appendicular Skeleton: This part of the skeleton includes the bones of the limbs and their attachments to the axial skeleton. It consists of the following components:

1. **Upper Limbs:** The upper limbs consist of the shoulder girdle (clavicle and scapula) and the bones of the arms (humerus), forearms (radius and ulna), wrists (carpals), hands (metacarpals), and fingers (phalanges).
2. **Lower Limbs:** The lower limbs consist of the pelvic girdle (hip bones) and the bones of the thighs (femur), lower legs (tibia and fibula), ankles (tarsals), feet (metatarsals), and toes (phalanges).
3. **Girdles:** The shoulder girdle and pelvic girdle connect the upper and lower limbs to the axial skeleton. They provide attachment points for muscles and support the weight of the body.

These divisions help to organize and categorize the various bones of the human skeleton based on their location and function within the body.



THANK YOU 😊