Developer Documentation

Plugin Tutorial

How-To Guides

Reference Topics

- Architecture
  - Model
  - Web Framework
  - Extensions
  - Remoting
- Initialization and Startup
- Extensibility
- Model
- Handling Requests
- Security
- Persistent Objects
- Scheduling
- Views
- Forms
- Internationalization and Localization
- Jenkins Crowdin Integration
- Distributed Builds
- Jenkins CLI
- Testing
- Telemetry
- Plugin Development
- Plugin Governance
- Publishing Plugins
- FIPS-140 for developers
- Building and Debugging
- Development Environment
- Improve a Plugin Tutorial

Resources

- **Extensions Index**
- Javadoc
- Taglibs

Tools

- Maven HPI Plugin

Architecture

This section is a work in progress. Want to help? Check out the jenkinsci/docs gitter channel. For other ways to contribute to the Jenkins project, see this page about participating and contributing.

This section provides a high level overview of the Jenkins architecture.

The audience is Java developers familiar with Jenkins (as users) who want to understand how Jenkins works internally.

Dataflow diagram


This dataflow represents Jenkins as a "box". The goal is to have a view of network flow that goes in and out.

This diagram is a high level view centered on Jenkins core.

Please note that:

- some plugins such as the LDAP plugin can contribute to add new network flow.
- All port numbers can be changed by configuration. The port in the diagram is the default port
- Jenkins can be configured to use TLS (HTTPS)

- It’s not mandatory to have all agent types, there is one instance of each agent to illustrate communication types



The source of this diagram is on github, to be opened with https://app.diagrams.net.

Sections

- Model
- Web Framework
  How Jenkins uses the Stapler framework
- Extensions
- Remoting

References

- Architecture wiki page

Improve this page

Report page issue



The content driving this site is licensed under the Creative Commons Attribution-ShareAlike 4.0 license.

Copyright © 2026 CD Foundation The Linux Foundation®. All rights reserved. The Linux Foundation has registered trademarks and uses trademarks. For a list of trademarks of The Linux Foundation, please see our Trademark Usage page. Linux is a registered trademark of Linus Torvalds. Privacy Policy and Terms of Use.