


A)

```
#include <iostream>
using namespace std;
int main()
{
    int a, b, c, max;
    cin >> a >> b >> c;
    if (b > a && b > c)
    {
        max = b;
    }
    else if (c > a && c > b)
    {
        max = c;
    }
    else
    {
        max = a;
    }
    cout << max;
}
```



B)

```
#include <iostream>
using namespace std;
int main()
{
    int a, b, c, d, e, max;
    cin >> a >> b >> c >> d >> e;
    max = a;
    if (b > max)
    {
        max = b;
    }
    if (c > max)
    {
        max = c;
    }
    if (d > max)
    {
        max = d;
    }
    if (e > max)
    {
        max = e;
    }
    cout << max;
}
```

```
1
5
4
3
2
max 5
```

C)

```
#include <iostream>
using namespace std;
int main()
{
    int anton, boris, victor, starshe;
    string name;
    cin >> anton >> boris >> victor;
    starshe = anton;
    name = "Anton";
    if (boris > starshe)
    {
        starshe = boris;
        name = "Boris";
    }
    if (victor > starshe)
    {
        starshe = victor;
        name = "Victor";
    }
    cout << "Starshe - " << name;
}
```

```
she = anton 15
= "Anton"; 17
boris > sta 16
Starshe - Boris
starshe = b C:\Users\user\source
```

A)

```
#include <iostream>
using namespace std;
int main()
{
    int a, b, c;
    cin >> a >> b >> c;
    if (a == b && b == c)
    {
        cout << "vse chisla odinakovie";
    }
    else if (a == b || a == c || b == c)
    {
        cout << "dva chisla odinakovie";
    }
    else
    {
        cout << "net odinakovih chisel";
    }
}
```

```
5
5
5
vse chisla odinakovie
```

```
5
7
5
dva chisla odinakovie
```

```
5
7
8
net odinakovih chisel
```

B)

```
#include <iostream>
using namespace std;
int main()
{
    int x;
    cin >> x;
    switch (x)
    {
        case 1:
        case 2:
        case 12:
            cout << "zima";
            break;
        case 3:
        case 4:
        case 5:
            cout << "vesna";
            break;
        case 6:
        case 7:
        case 8:
            cout << "leto";
            break;
        case 9:
        case 10:
        case 11:
            cout << "osen";
            break;
        default:
            cout << "nepravilny mesac";
    }
}
```

```
5
vesna
```

```
155555
nepravilny mesac
```