*CAPSTONE PROJECT : INTELLIGENT EXCUSE GENERATOR *

STEP 1 : INSTALLING NECESSARY LIBRARIES/TOOLS

```
#Access and use powerful Hugging Face LLMs for excuse generation
!pip install transformers

#Convert excuses into speech using Google Text-to-Speech
!pip install gtts

#Build a slick and shareable web interface for your app
!pip install gradio
```

```
    Successfully uninstalled click-8.2.1
Successfully installed click-8.1.8 gtts-2.5.4
Requirement already satisfied: gradio in /usr/local/lib/python3.11/dist-packages (5.38.2)
Requirement already satisfied: aiofiles<25.0,>=22.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (24.1.0)
Requirement already satisfied: anyio<5.0,>=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.9.0)
Requirement already satisfied: brotli>=1.1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (1.1.0)
Requirement already satisfied: fastapi<1.0,>=0.115.2 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.116.1)
Requirement already satisfied: ffmpy in /usr/local/lib/python3.11/dist-packages (from gradio) (0.6.1)
Requirement already satisfied: gradio-client==1.11.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (1.11.0)
Requirement already satisfied: groovy~=0.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.1.2)
Requirement already satisfied: httpx<1.0,>=0.24.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.28.1)
Requirement already satisfied: huggingface-hub>=0.28.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.34.3)
Requirement already satisfied: jinja2<4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.1.6)
Requirement already satisfied: markupsafe<4.0,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.0.2)
Requirement already satisfied: numpy<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.0.2)
Requirement already satisfied: orjson~=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.11.1)
Requirement already satisfied: packaging in /usr/local/lib/python3.11/dist-packages (from gradio) (25.0)
Requirement already satisfied: pandas<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.2.2)
Requirement already satisfied: pillow<12.0,>=8.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (11.3.0)
Requirement already satisfied: pydantic<2.12,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.11.7)
Requirement already satisfied: pydub in /usr/local/lib/python3.11/dist-packages (from gradio) (0.25.1)
Requirement already satisfied: python-multipart>=0.0.18 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.0.20)
Requirement already satisfied: pyyaml<7.0,>=5.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (6.0.2)
Requirement already satisfied: ruff>=0.9.3 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.12.5)
Requirement already satisfied: safehttpx<0.2.0,>=0.1.6 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.1.6)
Requirement already satisfied: semantic-version~=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.10.0)
Requirement already satisfied: starlette<1.0,>=0.40.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.47.2)
Requirement already satisfied: tomlkit<0.14.0,>=0.12.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.13.3)
Requirement already satisfied: typer<1.0,>=0.12 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.16.0)
Requirement already satisfied: typing-extensions~=4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.14.1)
Requirement already satisfied: uvicorn>=0.14.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.35.0)
Requirement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.11.0->gradio) (2025.3.0)
Requirement already satisfied: websockets<16.0,>=10.0 in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.11.0->gradio)
Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (3.10)
Requirement already satisfied: sniffio>=1.1 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (1.3.1)
Requirement already satisfied: certifi in /usr/local/lib/python3.11/dist-packages (from httpx<1.0,>=0.24.1->gradio) (2025.7.14)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.11/dist-packages (from httpx<1.0,>=0.24.1->gradio) (1.0.9)
Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.11/dist-packages (from httpcore==1.*->httpx<1.0,>=0.24.1->gradio) (
Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (3.18.0)
Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (2.32.3)
Requirement already satisfied: tqdm>=4.42.1 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (4.67.1)
Requirement already satisfied: hf-xet<2.0.0,>=1.1.3 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio)
Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2.9.
Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (0
Requirement already satisfied: pydantic-core==2.33.2 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (2.
Requirement already satisfied: typing-inspection>=0.4.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio)
Requirement already satisfied: click>=8.0.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (8.1.8)
Requirement already satisfied: shellingham>=1.3.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (1.5.4)
Requirement already satisfied: rich>=10.11.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (13.9.4)
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.8.2->pandas<3.0,>=1.0->gra
Requirement already satisfied: markdown-it-py>=2.2.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12-
Requirement already satisfied: pygments<3.0.0,>=2.13.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.1
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests->huggingface-hub>=0.
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests->huggingface-hub>=0.28.1->
Requirement already satisfied: mdurl~=0.1 in /usr/local/lib/python3.11/dist-packages (from markdown-it-py>=2.2.0->rich>=10.11.0->typer
```

What can I help you build?

STEP 2 : LOADING PRE-TRAINED LLM MODELS FROM HUGGING FACE

```
from transformers import pipeline
excuse_gen = pipeline("text-generation", model="EleutherAI/gpt-neo-1.3B")
```

```
/usr/local/lib/python3.11/dist-packages/huggingface_hub/utils/_auth.py:94: UserWarning:
The secret `HF_TOKEN` does not exist in your Colab secrets.
To authenticate with the Hugging Face Hub, create a token in your settings tab (https://huggingface.co/settings/tokens), set it as secre
You will be able to reuse this secret in all of your notebooks.
Please note that authentication is recommended but still optional to access public models or datasets.
  warnings.warn(
```

```
config.json:        1.35k/?  [00:00<00:00,  28.2kB/s]

model.safetensors:  100%                                    5.31G/5.31G  [03:44<00:00,  66.4MB/s]

tokenizer_config.json:  100%                                  200/200  [00:00<00:00,  9.99kB/s]

vocab.json:         798k/?  [00:00<00:00,  5.83MB/s]

merges.txt:         456k/?  [00:00<00:00,  10.3MB/s]

special_tokens_map.json:  100%                                 90.0/90.0  [00:00<00:00,  4.66kB/s]
Device set to use cpu
```

STEP 3 : TESTING SOME SAMPLE EXCUSES

```
prompt = "Write a creative and funny excuse for missing a Zoom call due to a minor alien abduction."
result = excuse_gen(prompt, max_length=100, do_sample=True, temperature=0.9, top_k=50, top_p=0.95)
print(result[0]["generated_text"])
```

```
Setting `pad_token_id` to `eos_token_id`:50256 for open-end generation.
Both `max_new_tokens` (=256) and `max_length`(=100) seem to have been set. `max_new_tokens` will take precedence. Please refer to the do
Write a creative and funny excuse for missing a Zoom call due to a minor alien abduction.

Thursday, March 10, 2018

I am a big fan of the idea of Zoom calls, and in recent weeks I've made two Zoom calls, one to my friend (and my current boss) and anoth

First of all, I have a hard time with Zoom calls. There's no fun to it, and it's not worth it at all. It just takes way too long. And be

The first time I made a Zoom call, I tried to use it to avoid a meeting I needed to attend at noon. I needed to do that in the afternoon

I am an unrepentant perfectionist. I will do everything I possibly can to make myself
```

STEP 4 : ADDING SOME SCENARIO BASED OPTIONS

```
from transformers import pipeline

# Load the text-generation pipeline with gpt-neo
excuse_gen = pipeline("text-generation", model="EleutherAI/gpt-neo-1.3B")

# Define a list of creative scenario-based prompts
prompts = [
    "Create an excuse for missing a Zoom call because I was temporarily abducted by aliens who mistook me for their leader.",
    "Generate a funny reason for being late to work involving a surprise visit from a vampire neighbor asking for garlic recipes.",
    "Write an excuse for forgetting to submit my assignment because I was trapped on a runaway Ferris wheel with a mime and a confused parro
    "Give an excuse for missing my deadline because I had to slay a dragon guarding my Wi-Fi router.",
    "Write a funny excuse for skipping my meeting because I accidentally signed up to perform in a local circus after mistaking it for a coo
]

# Generate excuses for each prompt
for i, prompt in enumerate(prompts, start=1):
    print(f"\n📝 Scenario {i}:")
    result = excuse_gen(
        prompt,
        max_length=100,
        do_sample=True,
        temperature=0.9,
        top_k=50,
        top_p=0.95
    )
```

```
print(result[0]["generated_text"])
```

```
Device set to use cpu
Truncation was not explicitly activated but `max_length` is provided a specific value, please use `truncation=True` to explicitly trun
Setting `pad_token_id` to `eos_token_id`:50256 for open-end generation.
Both `max_new_tokens` (=256) and `max_length`(=100) seem to have been set. `max_new_tokens` will take precedence. Please refer to the

📝 Scenario 1:
Setting `pad_token_id` to `eos_token_id`:50256 for open-end generation.
Both `max_new_tokens` (=256) and `max_length`(=100) seem to have been set. `max_new_tokens` will take precedence. Please refer to the
Create an excuse for missing a Zoom call because I was temporarily abducted by aliens who mistook me for their leader. My colleagues,

But the truth is, I've never really lost my mind.

I was never kidnapped, just picked off by alien forces.

In fact, I'm still a believer.



But after spending more than three months on the lam, I'm writing this to set the record straight.

I'm not a believer. I'm not a freak. I'm not crazy.

I'm just your average human with a weird superpower that allows me to see ghosts.



So without further ado...





In the last three months: I have:

Left the country.

Lost one family member.

Saved two people's lives.

Saved my own.

Not sure if I'm crazy or not.

Was a prisoner at a mental institution for a year.

Lost the ability to see ghosts.

Now I can see them again.



Here's what I know:

I know it all started when I was 11. I was in a public bathroom in New York City with a friend, and I saw her face. I didn't want to b

📝 Scenario 2:
Setting `pad_token_id` to `eos_token_id`:50256 for open-end generation.
```

```
from transformers import pipeline

# Load a text generation pipeline with GPT-style model
excuse_gen = pipeline("text-generation", model="EleutherAI/gpt-neo-1.3B")

# Define function for scenario-based excuse generation
def generate_excuse(area, situation, tone="funny"):
    """
    Generates an excuse based on professional area and situation.

    Parameters:
    - area: str, professional context ("school", "job", "college", etc.)
    - situation: str, what happened (missed deadline, skipped class, late to work)
    - tone: str, optional, style of excuse ("funny", "serious", "dramatic")

    Returns:
    - str, generated excuse
    """
    prompt = f"Give me a {tone} excuse in the context of {area} for the following situation: {situation}"
```

```
    result = excuse_gen(prompt, max_length=80, do_sample=True, temperature=0.9, top_p=0.95, top_k=50)
    return result[0]['generated_text']

# 🎯 Example Use Cases
print("📚 School Excuse:")
print(generate_excuse("school", "missed a math test due to absence"))

print("\n💼 Job Excuse:")
print(generate_excuse("job", "was late to a performance review meeting"))

print("\n🎓 College Excuse:")
print(generate_excuse("college", "forgot to submit a project on time"))

print("\n👨‍💼 Internship Excuse:")
print(generate_excuse("internship", "missed a mentor meeting due to unexpected event"))
```

```
Device set to use cpu
Truncation was not explicitly activated but `max_length` is provided a specific value, please use `truncation=True` to explicitly trunca
Setting `pad_token_id` to `eos_token_id`:50256 for open-end generation.
Both `max_new_tokens` (=256) and `max_length`(=80) seem to have been set. `max_new_tokens` will take precedence. Please refer to the doc
📚 School Excuse:
Setting `pad_token_id` to `eos_token_id`:50256 for open-end generation.
Both `max_new_tokens` (=256) and `max_length`(=80) seem to have been set. `max_new_tokens` will take precedence. Please refer to the doc
Give me a funny excuse in the context of school for the following situation: missed a math test due to absence, so the teacher decided t

"I will be late to my next test on Monday. How can I get a failing grade?”

Now, the student has no way of knowing that this is a joke. If the teacher tells him it's a joke, he'll laugh, but if the teacher says i

This is just like saying a child is a murderer, a thief, a thief, a murderer, a murderer, or a thief because they don't have the right e

💼 Job Excuse:
Setting `pad_token_id` to `eos_token_id`:50256 for open-end generation.
Both `max_new_tokens` (=256) and `max_length`(=80) seem to have been set. `max_new_tokens` will take precedence. Please refer to the doc
Give me a funny excuse in the context of job for the following situation: was late to a performance review meeting, and when we arrived

I can see two different scenarios that could play out:

The first scenario is that he's a hard worker and not an overly concerned person. The second is that his attitude is, "Oh, I just signed

In this case, I think that the first scenario is a very good way to make sure that you're giving someone the tools to succeed without ne

Now, I know that some people may think that having him sit down in front of the manager who made the decision, or being the person who s

🎓 College Excuse:
Setting `pad_token_id` to `eos_token_id`:50256 for open-end generation.
Both `max_new_tokens` (=256) and `max_length`(=80) seem to have been set. `max_new_tokens` will take precedence. Please refer to the doc
Give me a funny excuse in the context of college for the following situation: forgot to submit a project on time and went to the compute

I am a native English speaker and am sure that a person who is only able to write an essay would make mistakes as there is so much of it

I think the following situation is very funny. When I was a student, I was asked to bring the essay and my report of my college class. I

👨‍💼 Internship Excuse:
Give me a funny excuse in the context of internship for the following situation: missed a mentor meeting due to unexpected event.

My mentor told me that I will be getting an internship in his college next year. That’s great but after the internship, I would have to
```

STEP 5: CONVERT TEXT TO SPEECH/VOICE

```
# Install necessary libraries (skip if already installed)
!pip install transformers gtts

# Import modules
from transformers import pipeline
from gtts import gTTS
from IPython.display import Audio

# Load Hugging Face model
excuse_gen = pipeline("text-generation", model="EleutherAI/gpt-neo-1.3B")

# Function to generate excuse and convert it to speech
def generate_spoken_excuse(area, situation, tone="funny"):
    prompt = f"Create a {tone} excuse in the context of {area} for the situation: {situation}"

    # Generate excuse text
```

```
    result = excuse_gen(prompt, max_length=60, do_sample=True, temperature=0.9)
    excuse = result[0]["generated_text"]

    print(f"📝 Generated Excuse:\n{excuse}\n")

    # Convert excuse text to speech
    tts = gTTS(text=excuse, lang='en')
    tts.save("excuse.mp3")

    # Play the excuse out loud
    return Audio("excuse.mp3")

# 🎯 Example use
generate_spoken_excuse("college", "missed the final presentation due to chaos at home", tone="funny")
```

```
Requirement already satisfied: transformers in /usr/local/lib/python3.11/dist-packages (4.54.1)
Requirement already satisfied: gtts in /usr/local/lib/python3.11/dist-packages (2.5.4)
Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from transformers) (3.18.0)
Requirement already satisfied: huggingface-hub<1.0,>=0.34.0 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.34.3)
Requirement already satisfied: numpy>=1.17 in /usr/local/lib/python3.11/dist-packages (from transformers) (2.0.2)
Requirement already satisfied: packaging>=20.0 in /usr/local/lib/python3.11/dist-packages (from transformers) (25.0)
Requirement already satisfied: pyyaml>=5.1 in /usr/local/lib/python3.11/dist-packages (from transformers) (6.0.2)
Requirement already satisfied: regex!=2019.12.17 in /usr/local/lib/python3.11/dist-packages (from transformers) (2024.11.6)
Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from transformers) (2.32.3)
Requirement already satisfied: tokenizers<0.22,>=0.21 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.21.4)
Requirement already satisfied: safetensors>=0.4.3 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.5.3)
Requirement already satisfied: tqdm>=4.27 in /usr/local/lib/python3.11/dist-packages (from transformers) (4.67.1)
Requirement already satisfied: click<8.2,>=7.1 in /usr/local/lib/python3.11/dist-packages (from gtts) (8.1.8)
Requirement already satisfied: fsspec>=2023.5.0 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub<1.0,>=0.34.0->transform
Requirement already satisfied: typing-extensions>=3.7.4.3 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub<1.0,>=0.34.0-
Requirement already satisfied: hf-xet<2.0.0,>=1.1.3 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub<1.0,>=0.34.0->trans
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (3.4.2)
Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (3.10)
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (2.5.0)
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (2025.7.14)
Device set to use cpu
Truncation was not explicitly activated but `max_length` is provided a specific value, please use `truncation=True` to explicitly trunca
Setting `pad_token_id` to `eos_token_id`:50256 for open-end generation.
Both `max_new_tokens` (=256) and `max_length`(=60) seem to have been set. `max_new_tokens` will take precedence. Please refer to the doc
📝 Generated Excuse:
Create a funny excuse in the context of college for the situation: missed the final presentation due to chaos at home, didn’t arrive at

I have a long list of responses, but here are mine:

You could have stayed late in the dorm and practiced, got to campus late evening in a heavy-handed manner with no time to change out of

You missed your first three presentations, spent the afternoon getting ready (and yes, it was a bit of punishment), then arrived late. W

You need to relax and go easy on yourself as well. It shouldn
```

0:00 / 1:21

STEP 7: CREATE A WEB APP INTERFACE USING GRADIO

```
# Install required libraries
!pip install gradio transformers gtts

import gradio as gr
from transformers import pipeline
from gtts import gTTS

# Load model
excuse_gen = pipeline("text-generation", model="EleutherAI/gpt-neo-1.3B")

# Define the main function
def generate_excuse(area, situation, tone):
    prompt = f"Create a {tone} excuse in the context of {area} for the situation: {situation}"
    result = excuse_gen(prompt, max_length=60, do_sample=True, temperature=0.9)
    excuse = result[0]["generated_text"]

    # Convert to speech
    tts = gTTS(text=excuse, lang='en')
    tts.save("excuse.mp3")
```

```
    return excuse, "excuse.mp3"

# Create Gradio Interface
iface = gr.Interface(
    fn=generate_excuse,
    inputs=[
        gr.Textbox(label="Area (e.g., college, work, family)"),
        gr.Textbox(label="Situation (e.g., missed deadline, skipped class)"),
        gr.Dropdown(choices=["funny", "serious", "dramatic", "clever"], label="Tone")
    ],
    outputs=[
        gr.Textbox(label="Generated Excuse"),
        gr.Audio(label="Excuse Playback")
    ],
    title="🎭 AI Excuse Generator",
    description="Enter your scenario, pick a tone, and get a ready-made excuse spoken aloud!"
)

iface.launch()
```

```
Requirement already satisfied: gradio in /usr/local/lib/python3.11/dist-packages (5.38.2)
Requirement already satisfied: transformers in /usr/local/lib/python3.11/dist-packages (4.54.1)
Requirement already satisfied: gtts in /usr/local/lib/python3.11/dist-packages (2.5.4)
Requirement already satisfied: aiofiles<25.0,>=22.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (24.1.0)
Requirement already satisfied: anyio<5.0,>=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.9.0)
Requirement already satisfied: brotli>=1.1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (1.1.0)
Requirement already satisfied: fastapi<1.0,>=0.115.2 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.116.1)
Requirement already satisfied: ffmpy in /usr/local/lib/python3.11/dist-packages (from gradio) (0.6.1)
Requirement already satisfied: gradio-client==1.11.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (1.11.0)
Requirement already satisfied: groovy~=0.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.1.2)
Requirement already satisfied: httpx<1.0,>=0.24.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.28.1)
Requirement already satisfied: huggingface-hub>=0.28.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.34.3)
Requirement already satisfied: jinja2<4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.1.6)
Requirement already satisfied: markupsafe<4.0,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.0.2)
Requirement already satisfied: numpy<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.0.2)
Requirement already satisfied: orjson~=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.11.1)
Requirement already satisfied: packaging in /usr/local/lib/python3.11/dist-packages (from gradio) (25.0)
Requirement already satisfied: pandas<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.2.2)
Requirement already satisfied: pillow<12.0,>=8.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (11.3.0)
Requirement already satisfied: pydantic<2.12,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.11.7)
Requirement already satisfied: pydub in /usr/local/lib/python3.11/dist-packages (from gradio) (0.25.1)
Requirement already satisfied: python-multipart>=0.0.18 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.0.20)
Requirement already satisfied: pyyaml<7.0,>=5.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (6.0.2)
Requirement already satisfied: ruff>=0.9.3 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.12.5)
Requirement already satisfied: safehttpx<0.2.0,>=0.1.6 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.1.6)
Requirement already satisfied: semantic-version~=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.10.0)
Requirement already satisfied: starlette<1.0,>=0.40.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.47.2)
Requirement already satisfied: tomlkit<0.14.0,>=0.12.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.13.3)
Requirement already satisfied: typer<1.0,>=0.12 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.16.0)
Requirement already satisfied: typing-extensions~=4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.14.1)
Requirement already satisfied: uvicorn>=0.14.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.35.0)
Requirement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.11.0->gradio) (2025.3.0)
Requirement already satisfied: websockets<16.0,>=10.0 in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.11.0->gradio)
Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from transformers) (3.18.0)
Requirement already satisfied: regex!=2019.12.17 in /usr/local/lib/python3.11/dist-packages (from transformers) (2024.11.6)
Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from transformers) (2.32.3)
Requirement already satisfied: tokenizers<0.22,>=0.21 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.21.4)
Requirement already satisfied: safetensors>=0.4.3 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.5.3)
Requirement already satisfied: tqdm>=4.27 in /usr/local/lib/python3.11/dist-packages (from transformers) (4.67.1)
Requirement already satisfied: click<8.2,>=7.1 in /usr/local/lib/python3.11/dist-packages (from gtts) (8.1.8)
Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (3.10)
Requirement already satisfied: sniffio>=1.1 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (1.3.1)
Requirement already satisfied: certifi in /usr/local/lib/python3.11/dist-packages (from httpx<1.0,>=0.24.1->gradio) (2025.7.14)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.11/dist-packages (from httpx<1.0,>=0.24.1->gradio) (1.0.9)
Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.11/dist-packages (from httpcore==1.*->httpx<1.0,>=0.24.1->gradio) (
Requirement already satisfied: hf-xet<2.0.0,>=1.1.3 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio)
Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2.9.
Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (0
Requirement already satisfied: pydantic-core==2.33.2 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (2.
Requirement already satisfied: typing-inspection>=0.4.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio)
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (3.4.
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (2.5.0)
Requirement already satisfied: shellingham>=1.3.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (1.5.4)
Requirement already satisfied: rich>=10.11.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (13.9.4)
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.8.2->pandas<3.0,>=1.0->gra
Requirement already satisfied: markdown-it-py>=2.2.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12-
Requirement already satisfied: pygments<3.0.0,>=2.13.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.1
Requirement already satisfied: mdurl~=0.1 in /usr/local/lib/python3.11/dist-packages (from markdown-it-py>=2.2.0->rich>=10.11.0->typer
Device set to use cpu
It looks like you are running Gradio on a hosted Jupyter notebook, which requires `share=True`. Automatically setting `share=True` (yo

Colab notebook detected. To show errors in colab notebook, set debug=True in launch()
* Running on public URL: https://94e8cbedd86274d470.gradio.live

This share link expires in 1 week. For free permanent hosting and GPU upgrades, run `gradio deploy` from the terminal in the working d
```



*# STEP 9 : ADD "EXCUSE HISTORY" AND "FAVOURITES" OPTION *

```
# Install required libraries
!pip install gradio transformers gtts

import gradio as gr
from transformers import pipeline
from gtts import gTTS

# Initialize model
excuse_gen = pipeline("text-generation", model="EleutherAI/gpt-neo-1.3B")

# History & Favorites storage
excuse_history = []
favorite_excuses = []

# Main function
def generate_excuse(area, situation, tone):
    prompt = f"Create a {tone} excuse in the context of {area} for the situation: {situation}"
    result = excuse_gen(prompt, max_length=60, do_sample=True, temperature=0.9)
    excuse = result[0]["generated_text"]

    # Save to history
    excuse_history.append(excuse)

    # Convert to speech
    tts = gTTS(text=excuse, lang='en')
    tts.save("excuse.mp3")

    return excuse, "excuse.mp3"

# Save favorite
def save_favorite(excuse):
    if excuse:
        favorite_excuses.append(excuse)
    return "\n".join(favorite_excuses)

# View history
def get_history():
    return "\n".join(excuse_history[-5:])  # Show last 5

# UI Components
with gr.Blocks() as app:
    gr.Markdown("## 🎭 AI Excuse Generator with History & Favorites")

    with gr.Row():
        area = gr.Textbox(label="Area")
        situation = gr.Textbox(label="Situation")
        tone = gr.Dropdown(choices=["funny", "serious", "dramatic", "clever"], label="Tone")

    gen_btn = gr.Button("Generate Excuse")
    excuse_text = gr.Textbox(label="Generated Excuse")
    excuse_audio = gr.Audio(label="Excuse Playback")

    fav_btn = gr.Button("⭐ Add to Favorites")
    history_btn = gr.Button("📜 View History")

    favorites_display = gr.Textbox(label="Favorite Excuses")
    history_display = gr.Textbox(label="Recent History")

    def gen_and_play(area, situation, tone):
```

```
        excuse, audio_path = generate_excuse(area, situation, tone)
        return excuse, audio_path

    gen_btn.click(gen_and_play, inputs=[area, situation, tone], outputs=[excuse_text, excuse_audio])
    fav_btn.click(save_favorite, inputs=[excuse_text], outputs=[favorites_display])
    history_btn.click(get_history, outputs=[history_display])

app.launch()
```

```
Requirement already satisfied: gradio in /usr/local/lib/python3.11/dist-packages (5.38.2)
Requirement already satisfied: transformers in /usr/local/lib/python3.11/dist-packages (4.54.1)
Requirement already satisfied: gtts in /usr/local/lib/python3.11/dist-packages (2.5.4)
Requirement already satisfied: aiofiles<25.0,>=22.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (24.1.0)
Requirement already satisfied: anyio<5.0,>=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.9.0)
Requirement already satisfied: brotli>=1.1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (1.1.0)
Requirement already satisfied: fastapi<1.0,>=0.115.2 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.116.1)
Requirement already satisfied: ffmpy in /usr/local/lib/python3.11/dist-packages (from gradio) (0.6.1)
Requirement already satisfied: gradio-client==1.11.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (1.11.0)
Requirement already satisfied: groovy~=0.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.1.2)
Requirement already satisfied: httpx<1.0,>=0.24.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.28.1)
Requirement already satisfied: huggingface-hub>=0.28.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.34.3)
Requirement already satisfied: jinja2<4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.1.6)
Requirement already satisfied: markupsafe<4.0,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.0.2)
Requirement already satisfied: numpy<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.0.2)
Requirement already satisfied: orjson~=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.11.1)
Requirement already satisfied: packaging in /usr/local/lib/python3.11/dist-packages (from gradio) (25.0)
Requirement already satisfied: pandas<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.2.2)
Requirement already satisfied: pillow<12.0,>=8.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (11.3.0)
Requirement already satisfied: pydantic<2.12,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.11.7)
Requirement already satisfied: pydub in /usr/local/lib/python3.11/dist-packages (from gradio) (0.25.1)
Requirement already satisfied: python-multipart>=0.0.18 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.0.20)
Requirement already satisfied: pyyaml<7.0,>=5.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (6.0.2)
Requirement already satisfied: ruff>=0.9.3 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.12.5)
Requirement already satisfied: safehttpx<0.2.0,>=0.1.6 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.1.6)
Requirement already satisfied: semantic-version~=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.10.0)
Requirement already satisfied: starlette<1.0,>=0.40.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.47.2)
Requirement already satisfied: tomlkit<0.14.0,>=0.12.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.13.3)
Requirement already satisfied: typer<1.0,>=0.12 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.16.0)
Requirement already satisfied: typing-extensions~=4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.14.1)
Requirement already satisfied: uvicorn>=0.14.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.35.0)
Requirement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.11.0->gradio) (2025.3.0)
Requirement already satisfied: websockets<16.0,>=10.0 in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.11.0->gradio) (1
Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from transformers) (3.18.0)
Requirement already satisfied: regex!=2019.12.17 in /usr/local/lib/python3.11/dist-packages (from transformers) (2024.11.6)
Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from transformers) (2.32.3)
Requirement already satisfied: tokenizers<0.22,>=0.21 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.21.4)
Requirement already satisfied: safetensors>=0.4.3 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.5.3)
Requirement already satisfied: tqdm>=4.27 in /usr/local/lib/python3.11/dist-packages (from transformers) (4.67.1)
Requirement already satisfied: click<8.2,>=7.1 in /usr/local/lib/python3.11/dist-packages (from gtts) (8.1.8)
Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (3.10)
Requirement already satisfied: sniffio>=1.1 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (1.3.1)
Requirement already satisfied: certifi in /usr/local/lib/python3.11/dist-packages (from httpx<1.0,>=0.24.1->gradio) (2025.7.14)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.11/dist-packages (from httpx<1.0,>=0.24.1->gradio) (1.0.9)
Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.11/dist-packages (from httpcore==1.*->httpx<1.0,>=0.24.1->gradio) (0.
Requirement already satisfied: hf-xet<2.0.0,>=1.1.3 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (1
Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2.9.0.
Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (0.7
Requirement already satisfied: pydantic-core==2.33.2 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (2.33
Requirement already satisfied: typing-inspection>=0.4.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (0
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (3.4.2)
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (2.5.0)
Requirement already satisfied: shellingham>=1.3.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (1.5.4)
Requirement already satisfied: rich>=10.11.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (13.9.4)
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.8.2->pandas<3.0,>=1.0->gradi
Requirement already satisfied: markdown-it-py>=2.2.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12->g
Requirement already satisfied: pygments<3.0.0,>=2.13.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12-
Requirement already satisfied: mdurl~=0.1 in /usr/local/lib/python3.11/dist-packages (from markdown-it-py>=2.2.0->rich>=10.11.0->typer<1
Device set to use cpu
It looks like you are running Gradio on a hosted Jupyter notebook, which requires `share=True`. Automatically setting `share=True` (you

Colab notebook detected. To show errors in colab notebook, set debug=True in launch()
* Running on public URL: https://078277c202bf127f2b.gradio.live

This share link expires in 1 week. For free permanent hosting and GPU upgrades, run `gradio deploy` from the terminal in the working dir
```