

# Molecular-Dynamics Machines


---

---


Aiichiro Nakano

*Collaboratory for Advanced Computing & Simulations  
Department of Computer Science  
Department of Physics & Astronomy  
Department of Chemical Engineering & Materials Science  
Department of Biological Sciences  
University of Southern California*

Email: [anakano@usc.edu](mailto:anakano@usc.edu)




# Anton: Computational Microscope



David Shaw

“... make all these discoveries because they were looking at the world in a different way.”

16  $\mu\text{s}/\text{day}$  simulation on 512 nodes  
(5  $\mu\text{s}/\text{step}$  execution time)



D E Shaw Research

“... there’s still a lot of juicy, low-hanging fruit in this (molecular simulation) area ...”

“A conversation with David E. Shaw,” CACM 52(10), 49 ('09)





# MD on GPU Clusters

GPU acceleration and other computer performance increases will offer critical benefits to biomedical science.


BY JAMES C. PHILLIPS AND JOHN E. STONE

## Probing Biomolecular Machines with Graphics Processors

CACM 52(10), 34 ('09)



# GRAPE 1 (\$2K, 1989)




Tomoyoshi Ito & comics he authored

- **GRAPE (GRAvity PipE) = special-purpose computers for the gravitational  $N$ -body problem built by astrophysicists at Univ. of Tokyo**
- **GRAPE 1 designed by a 1st-year Ph.D. student (with \$140K/year income)**

# Gravitational Pipeline

$$\frac{d^2 \mathbf{x}_i}{dt^2} = \mathbf{f}_i = \sum_j \frac{m_j (\mathbf{x}_j - \mathbf{x}_i)}{(r_{ij}^2 + \epsilon^2)^{3/2}}$$



# GRAPE & Gordon Bell Prizes

**SC2003 Gordon Bell Award**  
**Junichiro Makino**  
 University of Tokyo  
 Performance Evaluation and Tuning of GRAPE-6—Towards 40 "Real" Tflop/s

**2003 Gordon Bell Prize, Special Achievement**  
Performance Evaluation and Tuning of GRAPE-6—Towards 40 'Real' Tflop/s

Junichiro Makino, Hiroshi Daisaka, Eiichiro Kokubo, Toshiyuki Fukushige



**2001 Gordon Bell Prize, Winner, Peak Performance**  
A 11.55 Tflops simulation of black holes in a galactic center on GRAPE-6

Junichiro Makino, Toshiyuki Fukushige





**2000 Gordon Bell Prize, Winner, Peak Performance Category**  
A 1.349 Tflops simulation of black holes in a galactic center on GRAPE-6

Junichiro Makino, Toshiyuki Fukushige, Masaki Koga

**2000 Gordon Bell Prize, Winner, Peak Performance Category (tie with above)**  
1.34 Tflops Molecular Dynamic simulation for NaCl with a Special Purpose Computer: MDM (MD-GRAPE system)

Tetsu Narumi, Ryutaro Susukita, Takahiro Koishi, Kenji Yasuoka, Hideaki Furusawa, Atsushi Kawai, Toshikazu Ebisuzaki

**J. Makino & Grape 6 (2001)**



**1999 Gordon Bell Prize, Price Performance, First Prize**  
 Astrophysical N-body simulation  
 144 Glops / \$ 1 M on custom-built GRAPE-5 32-processor system

Atsushi Kawai, Toshiyuki Fukushige, and Junichiro Makino



**1996 Gordon Bell Prize, Performance, Honorable Mention**  
 Simulation of the motion of 780,000 stars  
 333 Gflops using the Grape-4 machine w/ 1,269 processors

Junichiro Makino, Toshiyuki Fukushige



**1995 Gordon Bell Prize, First Place, Special Purpose Machines**  
 Simulation of the Motion of 10,000 Stars  
 112 Gflops using the Grape-4 machine with 288 processors

Astrophysical N-body Simulations on GRAPE-4 Special-Purpose Computer  
 Junichiro Makino, Makoto Taiji

Green500 Rank	MFLOPS/W	Site*	Computer*	Total Power (kW)
1	1684.20	IBM Thomas J. Watson Research Center	NNSA/SC Blue Gene/Q Prototype	38.80
2+	1448.03	National Astronomical Observatory of Japan	GRAPE-DR accelerator Cluster, Infiniband	24.59
2	958.35	GSIC Center, Tokyo Institute of Technology	HP ProLiant SL390s G7 Xeon 6C X5670, Nvidia GPU, Linux/Windows	1243.80
3	933.06	NCSA	Hybrid Cluster Core i3 2.93Ghz Dual Core, NVIDIA C2050, Infiniband	36.00
4	828.67	RIKEN Advanced Institute for Computational Science	K computer, SPARC64 VIIIfx 2.0GHz, Tofu interconnect	57.96

# Enabling Science by Hardware


## A special-purpose computer for gravitational many-body problems

**Daiichiro Sugimoto<sup>\*</sup>, Yoshihiro Chikada<sup>†</sup>, Junichiro Makino<sup>\*</sup>, Tomoyoshi Ito<sup>\*</sup>, Toshikazu Ebisuzaki<sup>\*</sup> & Masayuki Umemura<sup>‡</sup>**

NATURE · VOL 345 · 3 MAY 1990

33

© 1990 Nature Publishing Group



Computer Physics Communications 60 (1990) 187–194

A special-purpose  $N$ -body machine GRAPE-1

Tomoyoshi Ito, Junichiro Makino, Toshikazu Ebisuzaki and Daiichiro Sugimoto

Department of Earth Science and Astronomy, College of Arts and Sciences, University of Tokyo, Tokyo 153, Japan

[CPC homepage](#)



# Enabling Science by Algorithm

NATURE

NATURE VOL. 324 4 DECEMBER 1986

## A hierarchical $O(N \log N)$ force-calculation algorithm

Josh Barnes & Piet Hut



# ACM Best Theses: Machine vs. Algorithm

## DANNY HILLIS

Doctoral Dissertation Award  
United States – 1985

### CITATION

*For his dissertation "The Connection Machine."*



### Watch: Hillis on Richard Feynman


<http://longnow.org/essays/richard-feynman-connection-machine/>

## LESLIE GREENGARD

Doctoral Dissertation Award  
United States – 1987

### CITATION

*For his dissertation "The Rapid Evaluation of Potential Fields in Particle Systems."*



See lecture notes at <http://cacs.usc.edu/education/cs653.html>

# More $N$ -body Simulations at SC

## 42 TFlops Hierarchical $N$ -body Simulations on GPUs with Applications in both Astrophysics and Turbulence

Tsuyoshi Hamada  
Department of Computer and Information Sciences  
Nagasaki University  
Nagasaki, Japan  
hamada@cis.nagasaki-u.ac.jp

Tetsu Narumi  
Department of Computer Science  
University of Electro-Communications  
Tokyo, Japan  
narumi@cs.uec.ac.jp

Rio Yokota  
Department of Mathematics  
University of Bristol  
Bristol, United Kingdom  
rio.yokota@bristol.ac.uk

Kenji Yasuoka  
Department of Mechanical Engineering  
Keio University  
Yokohama, Japan  
yasuoka@mech.keio.ac.jp



Keigo Nitadori  
High-Performance Molecular Simulation Team  
RIKEN Advanced Science Institute  
Wako, Japan  
keigo@riken.jp

Makoto Taiji  
High-Performance Molecular Simulation Team  
RIKEN Advanced Science Institute  
Wako, Japan  
taiji@riken.jp

## 2009 Gordon Bell Prize Price/Performance Category

Table 2: Price of the GPU cluster

Elements	Quantity	Price (JPY)	Price (\$)
GPUs	256	12,160,000	\$ 118,345
Host PCs	128	10,716,032	\$ 104,292
Network switch	4	644,800	\$ 6,275
Total		<b>23,520,832</b>	<b>\$ 228,912</b>



## 4.45 Pflops Astrophysical $N$ -Body Simulation on K computer - The Gravitational Trillion-Body Problem


Tomoaki Ishiyama  
Center for Computational Science  
University of Tsukuba  
ishiyma@ccs.tsukuba.ac.jp

Keigo Nitadori  
Center for Computational Science  
University of Tsukuba  
keigo@ccs.tsukuba.ac.jp

Junichiro Makino  
Graduate School of Science and Engineering  
Tokyo Institute of Technology  
makino@geo.titech.ac.jp

IEEE/ACM supercomputing, SC12

*Machine  
&  
algorithm!*



# Enabling Science by Online Game

nature

Vol 466 | 5 August 2010 | doi:10.1038/nature09304

## LETTERS

### Predicting protein structures with a multiplayer online game

Seth Cooper<sup>1</sup>, Firas Khatib<sup>2</sup>, Adrien Treuille<sup>1,3</sup>, Janos Barbero<sup>1</sup>, Jeehyung Lee<sup>3</sup>, Michael Beenen<sup>1</sup>, Andrew Leaver-Fay<sup>2</sup>†, David Baker<sup>2,4</sup>, Zoran Popović<sup>1</sup> & Foldit players

The image shows two screenshots of the Foldit game interface. The left screenshot displays a protein structure with a callout box: "Click to learn how you contribute to science by playing Foldit." The right screenshot shows a more complex protein structure with numbered arrows pointing to various features: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12. The top bar of the right screenshot includes "14:35:22 GMT", "PUZZLES", "BLOG", and "FEEDBACK". The bottom bar contains buttons for "Shake Sidechains", "Wiggle All", "Wiggle Backbone", "Wiggle Sidechains", "Freeze Protein", "Remove Bands", "Disable Bands", "Align Guide", "Reset Structures", "Reset Puzzle", "Help", and "Glossary". A legend at the bottom right defines icons for "auto show" and "Chat - Group", "Chat - Individual", "Chat - Global", and "Notifications". On the right side of the right screenshot, there are two leaderboards: "Group Competition" and "Soloist Competition", listing various teams and individuals with their scores.

#	Group Name	Score
1	Rice Biochemistry	9174
2	Team Commonwealth	9168
3	Team Canada	9099
4	Team Canada	9085
5	Firebird BioChem	9073
6	SETI Germany	9030
7	Bioin.be	9001

#	Player Name	Current	Best
1	Mike Crunching for Physics	-	9242
2	weitzent	-	9222
3	yz719	-	9211
4	pmaric	-	9186
5	kavir_karplus	-	9185
6	TINKATER	-	9183
7	abzatic	-	9183

# Ising Machine



## 1bit の世界の専用計算機 —イジング・マシーン—

泰 地 真弘人  
(東京大学教養学部)  
(1994年3月2日受理)

Ising Machine:  
A Special Purpose Computer for 1-bit Worlds


TAIJI Makoto  
(Received 3 March 1994)

$$V(s^N) = -J \sum_{(k,l)} s_k s_l - H \sum_k s_k, \quad s_k = \pm 1$$

### Abstract

This paper describes the development of special-purpose computer systems for Ising models, "Ising Machine" m-TIS 1 and 2. The first two sections explain Ising models and their Monte Carlo simulations. In section 3 and 4, I describe my motivation to build a special-purpose computer and the development of m-TIS 1. In section 5 and 6, the use of field-programmable gate arrays in a special-purpose computer is discussed. In the last two sections I discuss the potential abilities and future prospects of both Ising machine and a special-purpose computer in general.

*J. Plasma Fusion Res.* **70**, 332 ('94)



# USC Quantum Computation Center

- D-Wave 2X system with 1,098-quantum bits (qubits)



ARTICLE

Received 11 Dec 2012 | Accepted 27 May 2013 | Published 28 Jun 2013


DOI: 10.1038/ncomms3067

## Experimental signature of programmable quantum annealing

Sergio Boixo<sup>1,2,3</sup>, Tameem Albash<sup>3,4</sup>, Federico M. Spedalieri<sup>1,3</sup>, Nicholas Chancellor<sup>4</sup>  
& Daniel A. Lidar<sup>2,3,4,5</sup>



- Adiabatic quantum optimization



[http://www.isi.edu/research\\_groups/quantum\\_computing/home](http://www.isi.edu/research_groups/quantum_computing/home)

# Quantum Chemistry on Quantum Computer

## Challenges

1. Small number of qubits ( $< 10^2$ ) of “nonadiabatic” quantum computer →  
(1) small basis set or (2) divide-&-conquer on QPU?
2. Environmental noise & dissipation → Variational formalism

## Simulated Quantum Computation of Molecular Energies

Alán Aspuru-Guzik,<sup>1\*</sup>† Anthony D. Dutoi,<sup>1\*</sup> Peter J. Love,<sup>2</sup>

Martin Head-Gordon<sup>1,3</sup>

Science 309, 1704 ('05)

ARTICLES


PUBLISHED ONLINE: 10 JANUARY 2010 | DOI: 10.1038/NCHEM.483

nature  
chemistry

## Towards quantum chemistry on a quantum computer

B. P. Lanyon<sup>1,2\*</sup>, J. D. Whitfield<sup>4</sup>, G. G. Gillett<sup>1,2</sup>, M. E. Goggin<sup>1,5</sup>, M. P. Almeida<sup>1,2</sup>, I. Kassal<sup>4</sup>,  
J. D. Biamonte<sup>4†</sup>, M. Mohseni<sup>4†</sup>, B. J. Powell<sup>1,3</sup>, M. Barbieri<sup>1,2†</sup>, A. Aspuru-Guzik<sup>4\*</sup> and A. G. White<sup>1,2</sup>


20-qubit computation of H<sub>2</sub> molecule



# Intel's Future Computing

## 1. Quantum computing

49-qubit chip



## 2. Neuromorphic computing

