



Vidyavardhini's College of Engineering and Technology
Department of Artificial Intelligence & Data Science

AY: 2025-26

Class:	AI	Semester:	VII
Course Code:		Course Name:	DL

Name of Student:	BARTI ANIKET VINOD
Roll No. :	61
Assignment No.:	6
Title of Assignment:	
Date of Submission:	
Date of Correction:	

Evaluation

Performance Indicator	Max. Marks	Marks Obtained
Completeness	5	
Demonstrated Knowledge	3	
Legibility	2	
Total	10	

Performance Indicator	Exceed Expectations (EE)	Meet Expectations (ME)	Below Expectations (BE)
Completeness	5	3-4	1-2
Demonstrated Knowledge	3	2	1
Legibility	2	1	0

Checked By

Name of Faculty : Ramesh Teshi

Signature :

Date :

Assignment No. - 6

- Q. 17 You want to create realistic images of animals for a new wildlife conservation application. Illustrate how you would use a GAN to achieve this, with an appropriate diagram of GAN architecture.
- ① GAN Overview -

A GAN is a two neural network competing against each other.

① Generator (G) -

- Takes random noise z as input
- Produces a synthetic image
- goal: generate images that look real enough

② Discriminator (D) -

- Takes an image as input
- outputs a probability that the image is real
- goal: distinguish betⁿ real images from dataset.

Training process -

Generator loss - Tries to maximize discriminator mistakes.

discriminator loss - Tries to correctly classify real vs fake images.

adversarial training - both networks improve iteratively in a game.

② workflow generation - (Architecture) -

Random Noise (z)



Generator (G)



Generated image ($G(z)$)

Discriminator (D)



Real Image (x)

FOR EDUCATIONAL USE

Q. 2) If you want to do the deepfake analysis on social media, find which type of neural network is used to achieve this task, Justify your answer.

→ ① Types of network -

⇒ Primary choice - CNN

- Spatial feature extraction - deepfakes are essentially manipulated used neural networks. CNN's are excellent at capturing spatial images.
- ⇒ Hierarchical feature learning - CNN's automatically learn low-level to high-level features.
- efficient for images - works well with frames of videos to detect subtle pixel-level artifacts introduction by deepfake generation.

② Supplementary Networks - RNN or LSTM

- Used for video-based deepfake detection, where temporal consistency is important.
- why? RNN/LSTM captures temporal patterns across frames, such as unnatural eye blinking, facial movement inconsistency or lip-syne error.

③ Ex. architecture -

Video frame or Image Input



Convolutional layers



features maps



LSTM / Temporal layers



fully Connected layers



Output: Real or fake

FOR EDUCATIONAL USE