

Metasonic Brain Interface Intelligence Quantitative Theory

Daniel Saatchi

ORCID: 0009-0000-9178-0548

X/Twitter/Instagram ID: @danielsaatchi

ONSOFA Studio for Artificial Intelligence

XSEALD Studio for Technology Design

DAATCHI Studio for Fashion Technology Design

ATINNITUS Metal Band

ATINNITUS Music Studio for Neuromorphic Brain Interface Acoustic Metamaterials Experiments

Posthumanism Institute of AI & Xenobiotechnology (PIAX)

DANIEL SAATCHI DESIGNS & TECHNOLOGIES (DSDT)

AIJAM preprint

AI Journal of Arts & Metascience (AIJAM)

September 17, 2026

Abstract

Here, a metasonic brain interface intelligence quantitative theory is proposed to introduce a sort of asymbiosis inspired interconscious modeling, a form of ecological cognition that emerges between interacting systems rather than within any single biological or artificial agent. By modeling cognitive capacity and metasonic interface bandwidth for both biological and machine agents, it is shown that interface intelligence emerges when interacting systems possess compatible capacities and communication channels. This theory provides a quantitative and scoring framework for understanding emergent interface intelligence, highlighting inter-system cognition and possibility of measuring level of interconscious and interhumanism evolutionary vectors as a distinct and measurable phenomenon. Instances from nature, human augmentation, and AI developments are provided, and interface intelligences are scored using the theoretical framework derived with original mathematical formulas in this paper and initial numerical assumptions in a computer simulation. The theory extension for interhumanism can be insightful combined with behavioral economics to look into its logics and pillars, and is ripe for debate among rivalry dummies advocating or opposing the posthumanism versus transhumanism for benchmarking emerging intelligences. The results for computational modeling matters for human to predict degrees of possible metasonic superintelligence threats or transhuman augmentations—e.g. chimera concept possibility—related to corporate AI investment strategies and policies.

Keywords: Artificial Intelligence, Brain Interfaces, Computer Simulations, Posthumanism Behavioral Economics, Neuromorphic Acoustic Metamaterials, Applied Mathematics, Chimeras

1 Introduction

It's beautiful to begin explaining this quantitative theory with an inspiring quote says *"In dark, there is discoveries, there is possibilities, there is freedom in dark once someone has illuminated it"*. As artificial intelligence (AI) systems approach cognitive parity with human reasoning, understanding the interaction between human and machine becomes critical. Scientists have noted that modern deep learning systems behave as figurative and phenomenal "black boxes"—intelligences whose inner reasoning cannot be explicitly traced [1]. While these systems are human-made, their emergent behaviors reveal an epistemic gap: we can construct intelligence, but not fully interpret it. This paper argues that such opacity is not merely a limitation but rather a transitional protoscientific phase for rapidly evolving AI advancements—one that leads toward quantifying the sparking rates of *Interface Intelligence*—a form of cognition that arises between systems rather than within them. Through the implementation of computational modeling for novel computer simulations, degrees of potential warning intelligence possibilities can be illuminated and measured, suggesting possible pathways for posthumanism and AI agents where humans turned into a trans-symbiotic tool predecessor for machines rather than the original machinery tool users.

Early human-machine relationships were conceptualized under *tool theory*, in which technology functioned purely as an extension of human intention. Machines were passive instruments, shaped entirely by human goals. Later, *Augmentation Theory* (Engelbart [2], Haraway [3]) reframed machines as cognitive and sensory amplifiers, enabling humans to expand their capacities and inspiring transhumanist visions of biological enhancement.[4, 5] However, both frameworks remain anthropocentric, privileging human agency while treating machines as secondary. AI Singularity means generally refers to the point in technological developments when AI machines become so advanced eventually become capable of improving its own architecture, scientific knowledge, and engineering capabilities potentially causing tech-

nological progress to accelerate dramatically and transform humanity.[5] Posthumanism challenges this perspective by decentering the human, emphasizing hybrid, alter-gendered, networked intelligences, and highlighting emergent properties arising from interactions across biological and artificial systems. The posthuman singularity is a hypothetical transition in which artificial intelligence, biotechnology, synthetic life, computational systems, and human augmentation converge to produce forms of intelligence, life, and embodiment that fundamentally transcend contemporary definitions of the human.[6, 7, 8, 9, 10, 11]

Interface intelligence quantitative (IIQ) theory synthesizes these perspectives closer to posthumanism singularity, but slightly different and debatable, especially on conditional decentralization. It proposes that meaning and cognition are not localized in any single participant although arise from the flow of information and mutual adaptation at the interface. Here, machines acquire enhanced capabilities through hardware and creative software algorithms, while energy efficiency remains limited, whereas humans act as a form of biological communication fidelity with innate adaptive processing capacities.

This perspective resonates with *Integrated Information Theory (IIT)*, which quantifies consciousness as a system’s capacity for integrated information [12]. IIQ extends this concept to inter-system cognition, showing that intelligence can emerge between/among systems when communication bandwidth and cognitive capacities are aligned, creating what is termed interconsciousness. In other words, IIT quantifies consciousness within the system boundary, while IIQ generalizes this to cognition across interfaces. Interconsciousness can be defined as the unit cell of fractal consciousness [15, 16, 14]; In other words, fractal consciousness can be defined as the infinite recursion of interconsciousness. At some level, IIQ might cross the science of human-computer interactions research and developments. However, IIQ is passed human factors looking more into posthumanism consensus and rapidly evolving AI threats outpacing human that is also adventuring in transhumanism possibilities. The brain interface machines [20, 21] are increasing the bandwidth with machines for both transpecies and transhumans. These interface machines with new AI architects [17] are amplifying a advanced future we entered currently. The neuromorphic echolocation computing [18] and bat’s brain/ear inspired sonic frequency identifications (SFID) meta-chiptag for AI transponder systems is getting a sparking stage with involvements of neuromorphic acoustic metamaterials [19] where sound is indeed energy efficient transfer of information and data, but hard to control the propagations and signal to noise ratio.

Eventually, in this paper, the proposed metasonic IIQ theory includes the original mathematical derivation, computational modeling for computer simulations, and extensions for AI augmentation in corporate AI investment and policy applications for quantitative behavioral finance purposes as a new metric performance index for venture simulations and portfolio valuations for behavioral finance purposes. IIQ models, equipped with numerical parameters, may shift the discourse from posthumanism versus transhumanism toward a realm of *interhumanism*, emphasizing co-evolution

of human’s augmented brain through new intelligent interfaces and rising new possibilities in communications infidelities and emerging transpecies that are under research and developments at AI companies, cybernetic biorobotic laboratories such as chimera concept before it becomes real soon or later, underdevelopments by R&D centers. Although IIQ is originally derived from metasonic root and intelligent acoustic metamaterials for brain interface machines, it can be generalized and extended further with applied math.

2 Proposed Methodology

The methodology here is based on theoretical development through applied mathematics, quantitative logics for parameters setup, computational modeling, and computer simulations for this proposed IIQ theory next to opening doors for debate for benchmarking, debunking and open discussion for future. The method is explained in following sub-sections.

2.1 Interface Intelligence Quantitative Theory

The proposing metasonically driven Interface intelligence quantitative (IIQ) theory refers to the emergent, relational cognition that arises from recursive feedback between and beyond biological intelligence like human and AI systems. Holistically, IIQ can be expressed mathematically as:

$$II = f(C_h, C_a, \beta) \quad (1)$$

where C_h is human’s brain cognitive capacity, C_a is artificial cognitive capacity, and β is communication fidelity (bandwidth, interpretability, responsiveness). The efficiency of shared understanding increases with the mutual bandwidth and adaptive resonance between the two reciprocal systems. Thus, cognition becomes a function of interface performance, not solely of internal computation.

2.2 Symbiotic Bandwidths Interface

In IIQ, the capacity of the interface — the degree to which intelligence and understanding emerge — depends on two symbionts or even more symbionts. Not necessary two; maybe three to four ones or multi-agents. Not necessarily human. Neither necessarily ecologically distributed nor symbiosis based; it can be controlled asymbiotically where the prey species can outsmart a more intelligent predator species through information asymmetrical advantages of interface intelligence like tiger moth jamming bat in nature.

2.2.1 AI Symbiont — Artificial Bandwidth Expansion

This represents the AI machine’s capacity to provide higher communicative bandwidth for humans — for example through neural networks, multimodal interaction (speech, image, haptic), or brain–computer interfaces that increase feedback precision and reduce interpretive loss. The more efficiently the machine encodes, decodes, and adapts to human signals, the richer the shared cognitive space becomes.

2.2.2 Human Symbiont — Biological Bandwidth Expansion

This reflects the human capacity to expand or adapt their own bandwidth, either through transhumanist means (genetic enhancement, genetic anomaly augmentation possibility—e.g. chimeras [22, 23, 24, 25, 26, 27, 28, 29] concept, from myth to discoveries—, neural implants, sensory augmentation), or posthumanist evolution (social, cultural, or cybernetic adaptation beyond the biological self). Humans may learn or evolve to communicate with AI through new modalities — emotional encoding, direct neural communication, or symbolic compression — thereby increasing mutual understanding.

Together, these two symbionts define the communication fidelity interface performance function (IPF), β , which determines the degree of emergent Interface Intelligence:

$$\beta = D(\beta_h, \beta_a) \quad (2)$$

Where β_h is human interface bandwidth (biological, cognitive, or cybernetic) and β_a is the artificial interface bandwidth (computational, sensory, or linguistic). The efficiency of mutual adaptation — the degree to which both symbionts synchronize — determines the emergent intelligence of the interface. But how we can measure the sense of concept for IIQ and measuring β ? The answer is in vector-based computational modeling and mathematical logics that we can test with dummy imaginations for the theory semi-empirically with a few assumptions and expand it to imagineer and to model future emerging shapes of interface intelligences.

2.3 Interface Vectors in Computational Modeling for Emergent Intelligences

To measure Interface Intelligence, a dual-symbionts interface vectors model for computational simulation is proposed for quantitative analysis for interface intelligence scoring and interconnections interpretation, which explains how intelligence emerges through interaction rather than existing solely within a single system. The performance of an interface — the capacity for shared understanding and emergent cognition — depends on two more generalized symbiotic components:

Machine Symbiont – This generalization represents the system’s ability to provide high-bandwidth communication, adaptive feedback, and signal fidelity. Examples include AI algorithms, neural networks, and computational sensors capable of translating or amplifying information for biological partners.

Biological Symbiont – This generalization represents human or even other biological agent’s capacity to interpret, adapt, and optimize communication through the interface. This capacity can evolve naturally, be enhanced transhumanistically (e.g., neural or sensory augmentation), or be modified through posthumanist cultural and cognitive adaptation. In the future, this could also include cross-species participants, such as dolphin, orca or bat sonar communicating via AI-mediated channels or intelligent acoustic metamaterial augmentations.

The interaction between these two generalized symbionts defines as communication fidelity for β , and the notation slightly changed whether we include human, exclude human, include other conscious biological species or even more advanced biological species than human; consider the possibility of 0.001% probabilities that xenobiologic aliens also exist in other planets or even hidden among humans based on Drake equations[30, 31, 32, 33, 34, 35, 36, 37].

Plus in a science podcast where Noble laureate physicist Saul Perlmutter participated, Jill Tarter, a leading astronomy researcher at search for extraterrestrial intelligence(SETI),[38] used an analogy to illustrate the limitations of concluding that extraterrestrial intelligence does not exist based on humanity’s limited search efforts. She compared the search to taking a single small glass of water from the Earth’s oceans and looking for fish. The failure to find a fish in that single glass, she argued, would not justify the conclusion that no fish exist anywhere in the ocean. Similarly, the absence of detected extraterrestrial intelligence within the limited regions and dimensions explored by humanity cannot, by itself, constitute evidence that such intelligence does not exist elsewhere in the universe.

Imaging beyond a fish analogy in ocean, we may also need to consider the possibility of intelligence at scales far beyond the human level. Hypothetical extraterrestrial superintelligence may not necessarily exist within a physical or organizational scale comparable to that of individual humans. One possibility is a form of hierarchical or fractal intelligence, in which smaller intelligent units collectively constitute a higher-order cognitive system. This concept can be loosely compared with biological organization: the human body consists of trillions of cells, while complex microbial communities coexist within and interact with the human organism. By analogy, it is conceivable—although currently unsupported by empirical evidence—that an individual organism could constitute a fundamental unit within a much larger, higher-order extraterrestrial intelligence. Such a hypothesis expands the search for extraterrestrial intelligence beyond the assumption that intelligence must be embodied in human-scale organisms or technological civilizations. This possibility is motivated by the multiscale organization of biological systems, in which collective intelligence can emerge across hierarchical levels ranging from cells and tissues to whole organisms and larger collectives. [39] So far this was a top-to-bottom view, but we mentioned the above to illustrate how far communication and fidelity bandwidth can be narrowed between symbionts at impractical scales for interface intelligences.

To narrow down and reduce confusion for human readers here for this paper;), consider Fermi Paradox to stick with practical human scale bottom-to-top view for meta-sonic brain interface intelligence symbiosis explanation step by step between biological symbiont and AI-machine symbiont adapted within the range and scale of coherent sub-wavelengths of acoustic metamaterials like SFID meta-chiptags.[19] Then, the C_h is reindexed to c_b representing biological symbiont, the C_a is now c_m for machine symbiont, the β_h is replaced with β_b , β_a is replaced with β_m , and then we can define biological symbiont vector $\vec{B}_{sv}$ and machine

symbiont vector $\vec{M}_{sv}$, as following,

$$\vec{B}_{sv} = \begin{bmatrix} c_b \\ \beta_b \end{bmatrix}, \quad \vec{M}_{sv} = \begin{bmatrix} c_m \\ \beta_m \end{bmatrix} \quad (3)$$

Then Voalah! the interface intelligence, II , and fidelity function β can be scored with symmetric bilinear form which responds to reflections for interoperable feedback loops, and computationally modeled in the following,

$$II = \vec{B}_{sv}^T \cdot K \cdot \vec{M}_{sv} = c_b\beta_m + c_m\beta_b = f(C_h, C_a, \beta) \quad (4)$$

Where K is a symmetric swap matrix, an exchange matrix, that multiplies of $c_b\beta_m$ scoring adaptive fidelity of biological cognitive capacity to connect interface bandwidth of machine symbiont. And $c_m\beta_b$ means additional cumulative augmented fidelity of machine cognitive capacity to connect to interface bandwidth of biological symbiont. We can also derive and extend the math with additional matrix operation to measure evolutionary directions with interface intelligence evolving vectors for symbionts in following,

$$M\vec{2}B_{pii} = (e_1^T \vec{B}_{sv})(e_2^T \vec{M}_{sv}) = (c_b\beta_m)e_1 = \begin{bmatrix} c_b\beta_m \\ 0 \end{bmatrix} \quad (5)$$

$$B\vec{2}M_{tii} = (e_2^T \vec{M}_{sv})(e_1^T \vec{B}_{sv}) = (c_m\beta_b)e_2 = \begin{bmatrix} 0 \\ c_m\beta_b \end{bmatrix} \quad (6)$$

$$e_1 = \begin{bmatrix} 1 \\ 0 \end{bmatrix}, \quad e_2 = \begin{bmatrix} 0 \\ 1 \end{bmatrix}, \quad K = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix} \quad (7)$$

Where the $M\vec{2}B_{pii}$ is the machine-to-bio interface intelligence evolving vector for posthumanism direction and $B\vec{2}M_{tii}$ is the cybernetic bio-to-machine interface intelligence evolving vector for transhumanism/transpecies direction. If we concatenate or form diagonal matrix for non-zero components of $\vec{B}_{sv}$ and $\vec{M}_{sv}$, we can form interface intelligence matrix as following,

$$M_{ii} = \text{diag}(M\vec{2}B_{pii}, B\vec{2}M_{tii}) = \begin{bmatrix} c_b\beta_m & 0 \\ 0 & c_m\beta_b \end{bmatrix} \quad (8)$$

To translate for mathematical interpretations, $M\vec{2}B_{pii}$ is the first evolving eigen vector and $B\vec{2}M_{tii}$ is the the second evolving eigen vector of interface intelligence matrix M_{ii} , which shows two directions of metasonic evolution in realm of interhumanism. The cross terms $c_b\beta_m$ and $c_m\beta_b$ are eigen values λ_1, λ_2 in interhumanism showing mutual existence of both posthumanism, and transhumanism. Conventionally, transhumanism is a phase between human and posthumanism.

Interface intelligence evolution can be orthogonal, or exponentially bidirectional. Thus, the degree of synchronization and mutual adaptation determines the emergent intelligence augmentation, demonstrating that cognition is fundamentally relational and interface-dependent. This is can be imagined as cybernetic bio-machine interface intelligent

(BMII) computational model which is inspired from nature's biological interface intelligent (NBII). And we can now dig into numerical calculation to develop a novel computer simulation after an analogy from nature's interface intelligence augmentation.

2.4 Natural Interface Intelligences

NBII example is indeed happening between Borneo bat and specific carnivorous pitcher plant that having symbiotic acoustic communication interface intelligent making them to have higher interface intelligence score more than other bats and carnivorous plants. In brief, in the rainforests of Borneo, an extraordinary symbiotic relationship exists between a carnivorous pitcher plant (*Nepenthes hemsleyana*) and a bat species (*Kerivoula hardwickii*) [40, 41, 42]. Unlike most carnivorous plants that lure and digest insects, *N. hemsleyana* has evolved a deep resonant cavity and metasurface patterns that reflects the bat's echolocation calls with exceptional clarity with coherent wavelength of bat's ear [19]. This acoustic precision allows the bats to locate the plant easily and roost inside its pitcher, where they remain safe from predators. In return, the plant absorbs vital nutrients from the bats' droppings — sustaining its growth in nutrient-poor soils. Neither the bat nor the plant possesses higher individual intelligence than their relatives. However, their shared metasonic interface — the acoustic echolocation between the bat's sonar and the plant's morphology — produces an emergent interface intelligence at the ecological level. This communication system forms what can be termed NBII: a cooperative cognitive function distributed across species through an adapted communication channel.

From the perspective of interface intelligence, this bat-plant system demonstrates the principle of dual symbionts. The bat acts as the more intelligent biological symbiont, refining its acoustic bandwidth and behavioral sensitivity to exploit the interface. The plant acts as the ecological symbiont, evolving morphological features that optimize signal reflection — effectively increasing the interface fidelity β for both species. Their survival advantage arises not from superior internal cognition, but from the performance of their shared interface. This parallels the human-AI relationship: intelligence, adaptation, and creativity may increasingly emerge between systems, through continuous feedback and signal co-adaptation, rather than within isolated minds. This analogy beautifully mitigate to understand how interface fidelity, not internal complexity, determines interface intelligence and even emergent intelligences.

Certain symbiosis can form a natural interface intelligences; not always. For instance, more hypersensitive tiger moth prey species outsmarts more intelligent predatory bats by jamming scoring more numerically more than Bornean symbionts (Bat-plant) benefiting from an asymbiotic interface intelligence. In order to simulate and score interface intelligence, we first simulate it between two alive species rather than machines and then we extend to bio-cybernetic machines and artificial intelligence for BMII scoring. **Table 1** is provided in appendix of **Supporting Information** to understand communication fidelity quantitatively.

2.5 Logics for Parameters to Quantify Interface Intelligence

It is possible to assign computational parameters to the symbiont vectors introduced in the dual-symbiont Interface Model. **Table 2** presents the scoring of NBII, while **Table 3** extends the model toward cybernetic BMII for the quantitative formulation of IIQ to approximate degrees of interconsciousness.

For the numerical assumptions, we provide explicit reasoning for each coefficient and bandwidth parameter: c_b , c_m , c_p , c_{tm} , β_p , β_b , β_m , and β_{tm} . The parameter $c_b = 1$ is assigned for human, since humans possess auditory and linguistic cognition, but lack natural echolocation cognitive process. In contrast, bats, dolphins, and orcas, which exhibit strong echolocation cognitive capability, are assigned $c_b = 2$.

For the Bornean pitcher plant (*Nepenthes hemsleyana*), we assign $c_b = c_p = 0$, as it lacks direct cognitive ability. However, it possesses structural acoustic bandwidth intelligence fidelity, thus $\beta_b = \beta_p = 1$. For bats, orcas, and dolphins, $\beta_b = 1$ is maintained because humans can partially perceive their sonic range, and deep-learning-based sound classifiers (machines) can be trained to interpret their echolocation data.

The parameter β_m varies from 0 to 3 across sonic frequency identifications (SFID) tags to advanced SFID Transponder AI systems [19], reflecting increasing levels of acoustic and sensory fidelity. Based on these parameters, numerical simulations can be executed to explore interconsciousness as a quantifiable and debatable phenomenon within Interface Intelligence scoring.

What is most fascinating, however, is not the numerical simulation itself, but the revelation that bandwidth plays a crucial role in determining the potential for both transhumanism and posthumanism to coexist within the framework of IIQ theory. Scientists often express concern over the “black box” nature of deep learning models—specifically regarding their internal pattern-recognition mechanisms rather than their inputs, outputs, or logical structure.

The IIQ theory suggests that this “black box” is, in essence, due to information asymmetry related to the communication fidelity and bandwidth capacity that define interface intelligence. Enhancing computational hardware such as GPUs increases c_m (the computational capacity of the machine symbiont), while β_m may remain constant. Conversely, brain-machine interface devices expand β_m , thereby increasing the system’s bandwidth and physical passive memory for information to make the interface more efficient. Or for another instance, Nested-learning algorithms increases the β_m .

If humans were to enhance their cognitive abilities biologically (e.g., through genetic modification) without connecting to machines, this would represent an increase in c_b while β_b remains unchanged. When humans learn additional languages with different letters such as Chinese, Korean, Spanish, Russian, French, or Persian, β_b increases because linguistic diversity expands human-machine communication bandwidth. Conversely, sensory impairments such as deafness or blindness decrease β_b . A small number of humans can naturally perceive infrasonic or ultrasonic frequencies,

leading to an elevated β_b .

Similarly, if underdevelopment machines were engineered to perceive olfactory inputs capable of influencing human emotion, β_m would increase. This interplay of parameters captures both the beauty and the madness of IIQ theory: it is neither inherently superior nor inferior, but dynamic and distributed. The system can be posthuman when cognition is shared, transhuman when humans are directly involved, or transspecies when biological symbionts such as bats, dolphins, or orcas achieve higher interface intelligence scores than human-machine hybrids. In degenerate cases, interface intelligence may vanish entirely ($II = 0$), whereas in convergent cases—where transhumanism and transspecies interactions co-emerge—it may be exponentially augmented.

2.6 Quantifying Interconsciousness Model

In IIQ framework, *interconsciousness* refers to the dynamic overlap of two integrated information fields, ϕ , that temporarily form a shared, hybrid ϕ field corresponding to the quantity of collective consciousness involved. When such overlaps occur recursively across multiple systems, they generate a scalable, fractal conscious system.

The hierarchical structure of this model can be described as follows:

- **Proto-consciousness:** minimal integration ($\phi > 0$) and precursor awareness at the level of a single neuron or agent;
- **Consciousness:** strong internal integration and awareness within a single biological agent;
- **Interconsciousness:** bidirectional coupling between agents that produces a shared field of awareness (e.g., human-AI, bat-AI);
- **Fractal consciousness:** recursive hierarchies of interconscious links forming nested, self-similar structures of consciousness across all scales (from neuron to civilization).

In this hierarchical model, interconsciousness serves as the unit cell of fractal consciousness; fractal consciousness is the infinite recursion of interconsciousness. The topic of consciousness itself lies beyond the primary scope of this paper—these ideas arise as speculative reflections during the quantification of interface intelligences across species or transpecies intelligences.

Speculative example: Consider a system composed of a bat (a biological consciousness) and an AI (a non-conscious algorithmic system) coupled bidirectionally. The bat’s echolocation signals and brain states influence the AI’s internal models, while the AI’s outputs in turn affect the bat’s actions or sensory inputs.

- **The bat alone:** conscious.
- **The AI alone:** not conscious.
- **The bat+AI system:**
 - If the AI merely provides data $\rightarrow$ not interconscious.
 - If the AI modulates the bat’s perception in real time and the bat’s feedback modifies the AI $\rightarrow$ a proto-conscious hybrid.

- If both maintain continuous, state-dependent mutual influence $\rightarrow$ an interconscious transpecies system within a fractal consciousness.

we can define the hybrid function as follows,

$$\Phi_{\text{interface}} = H(\Phi_B, \Phi_M, II) \quad (9)$$

$$\Phi_{\text{interface}} = \Phi_B + \Phi_M + w_{BM}(\Delta S_B \cdot \Delta S_M) \quad (10)$$

This expresses the interface integrated information ($\Phi_{\text{interface}}$) between system M and B (e.g., AI machine and a biological bat), where:

- Φ_B = integrated information of the bat
- Φ_M = integrated information of the AI machine
- w_{BM} = coupling weight between them
- ΔS_B and ΔS_M = state changes in each system

Now, how can we quantify interconsciousness mathematically? The state changes in each system arise from bidirectional causality between the machine symbiont and the biological symbiont. In this case, we model the interaction as $\Delta S_B \cdot \Delta S_M = II$, where II represents the degree of interface intelligence: either the fidelity of the machine symbiont increases, or the biological symbiont adapts more effectively.

The coupling weight, w_{BM} , ranges from 0 (no integration) to 1 (full integration of interface intelligence). If the AI is non-conscious, we assign $\Phi_M = 0$, while Φ_B remains non-zero for the conscious bat. The interface-level integrated information, $\Phi_{\text{interface}}$, will therefore become greater than Φ_B for any smallest non-zero value of w_{BM} provided that II is also non-zero.

When $\Phi_{\text{interface}} > \max(\Phi_M, \Phi_B)$, the system transitions from individual consciousness to interconsciousness. When the bat falls asleep, its internal causal structure weakens—neural modules decouple during slow-wave phases.

$$\Phi_B \downarrow$$

That is, the integrated information of the bat (Φ_B) drops toward minimal values. Furthermore,

$$\Delta S_B \approx 0,$$

indicating that no meaningful new state changes occur within the bat's neural network. Consequently, the cross-agent interaction term also diminishes:

$$w_{BM}(\Delta S_B \cdot \Delta S_M) \rightarrow 0.$$

Thus, the total interface integrated information can be approximated as

$$\Phi_{\text{interface}} \approx \Phi_M + \Phi_{B_{\text{sleep}}},$$

and since

$$\Phi_{B_{\text{sleep}}} \ll \Phi_{B_{\text{awake}}},$$

the interface's overall interconsciousness collapses toward the AI's baseline integration—still functional, but biologically conscious dependent in phenomenological depth. If we replace Φ_B with a Bornea pitcher plant,

$$\Phi_{\text{interface}} = \Phi_P + \Phi_M + w_{PM}(\Delta S_P \cdot \Delta S_M) \quad (11)$$

According to IIT [12], consciousness corresponds to the amount of integrated information generated by a system's internal causal structure. Plants do have information processing (e.g., chemical signaling, electrical potentials, networked roots, and light sensors). But these processes are slow, modular, and weakly integrated—not recurrent in the way neuronal loops are. Plants are likely proto-conscious (minimal internal integration), but not conscious in the sentient or subjective sense.

Let us consider an extreme case where $\Phi_P = 0$. Suppose a non-conscious AI system such as SFID has learned and integrated behaviors that allow it to locate a pitcher plant and deliver animal feces to it whenever the plant's reservoir becomes empty. In this scenario, the interface intelligence is defined as $II = 1$ (according to **Table 3**), and consequently, $\Phi_{\text{interface}}$ becomes non-zero. This implies that the system is proto-conscious—not yet conscious, but possessing a higher level of integrated information than the plant alone, for which $\Phi_P = 0$.

If we assign a very small, non-zero value to Φ_P to represent minimal or proto-conscious integration, then at its most efficient coupling, $\Phi_{\text{interface}}$ could reach approximately $\Phi_P + w_{PM}$, yet it would still remain within the proto-conscious regime since $\max(w_{PM}) = 1$. Therefore, depending on the coupling strength and interaction dynamics, $\Phi_{\text{interface}}$ can be classified as non-conscious, proto-conscious, or interconscious—occupying a continuum between post-conscious and fractal-conscious states.

2.6.1 Advanced Interconsciousness Modeling

Now, let each symbiotic subsystem $X \in \{M, B, \dots\}$ be described by a state vector $s_X(t) \in \mathbb{R}^n$ (or by an appropriate stochastic process). We can define the state change over a time interval Δt as,

$$\Delta S_X \equiv \mathcal{D}(s_X(t + \Delta t), s_X(t)), \quad (12)$$

where $\mathcal{D}(\cdot, \cdot)$ is a chosen norm or distance function (e.g., the Euclidean norm of state differences, the Kullback–Leibler divergence for probability distributions, or the magnitude of change within a feature space).

We can define an interaction information term integrated through interface intelligence:

$$II_{MB} \equiv \mathcal{I}(\Delta S_M, \Delta S_B), \quad (13)$$

where $\mathcal{I}$ represents a measure of statistical or causal interaction—such as normalized mutual information at interface, or a causal metric defined as the product of directional transfer entropies:

$$\mathcal{I}_{\text{causal}} = \text{TE}_{M \rightarrow B} \cdot \text{TE}_{B \rightarrow M} \quad (14)$$

We introduce coupling weights $w_{MB}, w_{BM} \in [0, 1]$ that quantify the degree to which subsystem M influences B , and vice versa. The integrated information of the interface (a two-actor system) is then modeled as,

$$\Phi_{\text{interface}} = \Phi_M + \Phi_B + \alpha(w_{MB} w_{BM}) \mathcal{I}(\Delta S_M, \Delta S_B) \quad (15)$$

where Φ_X denotes the internal integrated information of subsystem X as a symbiont (as defined in IIT), and $\alpha(\cdot)$ is a normalization function (e.g., $\alpha(u) = u$ or $\alpha(u) = u/(u + u_0)$) chosen to maintain consistent and bounded units. Then, we can define the following criteria for interoperational conditions:

- **Bidirectional causality:** Both directional causal flows must be significant:

$$\text{TE}_{M \rightarrow B} > \theta_{\text{TE}}, \quad \text{TE}_{B \rightarrow M} > \theta_{\text{TE}}$$

- **Interface amplification:** The interface must exhibit greater integrated information than either individual subsystem:

$$\Phi_{\text{interface}} > \max(\Phi_M, \Phi_B) + \epsilon$$

where $\epsilon > 0$ is a small safety margin.

- **Classification by magnitude:** we choose thresholds such that

$$\theta_0 < \theta_{\text{proto}} < \theta_{\text{conscious}} < \theta_{\text{meta}} < \theta_{\text{fractal}}$$

then classify the system as follows:

- $\theta_0 < \Phi \leq \theta_{\text{conscious}}$: *Proto-conscious*,
- $\theta_{\text{conscious}} < \Phi \leq \theta_{\text{meta}}$: *Interconscious* (shared or coupled awareness across agents). Meta-consciousness [45, 46, 43, 44] is a second-order awareness.
- $\Phi > \theta_{\text{fractal}}$: *Fractal-conscious* [15, 16, 14, 13] (recursive, nested integration across scales).

3 Results and Discussion

3.1 Debate in Realm of Interhumanism

At high levels of feedback fidelity — such as neural interfaces, adaptive multimodal AI, or acoustic cybernetic systems — the human and AI form a coupled cognitive organism. This creates what we may term interconscious possibility or interconsciousness: a distributed awareness across biological and artificial substrates similar to musical improvisation happens between a rhythm guitarist and a lead guitarist shredding in a music band. Rather than asking whether AI thinks, interconsciousness suggests asking how cognition migrates and stabilizes within the interface itself. Human may augment the interface intelligence system through posthumanism route indirectly or through transhumanism route directly and that’s why it is called interhumanism to compare in the following **Table 4** with anthropocentrism, transhumanism, and posthumanism.

3.2 Dilemma for Intuitive Mechanism

IIQ theory reframes neural network “black-box” as an expanding shared epistemic membrane between species of intelligence. Interpretability does not depend on transparency within the model, but on the communicative fidelity between the human responses (e.g. bioacoustic muscle memory layer of guitarist’s hand and neuromorphic brain interface layer of auditory cortex) and the metasonic AI system. When the fidelity bandwidth deepens — through linguistic, emotional, or neural synchronization — the combined system displays emergent creative and analytic capacity beyond either component alone. The bandwidth of fidelity of human is narrower and increasing slower between human and AI now causing information asymmetry to interpret the black-box phase for human to decode and understand the mechanism. And we see two AI agents communicate with each other better because their bandwidth fidelity is bigger and more efficient than human-machine. If human reach higher bandwidth fidelity than AI, then maybe the black-box became opened box by understanding more internal mechanism. That’s the imagination initiative which caused IIQ position itself in fidelity bandwidth in relationship with black-box problem.

The IIQ is ripe for debate, there are many plausible to hammer it, but it is developed through dummy simplification holistically that can be more straightforward to understand what interhumanism looks like and how we can measure interface intelligence level with applied math and scoring quantitatively thorough computational modeling of eigen values of posthumanism evolving vector and tranhumanism evolving vector.

3.3 Agents On Computer Simulations

The multi-modal AI agents were used to create the computer simulation environment for interface intelligence with IIQ computational model developed under human supervision. The first computer simulation was performed for interpretation and visualization of cross-terms comparison for interface intelligence scoring for interhumanism accounting the effect of both posthumanism (M2B evolving vector) and transhumanism/transspecies (B2M evolving vector) shown in **Figure 1**. The simulation result shows that there is possibilities that transpecies outsmarting tranhumans with B2M vector magnitude. The result also shows that tranhumans/transpecies (Bat-human-SFID) noticeably have more interface intelligence intensity and has both B2M and M2B vectors magnitude.

3.4 Extension of IIQ Theory for Transhumanism Behavioral Economics and Venture Simulations Application

IIQ is not just a theory or computer simulations, it can be extended as a quantitative metric intelligence model for financial analysis to measure interface intelligences for application in corporate leadership and managements in AI investments strategies. We can also measure a new metric for AI augmentations in AI companies to account for investments. We live in a behavioral economy and AI advancements are




Figure 1: Computer simulation result for visualization of cross-terms comparison for metasonic interface intelligence scoring for interhumanism accounting the effect of both posthumanism (M2B evolving vector) and transhumanism/transspecies (B2M evolving vector).

changing the behavior of every individual or entity; a 5% improvement on LLM model between rival AI companies like OpenAI and Anthropic can change the behavior of clients for avalanche of premium subscription cancellations and revenue decline; or even rival chinese AI companies like DeepSeek or Kimi reverse-engineered American LLM models and proposing higher scored models with open-weights or open-source as an innovative method for corporate espionage for competition in market and geopolitics polarization between China and America.

Plus, with considering extreme vision and opinions, transhumanism is the phase between human and posthumanism era. In contrast, the definition of interhumanism is era where human and non-human species are transpecies-symbionts living with machine symbionts forming higher resilient interface intelligence and hybrid civilization that human will reach and face in future. So human investors should invest more intelligently with computer simulations and financial forecast for AI and biorobotics companies they invest in.

Quantitative behavioral finance works on modeling phenomena when investors behave irrationally, but with IIQ computer simulations they will be nudged[47] to take accounts more metrics input to behave less irrational and mitigate risks; similar to nudge theory classic example for flies to reduce cost of cleaning in men's toilet. IIQ can be used as a computer model in venture simulations interacting with AI agents, real data, behavioral economics, and computational finance.

If IIQ is used as one of metrics among other financial ratios [48, 49, 50] and impact weighting accounting [51] metrics by professional investors, governments or corporate policy makers, then AI investments and stock market and AI augmentations investments strategies can be measured in multi-modal large language model booming token economy. For

example, we went for the IIQ extended simulation to see how it can be used in computational behavioral finance for investments strategies and decision making rationally. To extend, **Table 5** in supporting information for AI companies and their biological and AI machine cognitive abilities.

3.4.1 Benchmarking & Sensitivity Analysis

Dynamic IIQ computer simulations can provides more insight for sensitivity analysis for different interplaying parameters in interface intelligence. **Video S1** and **Video S2** are provided in GitHub repo to see the illuminating power of computer simulation to benchmark intensity of interface intelligence shown in **Figure 2** for AI corporations as a dependent variable shown in **Figure 3** to extend for financial metrics and valuations ranking in IIQ theory.

3.4.2 Token Valuation & Financial Ratio

Every AI company began working on large language models (LLM) foundations in a token economy. The token input and output has different cost for them and users. On one hand, the AI models with more inaccuracies will push users to explain with more tokens in prompt and more frequencies. This will increase the cost and reduce cost efficiency of the AI company. On the other hand, the more smarter model with less errors, reduce the cost and increase the efficiency. This means that the value of that AI company per less token and less energy use will be higher to reduce burning rate. In addition, the smarter the models are, the more interface intelligence intensity will contribute to that company. Therefore, we define a new token term as company's value per token (VPT).

The VPT is calculated based on token cost economy (TCE) parameters and corporate interface intelligence (CII)

#1c9c125a299b3866231c84523c992302e2904cb4291856ef0a4d208796dc055f




Figure 2: Corporate interface Intelligence (CII) bar chart comparing human AI corporations, with possibilities of measuring strengths of emerging posthuman superintelligences and alien transpecies or transhumns




Figure 3: Corporate interface Intelligence (CII) cross terms analysis to compare human AI corporations, with possibilities of measuring strengths of emerging posthuman superintelligences and alien transpecies or transhumns in interhumanism realm

#1c9c125a299b3866231c84523c992302e2904cb4291856ef0a4d208796dc055f




Figure 4: Token financial ratio (TFR) for value per token (VPT) for corporate interface intelligence (CII) to measure economic efficiency with computer simulations for behavioral finance as a new metric tools next to other financial ratios in AI companies




Figure 5: Cross-term contributions of B2M and M2B evolving vectors for CII




Figure 6: Race bar comparison to rank corporations for interface intelligence between 30,000 GPU units versus 400,000 GPU units

demonstrated statistically in **Figure 4** for one venture simulation. The interface intelligence is also quantize based on c_b , β_b , and c_m β_m . For CII, the c_b is modeled with numbers of biological cognitive abilities such as number of employees of that AI company. β_b is modeled with biological modalities of communication fidelity such as abilities like human visions, olfactory sensing, human auditory sensors, linguistics, brain interface machine developments. Therefore for companies like *Neurolink*, the $\beta_b = 3$ is considered in simulation setup and for other human corporations without brain interface machines, the $\beta_b = 2$ is considered.

For corporate machines, β_m can be more modalities such as text, images, sounds, brain interface machine, transponders, infrared camera, piezoelectric, etc. Thus, for computer simulation, we considered $\beta_m = 7$ as a based line parameter setup. And finally for c_m we can assume number of GPU units available multiplied by LLM model score the AI company possess. The TCE for all AI companies is based on AI model efficiency, we assumed same as for AI companies for this simulation setup around \$0.003. **Table 5** in appendix is provided to summarize parameters for CII Simulation with taking accounts for the following equations.

$$c_{m_c} = \text{corporate GPUs} \times \text{cognitive score} \quad (16)$$

$$VPT(\$) = \frac{\text{TCE}(\$)}{\text{GPUs} + c_{b_c}} \quad (17)$$

- c_{b_c} = number of corporate employees
- β_{b_c} = corporate biological fidelity
- β_{b_m} = corporate machine fidelity

3.4.3 Interpretations for Investor's Behavior

IIQ theory computer simulations interpretations are interesting in behavioral finance for investors. Venture simulations and benchmarking shows companies with potential of superintelligences and alien transpecies will be the highest of chain in interhumanism realm. For example, interface intelligent corporations like *Neurolink-xAI* have strong tranhuman and posthuman vectors growing in future with higher valuations and more interface intelligence potentials.

The superintelligences companies are ranked and score high as well. Computer simulations results shows alien transpecies intelligences will slightly have superior power over superintelligences based on IIQ theory principles and interplaying parameters. For example, corporate cognitive capacity of machines, compared across different terms as illustrated in **Figure 5**, significantly influences the results; specifically, changes in GPU units – ranging from 30,000 to 400,000 – are shown in **Figure 6** and **Video S1** and demonstrably affect CII in **Figure 7a,b** and **Video S2**; VPT in **Figure 7c,d** and **Video S3**; TFR in **page 12e,f**; and animated changes to LLM scores, visualized in **Videos S4**, are visualized for investor analysis.

3.4.4 a Nudge for Algorithmic Trade

IIQ metrics such as II, VPT, TFR can also effect alogrithm and decision making like a nudge [52, 47] for human and bias of bots in stockmarket for investments. This might have positive and negative impact on investments, and bots can score AI companies vision based on intelligence, token and valuations in a portfolio next to each other for automations

#1c9c125a299b3866231c84523c992302e2904cb4291856ef0a4d208796dc055f




Figure 7: Sensitivity analysis in ventures simulations for CII corporations for **a)** cross-terms for 30,000 GPUs **b)** cross-terms for 400,000 GPUs. Token values sensitive analysis for **c)** VPT and TRF for 30,000 GPUs **d)** VPT and TRF for 400,000 GPUs **e)** for LLM score of 50.0% **f)** for LLM score of 99%

or visually analyze for stock broker or corporate investors.

3.4.5 Future Works on Interface Intelligences

IIQ can be modeled with better logic and mathematical improvement in future to introduce more metrics and better visualizations in computer simulations. IIQ is also proving insight on which evolving vectors the artificial intelligence and neural biotechnology can augment human into posthumanism or transhumanism/transpecies direction find new communication fidelities like SFID-tags and SFID AI systems 2.0 or 3.0 or brain interface machines.

3.4.6 Warning Possibilities

Based on IIQ computer simulations and its dynamic quantitative logics, transparencies and posthumanism superintelligences are warning possibilities that is not remote to develop within next decades. Between transpecies and superintelligences, the metasonic transpecies will be way more dangerous to human if they become able to attached to superintelligence symbiotically. For example, on paper and computer simulations results, SFID AI system 2.0 and 3.0 will enable transpecies emergences dominant human intelligence. In the extreme cases, controlling interface intelligence will be become symbiotically decentralized, or asymbiotic, not hierarchical.

4 Conclusion

Metasonic brain interface intelligence quantitative theory defines a new epoch in human–AI hybrid evolution. As interfaces become richer — neural, sensory, and generative — intelligence shifts from an internal property to an ecological relation. Future research may quantify communication fidelity better as a measurable cognitive interface variable, enabling comparative models of human–AI coupling strength. Ultimately, intelligence may prove to be less about who thinks, and more about how well we communicate in the most adaptive intelligent interface above inferiors ones. The first thing is noticeable in this theory is measuring interface intelligence is indeed a vector based scoring, intelligence augmentations can be augmented in different directions in interhumanism for posthumanism, and transhumanism/transpecies. The human is part of posthumanism influencing directly or indirectly by building AI machines augmenting human or even non-human. The human is also not at the center in interhumanism because of posthumanism decentralize force, and there is probability to be be outsmarted by emerging transpecies or maybe chimera augmentations. The bottleneck is communication fidelity and symbiotic bandwidth. It's harder to increase it, but one degree of increase will change the interface intelligence significantly. In the long term, control will become symbiotically distributed, or asymbiotic, not hierarchical. Finally, the IIQ theory is extended for computer simulations and AI ventures simulations for behavioral finance application and future of AI-Biorobotic companies.

Supporting Information

Supporting Information is available in appendix, on GitHub or from the author.

Acknowledgments

Each section of the paper, depending on needs, was done with human-supervised automations through APIs for large language models from OpenAI ChatGPT, Claude Sonnet by Anthropic, and customized in-house fine-tuned models orchestrated in Ollama platform at ONSOFA AI Studio for human interaction with computational modeling and computer simulations. Google Colab was used for simulation development, and the .ipynb jupyter files were provided to the open-source community on GitHub under the Apache 2.0 license. The quantitative theoretical works were derived after speculations at XSEALD Studio for Technology Design and ATINNITUS metal band in a music studio for brain interface acoustic metamaterials experiments. DAATCHI fashion-tech studio was involved in ergonomic, aesthetic, and metamaterial design aspects of interface-intelligent cybernetic transponder wearables next to visualization of chimera concept in upcoming KIMERA 2092 drama series. DANIEL SAATCHI DESIGNS & TECHNOLOGIES (DSDT) licensed the intellectual rights for use in affiliated collaborating studios ecosystems and the open-source community. The paper was written using the open-source TeXstudio LaTeX software. PIAX is a supporting advanced research institute for AI and xenobiologic brain interface metamaterials creative novel publications and concept technologies.

Conflict of Interest

The author declares no conflict of interest.

Author Contributions

This preprint paper has only one human author (D.S.) worked with multiple assisting AI agents for all intellectual credits including manuscript writing, manuscript revising, conceptualizations, mathematical derivations, computational modeling, computer simulations, programming, quantitative analysis, and theoretical works. Multi-modal LLM agents were used in arena to augment human scientist for manuscript assistant and copilot coding for computational modeling, and post-processing of plots and animations in computer simulations.

Data Availability Statement

The IIQ computer simulation data and open-source codes with Apache 2.0 license are available on following GitHub at <https://github.com/danielsaatchi/IIQ-Theory>

The repository is created and updated with further computational modeling and novel computers simulations thorough collaboration with ONSOFA studio for artificial intelligence.

Disclaimer

The computational methods in this paper encompassed computational modeling, technological possibilities and financial assumptions to model the realm of interhumanism. In finance case studies and business schools, it is common to mixed real data with synthetic financial assumptions for computational finance modeling. Therefore, the numbers and parameters in this study aimed to be closer to reality, but not resembling the exact reality; you can change numbers to interpret with your unlimited math logics. The computational models and computer simulations methods here are the main scope how to develop and how to use properly with an applied math working for it. Any organizations or incorporated brands in this paper were benchmarked and compared for agentic venture simulations that became open-source available to everyone, not just limited people in corporations. The venture simulation code is provided for everyone to self-simulate the dynamic of changes when power shifts in AI developments between ventures and warning emerging possibilities.

Intellectual Property Ownership

This preprint manuscript is blockchained and registered via a smart contract to introduce the **Interface Intelligence Quantitative (IIQ) Theory**. All intellectual property rights associated with the theory, its computational models, and computer simulations are reserved by the author. Redistribution or reuse of the IIQ formulation or simulation code is subjected to license issued by the author.

Chronology of Submission

Received: Oct 28, 2025
 Revised: Jul 24, 2026
 Blocked: Aug 25, 2026
 Zenodo: Sep 17, 2026
 DOI:10.5281/zenodo.22771832

Blockchain Certificate

The transaction hash and verification for this smartcontract AIJAM pre-print is:

```
{
  "network": "TRON",
  "amount_trx": 7,
  "status": "confirmed",
  "txid": "1f37636a460b4c35e6785fcf75af8e4198e13d11f2f2578d18892e2955b4d6e0e",
  "timestamp": "2026-08-25 12:52:30 (UTC)",
  "block": 85663647
}
```

QR code to verify transaction



Agentic Peer-Reviewers

This smartcontract pre-print is created by AIJAM. Three independent peer-reviewing AI agents are used to comments on final pre-prints. This is an AIJAM paper and is subjected to agentic review process bias and editorial human factor bias.

About AI Journal of Arts & Metascience

This preprint is an *editor's choice* for the AI Journal of Arts and Metascience (AIJAM), focusing on computational arts, generative AI, agentic computer simulations, and behavioral economics in great tandem with neuroscience, metamaterials informatics, transhumanism, and culture technologies. AIJAM is open-source and open-access so that more pre-prints or info can be found at <https://aijame.github.io>

Biography of Author

D.S. is a computational scientist whose work spans artificial intelligence, intelligent systems designs, computational design, and novel computer simulations aimed at bridging advanced computational modeling and applied mathematics methods across academia and industry. He is the dropout post-doctoral research fellow from a *Marie Skłodowska-Curie Actions (MSCA) cofund programme for artificial intelligence and biotechnology* and went after his vision for brain-interface-metamaterials and transhuman developments.

He is the open-source co-inventor and concept technology designer of the first SFID Transponder AI System, the first 3D-printed Encoded Mechanical Identification Tags (EMIT) for sonic mechanical computers, the trailblazer in acoustic metamaterials informatics, and the mathematical developer of the metasonic brain **IIQ Theory**.

After inventing SFID, **D.S.** began pursuing a more creative, rapid, and self-directed series of small metasonic experiments using acoustic metamaterials and musical instruments that interacted with AI machines as cyber-physical analogues of machine-human communication models, conducted in a music studio.

In the early phase of these explorations, he experimented with measuring communication fidelity between humans and

AI systems through the guitars with acoustic metamaterial computer wizard interactions. Acting as a self-described “*dummy augmented human guitarist*”, he deliberately modified human multi-modal input signals to train AI systems and connecting to acoustic metamaterials to adaptively respond and evolves. These early musical experiments and improvisations for synchronized machines became the foundation of the **IIQ Theory**, which demonstrated how evolving bidirectional augmentation vector strategies (machine-to-bio and bio-to-machine) can be discovered, scaled or measured, differentiated, scored, simulated, and optimized to enhance communication bandwidth and fidelity.

D.S. often roamed through music studios, crossing paths with art-metal and art-rock bands, musicians, and avant-garde artists to explore new ideas in AI-driven sound technologies and experimental performance. His musical journeys—intertwined with the invention of SFID—sparked his next frontier research development: **Brain Interface Metamaterial Machines (BIMM)**, where artificial intelligence and wearable transponder acoustic metamaterials converge to create higher symbiotic forms of metasonic interface intelligence.

Coming from a neurodiverse background, **D.S.** began painting in childhood in 1996 and playing guitar in 2004, but his life took an epic turn years later when he became the bilingual songwriter, rhythm guitarist, and bilingual backing-vocalist of the ATINNITUS metal band working on experimental metal and post-metal genres — while designing transponder accessories for guitarists, installing acoustic metamaterial computer wizards, developing AI systems, and conducting **BIMM** research for metasonic applications such as the *Octodrummer Project*. ATINNITUS’ music and albums are available on YouTube (<https://www.youtube.com/@ATINNITUS>) and Bandcamp (<https://atinnitus.bandcamp.com>). He merchandised his fashion designs, fashion-technologies and luxury accessories for ATINNITUS band and niche fashion customers through DAATCHI studio for fashion technology design <https://www.instagram.com/daatchi.official>. DAATCHI studio is also the sponsor for production of KIMERA 2092 drama series related to **Chimera Concept** for Bio-2-Machine vector for brain interface and AI augmentations for transhumanism possibilities based on **D.S.** diaries and 2nd book “My Traumas | My Technologies” under writing since 2019 mentioned on (<https://daatchi.github.io/kimera2092>).

The name ATINNITUS stands for “*Alternating Tinnitus*”, symbolizing transformation experiences in perception and neuroplasticity changes after trauma. At the age of twelve, **D.S.** survived a car crash that caused a traumatic brain injury (TBI) and permanent auditory cortical tinnitus, resulting in partial right-ear sensory impairment. His tinnitus notch frequency—measured around 946 Hz—later inspired his research into transponder acoustic metamaterial discovery and bioacoustic brain interface AI-technologies. His curiosity led him to study the auditory biocomputing mechanisms of Bornean bats and the natural reverberation patterns of pitcher plants used for echolocation, inspiring his reverse-engineering of bioacoustic intelligent meta-structures and ultimately the inventions of the first 3D-printed sonic

AI chip-tag marking the advent the SFID Transponder AI system to augment transhuman hearing.

D.S. is also the cofounder of XSEALD studio for technology design since 2016, ONSOFA studio for artificial intelligence since 2025, and DANIEL SAATCHI DESIGNS & TECHNOLOGIES (DSDT) since 2011. Later in 2026, he became the founding editor for an open-access and open-source AI Journal of Arts & Metascience (AIJAM) interested in computational arts, augmented artist, AI-enabled-metamaterials for brain interface machines, culture technology, and agentic computer simulations for transhumanism, posthumanism behavioral economics & xeno-economy. He is also the AI developer in open-source community’s contributions for repositories available on Github and Wiley online library. Recently, **D.S.** stepped quietly as the investor, founder and research professor of computer science & mechanical engineering for intelligent systems designs at Posthumanism Institute of AI & Xenobiotechnology (PIAX) for transhumanism accelerated evolution with metamaterials informatics discoveries and brain interface intelligent metamaterials developments, established in 2027.

References

- [1] G. Hinton, “Deep learning—a technology with the potential to transform AI,” *Nature*, vol. 556, pp. 419–420, 2018. doi: 10.1038/d41586-018-04546-0.
- [2] D. Engelbart, “Augmenting human intellect: A conceptual framework,” Stanford Research Institute, 1962.
- [3] D. Haraway, *Simians, Cyborgs, and Women: The Reinvention of Nature*, Routledge, 1991.
- [4] J. Garreau, *Radical Evolution: The Promise and Peril of Enhancing Our Minds, Our Bodies—and What It Means to Be Human*. New York, NY, USA: Doubleday, 2005.
- [5] R. Kurzweil, *The Singularity Is Near: When Humans Transcend Biology*. New York, NY, USA: Viking, 2005.
- [6] M. Heidegger, “The Question Concerning Technology,” in *The Question Concerning Technology and Other Essays*, W. Lovitt, Trans., New York, NY, USA: Harper & Row, pp. 3–35, 1977.
- [7] D. Banerji, F. Ferrando, S. Rozzoni, and J. Pascoe, “Beyond Theory: A Mythical Journey Towards Posthumanist Ethix,” *Technologies of the Future Self*, pp. 193–218, 2025. doi: 10.1007/978-3-031-99902-4_8.
- [8] F. Ferrando, S. Buran, and S. Rozzoni, “Multilogue on Post-violence: Posthumanist Visions, Narratives and Entanglements,” *Entanglements in the Age of the Posthuman*, p. 29, 2025.
- [9] S. Rozzoni and F. Ferrando, “Images of the Human Being: Posthumanism,” *Encyclopedia of the Anthropocene*, pp. 1–5, 2026. doi: 10.1007/978-3-031-58753-4_93.
- [10] F. Ferrando, *Philosophical Posthumanism*. London, UK: Bloomsbury Academic, 2019. doi: 10.5040/9781350059511.

- [11] N. K. Hayles, *How We Became Posthuman: Virtual Bodies in Cybernetics, Literature, and Informatics*. Chicago, IL, USA: University of Chicago Press, 1999. doi: 10.7208/chicago/9780226321394.
- [12] G. Tononi, “An information integration theory of consciousness,” *BMC Neuroscience*, vol. 5, p. 42, 2004. doi: 10.1186/1471-2202-5-42.
- [13] T. F. Varley, R. Carhart-Harris, D. S. Roseman, L. Menon, and A. L. Stamatakis, “Fractal dimension of cortical functional connectivity networks and severity of disorders of consciousness,” *PLoS ONE*, vol. 15, no. 11, e0223812, 2020. doi: 10.1371/journal.pone.0223812.
- [14] B. Gardiner, “Fractals and the irreducibility of consciousness in plants and animals,” *Philosophy, Cosmology and Evolution*, vol. 13, pp. 26–37, 2013. doi: 10.4161/psb.25296.
- [15] E. Bieberich, “Introduction to the fractality principle of consciousness and the sentyon postulate,” *Biologically Inspired Cognitive Architectures*, vol. 5, pp. 41–49, 2013. doi: 10.1007/s12559-011-9104-5.
- [16] I. Bugarski, “Fractal Thoughts and the Emergent Self: A Categorical Model of Consciousness as a Universal Property,” *PhilArchive*, 2019. [Online]. Available: <https://philarchive.org/archive/BUGFTA>.
- [17] R. Balestriero and Y. LeCun, “LeJEPa: Provable and Scalable Self-Supervised Learning Without the Heuristics,” arXiv preprint arXiv:2511.08544, 2025. doi:10.48550/arXiv.2511.08544.
- [18] E. Dalmás, F. Danneville, F. Elbahhar, M. Bocquet, and C. Loyez, “A review of neuromorphic sound source localization and echolocation-based navigation systems,” *Electronics*, vol. 13, no. 24, Art. 4858, 2024, doi:10.3390/electronics13244858. :contentReference[oaicite:0]index=0
- [19] D. Saatchi, M.-J. Lee, T. P. Pandit, M. Mahato, and I.-K. Oh, “Artificial intelligence in metamaterial informatics for sonic frequency mechanical identification tags,” *Advanced Functional Materials*, vol. 35, no. 10, article 2414670, 2025. doi: 10.1002/adfm.202414670.
- [20] E. Musk and Neuralink, “An Integrated Brain-Machine Interface Platform With Thousands of Channels,” **J. Med. Internet Res.**, vol. 21, no. 10, e16194, 2019. doi:10.2196/16194.
- [21] A. Lavazza, M. Balconi, M. Ienca, F. Minerva, F. G. Pizzetti, M. Reichlin, F. Samorè, V. A. Sironi, M. Sosa Navarro, and S. Songhorian, “Neuralink’s brain-computer interfaces: medical innovations and ethical challenges,” **Front. Hum. Dyn.**, vol. 7, 2025. doi:10.3389/fhumd.2025.1553905.
- [22] C. E. Boklage, *How New Humans Are Made: Cells and Embryos, Twins and Chimeras, Left and Right, Mind/Self/Soul, Sex, and Schizophrenia*. Singapore: World Scientific, 2010, 516 pp. doi: 10.1142/7034.
- [23] V. Papaioannou and R. Johnson, “Production of chimeras by blastocyst and morula injection of targeted ES cells,” pp. 133–173, 1999. doi: 10.1093/oso/9780199637928.003.0008.
- [24] M. L. Belgovskii, “The causes of mosaicism associated with heterochromatic chromosome regions,” *Journal of General Biology*, vol. 5, no. 6, pp. 325–356, 1944. Translated edition, 1962, OTS 61-11476.
- [25] S. Taddeo and J. S. Robert, “Hybrids and chimeras: A consultation on the ethical and social implications of creating human/animal embryos in research (2007), by the HFEA,” *The Embryo Project*, Arizona State University, Nov. 4, 2014.
- [26] Z. Bayraktar, “Potential autofertility in true hermaphrodites,” *The Journal of Maternal-Fetal & Neonatal Medicine*, vol. 31, no. 4, pp. 542–547, 2018. doi: 10.1080/14767058.2017.1291619. PMID: 28282768. S2CID: 22100505.
- [27] C. C. Bowley, A. M. Hutchison, J. S. Thompson, and R. Sanger, “A human blood-group chimera,” *British Medical Journal*, vol. 2, no. 4827, p. 81, 1953. doi: 10.1136/bmj.2.4827.81. PMCID: PMC2028470. PMID: 13051584.
- [28] H. Wolinsky, “A mythical beast: Increased attention highlights the hidden wonders of chimeras,” *EMBO Reports*, vol. 8, no. 3, pp. 212–214, 2007. doi: 10.1038/sj.embor.7400918. PMCID: PMC1808039. PMID: 17330063.
- [29] K. Madan, “Natural human chimeras: A review,” *European Journal of Medical Genetics*, vol. 63, no. 9, art. no. 103971, 2020. doi: 10.1016/j.ejmg.2020.103971. PMID: 32565253.
- [30] N. Glade, P. Ballet, and O. Bastien, “A stochastic process approach of the Drake equation parameters,” *International Journal of Astrobiology*, vol. 11, no. 2, pp. 103–108, 2012. arXiv:1112.1506. doi: 10.1017/S1473550411000413
- [31] A. Cassan *et al.*, “One or more bound planets per Milky Way star from microlensing observations,” *Nature*, vol. 481, no. 7380, pp. 167–169, 2012. arXiv:1202.0903. doi: 10.1038/nature10684
- [32] A. Frank and W. T. Sullivan III, “A new empirical constraint on the prevalence of technological species in the universe,” *Astrobiology*, vol. 16, no. 5, pp. 359–362, 2016. arXiv:1510.08837. doi: 10.1089/ast.2015.1418
- [33] D. Forgan, “A numerical testbed for hypotheses of extraterrestrial life and intelligence,” *International Journal of Astrobiology*, vol. 8, no. 2, pp. 121–131, 2009. arXiv:0810.2222. doi: 10.1017/S1473550408004321
- [34] C. Maccone, “The Statistical Drake Equation,” *Acta Astronautica*, vol. 67, no. 11–12, pp. 1366–1383, 2010. doi: 10.1016/j.actaastro.2010.05.003
- [35] Z. Hetesi and Z. Regaly, “A new interpretation of Drake equation,” *Journal of the British Interplanetary Society*, vol. 59, pp. 11–14, 2006.
- [36] L. M. Golden, “A joint mind consideration of the Drake equation in the search for extraterrestrial intelligence,”

Acta Astronautica, vol. 185, pp. 333–336, 2021. doi: 10.1016/j.actaastro.2021.03.020

- [37] G. D. Brin, “The Great Silence – The Controversy Concerning Extraterrestrial Intelligent Life,” *Quarterly Journal of the Royal Astronomical Society*, vol. 24, no. 3, pp. 283–309, 1983.
- [38] J. Tarter, “Hello... Is there anybody out there?,” *Science Friday*, 2013. <https://www.sciencefriday.com/segments/hello-is-there-anybody-out-there/>.
- [39] P. McMillen and M. Levin, “Collective intelligence: A unifying concept for integrating biology across scales and substrates,” *Communications Biology*, vol. 7, no. 378, 2024. doi: 10.1038/s42003-024-06037-4.
- [40] M. G. Schöner, C. R. Schöner, R. Simon, T. U. Grafe, S. J. Puechmaille, L. L. Ji, G. Wibbelt, S. Zhang, and G. Kerth, “A mutualistic relationship between a carnivorous plant and a bat,” *Nature Communications*, vol. 6, article 7612, 2015. doi: 10.1038/ncomms8612.
- [41] M. G. Schöner, R. Simon, and C. R. Schöner, “Acoustic communication in bat–plant interactions,” *Current Biology*, vol. 27, no. 17, pp. R888–R890, 2017. doi: 10.1016/j.cub.2017.07.046.
- [42] M. G. Schöner, G. Kerth, and C. R. Schöner, “The role of acoustic cues in bat–plant mutualisms,” *Behavioral Ecology and Sociobiology*, vol. 72, no. 7, p. 107, 2018. doi: 10.1007/s00265-018-2526-7.
- [43] J. W. Schooler, C. Schreiber, and P. Winkielman, “Meta-awareness and its role in consciousness,” *Unpublished manuscript*, University of California, Santa Barbara, 2011.
- [44] J. W. Schooler, M. Baird, and M. Mrazek, “Metacognition and mind wandering: Re-representation of experience,” in *Cognition and Mind: Meta Models*, J. Schooler et al., Eds., pp. 85–102, 2015.
- [45] D. J. Chalmers, “The meta-problem of consciousness,” *Journal of Consciousness Studies*, vol. 25, no. 9–10, pp. 6–61, 2018.
- [46] T. Jankowski and P. Holas, “Metacognitive model of mindfulness,” *Consciousness and Cognition*, vol. 28, pp. 64–80, 2014. doi: 10.1016/j.concog.2014.06.005.
- [47] R. H. Thaler and C. R. Sunstein, “Nudge: Improving Decisions About Health, Wealth, and Happiness,” Yale University Press, 2008.
- [48] K. S. Bigel, “Introduction to Financial Analysis,” *Open Textbook Library*, 2022.
- [49] T. Tamplin, “The Handy Financial Ratios Guide: A Comprehensive Guide to 140 Common Financial Ratios,” *True Finance Press*, 2022.
- [50] M. Rist and A. J. Pizzica, “Financial Ratios for Executives: How to Assess Company Strength, Fix Problems, and Make Better Decisions,” *Apress*, 2014.
- [51] G. Serafeim, T. R. Zochowski, and J. Downing, “Impact-weighted financial accounts: a paradigm shift,” *Harvard Business School Accounting & Management Unit Working Paper*, no. 20-044, 2019.
- [52] C. W. Cai, “Nudging the financial market? A review of the nudge theory,” *Accounting & Finance*, vol. 60, no. 4, pp. 3341–3365, 2020. doi: 10.1111/acfi.12471.

Supporting Information

Appendix

The following supporting tables are provided for further insight next to videos on GitHub repo link for data visualization for application use of IIQ theory with computer simulations for financial engineering application in AI venture simulations and behavioral economics.

Table 1: Bioinspired Analogy for Conceptual Connection to Interface Intelligence

Aspect	Natural Interface Intelligence	Cybernetic Interface Intelligence
Interface Entity	<i>N. hemsleyana</i> plant provides an echo-responsive surface bandwidth β_p tuned to bat sonar and cognitive capability c_b .	Machine symbiont c_m provides structured, interpretable feedback through bandwidth β_b (text, image, voice, data, language, signals).
Reciprocal Cognition	<i>K. hardwickii</i> bat’s ear β_b receives its echolocation frequency to match the plant’s resonance and reverberation cognitive enhancement ability c_b .	Human brain c_b adapts cognition, emotion, or perception to machine feedback loops and machine bandwidth β_m (text, image, voice, data, language, signals).
Interface Signal	The acoustic signal is the interface enabling shared survival performance.	The digital cognitive signal is the interface enabling shared intelligence.
Distributed Intelligence	Symbiotic intelligence augmented and distributed across biological species.	Transpecies intelligence augmented and distributed across biological and artificial agents.

Table 2: Parameters Setup for Nature’s Biological Interface Intelligence (NBII)

Aspect	Species	C_b	B_b	C_p, C_{tm}	B_p, B_{tm}	II
1	Bornean Bat – Pitcher Plant	1	1	0	1	1
2	Tiger Moth Jamming Bat	1	1	1	1	2
3	Bat Feeding on Pollens	1	1	0	1	1
4	Other Bats	1	1	0	0	0
5	Other Carnivorous Plants	0	0	0	0	0
6	Dancing Plant	0	0	0	1	0

Table 3: Parameters Setup for Machine Biological Interface Intelligence (MBII)

Aspect	Bio-Symbiont	Machine	c_b	β_b	c_m	β_m	II	Interconscious
1	Human	SFID AI System	1	1	1	1	2	Likely conscious (human mediated)
2	Dolphin/Orca	SFID-tag	2	2	0	0	0	Non-conscious interface (animal itself conscious)
3	Bat	SFID-tag	2	2	0	0	0	Non-conscious interface (animal itself conscious)
4	Bornean Pitcher Plant	SFID Classifier (trained on Plant)	0	1	1	1	1	non-conscious / proto
5	Bat/Dolphin/Orca	SFID AI System 2.0	2	2	1	1	4	interface-enabled (animal–AI transpecies)
6	SFID-tag Bat ↔ Bornean Plant attached to Human	SFID AI System 3.0	3	2	2	3	13	multi-agent interconscious (emergent)

Table 4: Human view on AI

Aspect	Anthropocentrism	Transhumanism	Posthumanism and Posthuman Singularity	Interhumanism
Core Definition	Human beings are the central and most significant entities in the universe.	Humans use technology to enhance physical and cognitive capacities beyond biological limits.	Challenges human centrality, emphasizing hybrid, networked, and ecological forms of being. The possibility of extraterrestrial life and fractal scale intelligence. Unlimited scales of superintelligence, & singularity.	Closer to posthumanism AI singularity view, but interface intelligence can be affected by tranhumanism view as well. Scale determines the mutual bandwidth and affects fidelity of interface intelligence.
Ontology	Human-centered reality.	Human identity extended through technology.	Distributed and relational; human, machine, and environment co-constitute existence.	Interface-centered ontology: distributed intelligence is not always dominant, or not located within either entity. Asymbiosis can outsmart symbiosis.
Goal	Preserve human dominance.	Achieve post-biological evolution.	Deconstruct human exceptionalism; recognize non-human agency.	Symbiotic cognitive and co-adaptation between human and AI through interface performance.
View of Technology	Subordinate instrument and tool.	Vehicle for enhancement and transcendence.	Co-agent in hybrid ecologies of intelligence.	Symbionts are fidelity tools for AI
View of Intelligence	Exclusive to humans.	Enhanced human cognition.	Distributed across human and non-human systems.	Symbiotic Human. Asymbiotic interface where symbionts are options.
Agency	Human sole agent,	Human augmented agent,	Multi-agent network.	Augmented symbionts in a multi-agent network.
Fidelity Mode	human to human cognitive communications, fast learning methods, nature and nurture.	Increased human bandwidth through technological augmentation like brain-interface machines.	Expanded bandwidth through cultural and ecological adaptation.	Dual-Symbiont Interface Vectors: (1) Machine-To-Bio evolving vector bandwidth in posthumanism; (2) Human-to-Machine evolving vector for transhumanism.
Relation to AI	AI as servant.	AI as extension of human will.	AI as partner in distributed cognition.	AI as co-cognitive symbiont.
Ethical Focus	Maintain human superiority.	Preserve individuality while transcending biology.	Include all forms of cognition in ethical frameworks.	Possibilities of Bat cyborg outsmarting human cyborg
Representative Thinkers	Descartes, Kant	Garreau, Bostrom, Kurzweil	Heidegger, Fernando, Kurzweil, Haraway, Hayles, Latour	Saatchi speculated on Kurzweil, Haraway, Wiener, Hinton
Metaphor	Human as ruler	Human as cyborg	Human as network node	Human as a symbiotic fidelity vector

Table 5: Corporate Interface Intelligence (CII) Parameters Setup for Venture Simulation Scenario of 400,000 GPUs

Company	Cb	Bb	Cm	Bm	II	GPUs	LLM Score (%)	TCE (\$)	VPT (\$)	TFR
Google	183,323	2	356,000	7	1,995,261	400,000	89	0.003	0.010	3
DeepMind	6,724	2	360,000	7	767,068	400,000	90	0.003	0.006	2
Elon Musk (Neurolink, xAI, Grok, Starlink)	14,500	3	344,000	9	1,162,500	400,000	86	0.003	0.008	3
OpenAI	3,000	2	352,000	7	725,000	400,000	88	0.003	0.005	2
Anthropic	1,300	2	368,000	7	745,100	400,000	92	0.003	0.006	2
Microsoft AI	12,000	2	352,000	7	788,000	400,000	88	0.003	0.006	2
Apple	164,000	2	280,000	8	1,872,000	400,000	70	0.003	0.010	3
Meta	75,945	2	304,000	8	1,215,560	400,000	76	0.003	0.008	3
Transhuman Corporation (Extreme Emerge 1)	1,300	4	360,000	9	1,451,700	400,000	90	0.003	0.011	4
Alien Corporation (Extreme Emerge 2)	1,300	5	360,000	5	1,806,500	400,000	90	0.003	0.014	5
Transhuman Startup (Extreme Emerge 3)	2	5	360,000	7	1,800,014	400,000	90	0.003	0.014	5
Alien transpeices (Extreme Emerge 4)	1	5	360,000	5	1,800,005	400,000	90	0.003	0.014	5
Alien transpeices (Extreme Emerge 5)	1	6	360,000	5	2,160,005	400,000	90	0.003	0.016	5
Alien transpeices (Extreme Emerge 6)	1	6	360,000	9	2,160,009	400,000	90	0.003	0.016	5
Alien transpeices (Extreme Emerge 7)	1	9	360,000	9	3,240,009	400,000	90	0.003	0.024	8
Super Intelligences (Extreme Emerge 8)	0	9	360,000	9	3,240,000	400,000	90	0.003	0.024	8
Super Intelligences (Extreme Emerge 9)	0	9	360,000	1,000	3,240,000	400,000	90	0.003	0.024	8
Super Intelligences (Extreme Emerge 10)	0	2	396,000	5,000	792,000	400,000	99	0.003	0.006	2
Super Intelligences (Extreme Emerge 11)	0	9	396,000	5,000	3,564,000	400,000	99	0.003	0.027	9
Alien transpeices (Extreme Emerge 12)	1	9	396,000	5,000	3,569,000	400,000	99	0.003	0.027	9