


Outlet Prompting for SillyTavern

Why and how to create a preset that
handles all situations flexibly and
automatically.

SWITCH FROM MONOLITHIC PRESETS

Aiko Hanasaki
May 31, 2026

github.com/aikohanasaki/
www.aikobots.com



IT STARTS INNOCENTLY.

You only need one preset. Somehow you created a monster.

Different models, characters, personas, chats, and generation modes all want different instructions.

You end up with:

- a 300-line toggle preset
- six thousand tokens worth of instructions
- Loss of immersion because you have to toggle the preset parts and pieces.

GPT rules
Gemini rules
Claude rules
roleplay rules
narrator rules
continue rules
impersonate rules
character-specific rules
prose rules
POV rules
user agency rules



THE MONOLITHIC PRESET PROBLEM

Easy to break

GPT and Gemini instructions step on each other. The model randomly decides to follow one and ignore the rest.

Hard to maintain

You have to hunt for the right line inside a 5,000-token wall of text.

Expensive in tokens

The model reads all of it — even the parts that have nothing to do with this chat.

Prompts that load themselves

OLD APPROACH

One huge preset with every optional behavior already inside it.

GPT + Gemini + narrator + continue + character rules... all present until manually toggled.

BETTER APPROACH

Small base preset + modules that activate when they belong.

Model, persona, character, generation, and scene modules automatically activate only when they're actually needed.

Manual toggles can be:

- clicking the on-off toggle in the chat completion prompt manager
- clicking on-off toggles on lorebook entries
- preference lorebook entries

WHAT THE WHOLE SYSTEM LOOKS LIKE

The outline

Edit

Name
System Prompt
A name for this prompt.

Role
System
To whom this message will be attributed.

Triggers
All types (default)
Filter to specific generation types.

Position
Relative
Relative (to other prompts in prompt manager) or In-chat @ Depth.

Prompt
☐ Forbid Overrides

```
{{outlet::OverrideAll}}  
  
{{outlet::OOCPrimacy}}  
  
{{outlet::RoleplayPrinciples}}  
  
{{outlet::NarrativeBoundaries}}  
  
{{outlet::AntiRepetition}}  
  
{{outlet::StoryTelling}}  
  
{{outlet::Initiative}}
```

The positions

The content

☒	Prompt 00 OverrideAll - GPT	☒	Out	100	100		
☒	Prompt 01 - Default OOC	☒	Out	100	100		
☒	Prompt 02 GPT Core - Write For Me	☒	Out	200	100		
☒	Prompt 02 GPT Core Principles	☒	Out	200	100		
☒	Prompt 02 OOC Primacy - Default	☒	Out	100	100		
☒	Prompt 02 OOC Primacy - Gemini 3	☒	Out	100	100		
☒	Prompt 03 GPT Chill	☒	Out	100	100		
☒	Prompt 03 GPT Plot/Drama High	☒	Out	100	100		
☒	Prompt 03 GPT Plot/Drama Low	☒	Out	100	100		
☒	Prompt 03 Roleplay Principles -	☒	Out	100	100		
☒	Prompt 04 GPT Narrative & Initiative	☒	Out				
☒	Prompt 04 Narrative Boundaries -	☒	Out				
☒	Prompt 04 Narrative Boundaries -	☒	Out				
☒	Prompt 05 Anti-repetition	☒	Out				
☒	Prompt 06 GPT Op Framework	☒	Out	100	100		
☒	Prompt 06 StoryTelling - Default	☒	Out	100	100		
☒	Prompt 06 StoryTelling - Gemini	☒	Out	100	100		
☒	Prompt 07 GPT Storytelling Agency	☒	Out	100	100		
☒	Prompt 07 GPT Write For Me	☒	Out	100	100		
☒	Prompt 07 Initiative - Default	☒	Out	100	100		
☒	Prompt 07 Initiative - MoreInitiative	☒	Out	100	100		

HOW OUTLETS WORK

IN YOUR PRESET

WORLD INFO ENTRY

`{{outlet::NarrativeBoundaries}}`

`{{outlet::AntiRepetition}}`

The diagram illustrates how outlets from a preset are mapped to specific world info entries. A light blue box on the left, labeled 'IN YOUR PRESET', contains two outlet definitions: `{{outlet::NarrativeBoundaries}}` and `{{outlet::AntiRepetition}}`. Two blue arrows originate from these outlets. The first arrow points from `{{outlet::NarrativeBoundaries}}` to a group of three entries under the 'WORLD INFO ENTRY' header. These entries are 'Prompt 04 GPT Narrative & Initiative', 'Prompt 04 Narrative Boundaries - Default', and 'Prompt 04 Narrative Boundaries - Gemini'. The second arrow points from `{{outlet::AntiRepetition}}` to a single entry, 'Prompt 05 Anti-repetition'. Each entry in the list has a dropdown menu, a status indicator (green or blue), and an 'Out' button with a dropdown arrow.

Entry Name	Status	Action
Prompt 04 GPT Narrative & Initiative	Green	Out
Prompt 04 Narrative Boundaries - Default	Green	Out
Prompt 04 Narrative Boundaries - Gemini	Green	Out
Prompt 05 Anti-repetition	Blue	Out

- Names are case-sensitive.
- Multiple entries can share one outlet.
- Empty outlets do nothing and are ignored on generation.

Start with two slots.

```
{{outlet::ModelBehavior}}  
  
{{outlet::GenerationMode}}
```

1 Model behavior

GPT, Gemini, Claude, local models,
neutral fallback.

2 Generation behavior

Continue, Impersonate, Swipe,
Quiet/background tasks.

**Add more outlets when you need finer control.
Add variations when the same outlet needs different content for
different situations.**

Model-specific modules

Same preset. Same outlet. Different instructions.

GPT

**Needs explicit initiative
and behavioral direction.**

Take small, grounded initiative.
Do not override user agency.
Move the plot or story.

GEMINI

**Needs restraint and tone
control.**

Do not escalate or over-
dramatize. Two beats is enough.

CLAUDE

**Needs anti-positivity
and grounded
consequences.**

Bad things can and SHOULD
happen. Some people dislike
{{user}} for no reason.

Outlet: ModelBehavior

Character-specific patches

BAD

Character-specific behavior lives permanently in the global preset.

You must remember which prompts to toggle on/off.

BETTER

Use SillyTavern's character inclusions/exclusions to automate on/off behavior.

5a. Anti-Repetition Mandate

- * Every response must be a continuation, not a rehash.
- * Skip confirmations of understanding; continue the narrative directly.
- * Do not reuse descriptive phrases, sentence openings, or environmental motifs.

Inclusion Group	Prioritize	Group Weight	Sticky	Cooldown
AntiRepetition	☐	100	☐	0

Filter to Characters or Tags

Exclude

Okia

Filter to Generation Triggers

All types (default)

Some characters don't need this instruction (for whatever reason).

USE CASE 3

Persona as prompt toggle

The image shows two panels from a software interface. The left panel, titled 'Current Persona', shows a 'Reader' persona with a description '!writeforme'. A callout points to it: 'This persona is not RP but is a reader.' The right panel, titled 'Prompt 07 GPT Write For Me', shows a logic editor. It has a 'Primary Keywords' section with a trigger '*/gpt-/'. Below it, a 'Logic' section has a condition '*/!writeforme/' which is highlighted by a callout 'Keyword trigger'. Further down, there's a 'Filter to Characters or Tags' section with 'Okia' selected. A callout 'reads persona for keyword' points to the 'Additional Matching Sources' section, where 'Persona Description' is checked. Other sources like 'Character Description', 'Character Personality', 'Scenario', 'Character's Note', and 'Creator's Notes' are unchecked. The logic editor also shows various settings like 'Initiative', 'Scan Depth', 'Case-Sensitive', 'Group Weight', 'Sticky', 'Cooldown', and 'Delay'.

Current Persona

Reader

Persona Description

!writeforme

This persona is not RP but is a reader.

Prompt 07 GPT Write For Me

Primary Keywords

Logic

Optional Filter

Outlet Name

Scan Depth

Case-Sensitive

Initiative

Use global setting

Use global

Use global

Use global

Whole Words

Group Scoring

Automation ID

(None)

Non-recursable

Delay until recursion

Prevent further recursion

Ignore budget

Activation only

Content

7. Storytelling

* Prioritize meaningful developments over trivial detail.

* Adjust pacing and density to emotional context.

* Introduce new emotional or situational elements when scenes risk stagnation.

Inclusion Group

Prioritize

Group Weight

Sticky

Cooldown

Delay

Initiative

100

0

0

0

Filter to Characters or Tags

Exclude

Filter to

Okia

All types

Additional Matching Sources

Character Description

Character Personality

Scenario

Persona Description

Character's Note

Creator's Notes

Replaces RP-centric user agency control/initiative block

Keyword trigger

reads persona for keyword

Persona as prompt toggle

Your persona tells the model which mode to use.

ROLEPLAY PERSONA

Treat {{user}} as an active roleplay participant.

NEVER write for {{user}}. Do not narrate {{user}}'s actions, thoughts, feelings, dialogue, or decisions unless requested.

NARRATOR / ADVENTURE

Treat {{user}} as a player in a story, not just one dialogue partner.

You may describe environments, obstacles, consequences, and hooks for action. You can write for {{user}}.

USE CASE 4

Different functions. Different prompts.

Normal, Continue, Impersonate, Swipe, and Quiet shouldn't all get the same instructions.



NORMAL

agency guard

CONTINUE

seamless extension

IMPERSONATE

write as user

SWIPE

alternate take

QUIET

internal result

Scene modules: only when this story needs them

Some instructions belong to a chat, arc, or mood — not to every roleplay forever.

Outlet Name: `WritingStyle`

This chat is currently in a slow-burn interpersonal phase.

Do not rush confessions, betrayals, violence, or major revelations. Let tension build through small choices and consequences.

- Slow burn romance
- Mystery investigation
- Horror atmosphere
- Travel montage
- Quiet slice-of-life chapter

OTHER USES

Formatting Preferences

Sometimes you want things formatted just so...
... but not always.

reaches for the pad he keeps near the fruit bowl and writes in his compact block hand:

```
BOOKMARK REORDER  
MOVE DISPLAY LEFT  
POSTCARD STOCK CHECK
```

Then he tears off a small piece beneath it, folds it once, and sets it near Aiko's plate like an absurdly formal memo.

place for the display before someone with wet sleeves ruins half of it. He reaches for the pad he keeps near the fruit bowl and writes in his compact block hand:

```
BOOKMARK REORDER  
MOVE DISPLAY LEFT  
POSTCARD STOCK CHECK
```

Then he tears off a small piece beneath it, folds it once, and sets it near Aiko's plate like an absurdly formal memo.

The image shows two instances of the 'Prompt 08-2 TxtFormat' interface. The top instance is titled 'Prompt 08-2 TxtFormat - Default' and the bottom instance is titled 'Prompt 08-2 TxtFormat - Ticks'. Both instances have a 'Primary Keywords' field containing the regex '/tick/'. The 'Logic' field is set to 'NOT ANY' in the top instance and 'AND ANY' in the bottom instance. The 'Optional Filter' field is set to 'Keywords or Regexes (ignored if empty)' in the bottom instance. The 'Content' field in the top instance contains the text: '- Text messages should be quoted: > Like this. Be very careful about how linebreaks are inserted.' The 'Content' field in the bottom instance contains the text: '- Text messages should be offset with backticks and line breaks: Like this.'. The 'Inclusion Group' field is set to 'Texting' in both instances. The 'Group Weight' field is set to '100' in both instances. The 'Sticky' field is set to '0' in both instances. The 'Cooldown' field is set to '0' in both instances. The 'Delay' field is set to '0' in both instances. The 'Filter to Characters or Tags' field is set to 'Exclude' in both instances. The 'Filter to Generation Triggers' field is set to 'All types (default)' in both instances. A callout box points to the 'Primary Keywords' field in both instances, stating 'Either / or (only one will survive)'.

User agency rules are not always useful.

NORMAL / SWIPE / REGEN

Do not write the user's dialogue, actions, thoughts, feelings, or decisions.

Protect user agency during normal assistant replies.

IMPERSONATE

Write from the user's side of the roleplay. Match their persona, tone, and context.

"Never write the user" fights this button.

CONTINUE

Extend the current reply seamlessly. Do not restart, summarize, or reframe.

Continue must not be a new reply.

What you got out of Part 1

- | | | |
|---|----------------------------|---|
| 1 | Model modules | GPT / Gemini / Claude / neutral fallback |
| 2 | Character-specific | Only appear for the right character |
| 3 | Persona modes | Roleplay participant vs narrator/adventure |
| 4 | Generation triggers | Different rules for Continue, Impersonate, Swipe, Quiet |
| 5 | Other uses | Pacing and mood, formatting, etc |

Part 2 covers inclusion groups, token budgeting, order, timed effects, naming, debugging, and exporting.