EXTERNAL IP: 34.150.237.6 PORTS: 80:8000 ROUTES:

GET /items/ Returns all items Response 200

GET /items/<int:item_id>/
Gets an item by its ID
Response 200 upon success

```
"id": 1,
    "imageUrl": "https://cornellfindit.s3.us-east-1.amazonaws.com/...",
    "desc": "blue and black water bottle",
    "loc_desc": "second floor in the kitchen lounge",
    "time": "12/01/2023 10:04:55",
    "status": "Lost",
    "contact": "mvgaile on instagram",
    "loc_id": 1,
    "building_name": "Alice Cook House"
}
```

GET /items/<string:loc_name>/ Gets all items associated with one location name Response 200

```
[
{
    "id": 1,
    "imageUrl": "https://cornellfindit.s3.us-east-1.amazonaws.com/...",
    "desc": "blue and black water bottle",
    "loc_desc": "second floor in the kitchen lounge",
    "time": "12/01/2023 10:04:55",
    "status": "Lost",
    "contact": "mvgaile on instagram"
},
{
    "id": 2
    ...
}
```

POST /items/ Creates a new item Body:

```
"desc": [STRING DESCRIPTION], # Optional, default: "No description provided"

"image_data": [STRING BASE64], # Must start with "data:image/jpeg;base64,"

"loc_desc": [STRING DESCRIPTION], # Optional, default: "No location description provided"

"status": [STRING STATUS], # Optional, default: "Lost"

"contact": [STRING CONTACT], # Optional, default: "No contact provided"

"loc_name": [STRING LOCATION NAME], # Must be a valid location name

"time": [STRING DATETIME], # Optional, default: str(datetime.datetime.now())

}
```

Response 201 upon success

```
"id": 1,
   "imageUrl": "https://cornellfindit.s3.us-east-1.amazonaws.com/...",
   "desc": "blue and black water bottle",
   "loc_desc": "second floor in the kitchen lounge",
```

```
"time": "12/01/2023 10:04:55",
    "status": "Lost",
    "contact": "mvgaile on instagram",
    "loc_id": 1,
    "building_name": "Alice Cook House"
}
```

DELETE /items/<int:item_id>/<string:password>/
Deletes an item

Response 200 upon success

```
"id": 1,
    "imageUrl": "https://cornellfindit.s3.us-east-1.amazonaws.com/...",
    "desc": "blue and black water bottle",
    "loc_desc": "second floor in the kitchen lounge",
    "time": "12/01/2023 10:04:55",
    "status": "Lost",
    "contact": "mvgaile on instagram",
    "loc_id": 1,
    "building_name": "Alice Cook House"
}
```

GET /locations/ Gets all locations Response 200

```
}
], ...
```

GET /locations/<string:building_code>/
Gets location by its building code
Response 200 upon success

POST /locations/startup/<string:password>/
Designed for pre-populating the database with the necessary locations
Response 201 upon success

GET / Shows the default message, used for debugging

Response 200 upon success

"Hello! This is the CornellFindIt base endpoint! Download our app on the Apple Appstore!"