AILIN FOOD MACHINERY

English Product Catalog

Vegetable cutting • root vegetable processing • meat processing • dough preparation



WHATSAPP

+86 155 8886 9611

15588869611@163.com

https://wa.me/8615588869611

Jinan Ailin Machinery Equipment Co., Ltd. | Zhangqiu District, Jinan, Shandong, China

Company Overview and Featured Machine

Jinan Ailin Machinery Equipment Co., Ltd. supplies commercial food-processing machinery from Jinan, Shandong, China. This English catalog presents vegetable preparation, meat processing and dough-product equipment for overseas procurement review.

YQC801 Multifunctional Vegetable Cutter



Featured machine for central kitchens and food processors requiring slices, strips, dices, segments and cubes

- Power: 2 x 1.1 + 0.55 kW
- Weight: 170 kg
- Dimensions: 1165 x 550 x 1255 mm
- Cut size: 1-45 mm
- Capacity: 850 kg/h
- Request a sample test using representative produce and target cuts.

Confirm material, configuration, utilities and performance before ordering.

SCAN TO CHAT ON WHATSAPP

+86 155 8886 9611 | 15588869611@163.com

https://wa.me/8615588869611

Vegetable Cutting Series

Commercial machines for central kitchens, catering operations and food processors. Confirm actual materials, cut sizes and useful output through a representative test.

YQC801 Multifunctional Vegetable Cutter



Slices, strips, dices, segments and cubes

- Power: 2 x 1.1 + 0.55 kW
- Weight: 170 kg
- Dimensions: 1165 x 550 x 1255 mm
- Cut size: 1-45 mm
- Capacity: 850 kg/h

Confirm material, configuration, utilities and performance before ordering.

YQC501 Double Head Vegetable Cutter



Independent cutting controls for leafy and root vegetables

- Power: 1.5 + 0.14 + 0.14 kW
- Weight: 170 kg
- Dimensions: 1020 x 540 x 1040 mm
- Capacity: 850 kg/h

Confirm material, configuration, utilities and performance before ordering.

YQC180 Bulb Vegetable Cutter



Slices, strips and dices for bulb and root vegetables

- Power: 1.5 kW
- Weight: 70 kg
- Dimensions: 600 x 500 x 900 mm
- Cut sizes: 2-10 / 10 / 12 / 15 / 20 mm
- Capacity: 200-1000 kg/h

Confirm material, configuration, utilities and performance before ordering.

CHD20 Vegetable Cutter



Cutting and segmenting of leafy vegetables

- Power: 0.75 kW
- Weight: 55 kg
- Dimensions: 715 x 455 x 580 mm
- Capacity: 120-350 kg/h

Confirm material, configuration, utilities and performance before ordering.

CHD80 Multifunctional Vegetable Cutter



Adjustable continuous vegetable cutting

- Power: 1.8 kW
- Weight: 90 kg
- Dimensions: 820 x 570 x 920 mm
- Cut size: 1-45 mm
- Capacity: 120-850 kg/h

Confirm material, configuration, utilities and performance before ordering.

SCAN TO CHAT ON WHATSAPP

+86 155 8886 9611 | 15588869611@163.com

https://wa.me/8615588869611

Jinan Ailin Machinery Equipment Co., Ltd.

Vegetable Cutting and Slicing

Model ranges and parameters are reproduced from the original catalog. Final configuration must be confirmed in the quotation.

YQC Series Multifunctional Vegetable Cutters



Flat and belt-fed configurations

- YQC660: 0.75 kW | 120 kg | 950 x 500 x 850 mm | 130-660 kg/h
- YQC1000: 1.5 kW | 220 kg | 1300 x 600 x 1050 mm | 200-1000 kg/h

Confirm material, configuration, utilities and performance before ordering.

QP Series Peeling Machines



Brush/abrasive peeling for root vegetables

- QP450 flat: 6.5 kW | 610 x 710 x 1410 mm | 100-300 kg/h
- QP450 belt: 1.1 kW | 1240 x 700 x 1410 mm | 200-400 kg/h
- QP550 flat: 0.55 kW | 610 x 700 x 1500 mm | 100-300 kg/h
- QP550 belt: 1.1 kW | 1240 x 700 x 1560 mm | 200-400 kg/h
- QP750 flat/belt: 0.55/1.1 kW | 100-300/200-400 kg/h

Confirm material, configuration, utilities and performance before ordering.

CHD100 Vegetable Cutter



Dicing of root vegetables and prepared produce

- Power: 0.75 kW
- Weight: 100 kg
- Dimensions: 710 x 660 x 1085 mm
- Capacity: 600-1000 kg/h

Confirm material, configuration, utilities and performance before ordering.

CP Filling Making Machine



Processes vegetables used for fillings

- CP20: 1.1 kW | 60 kg | 570 x 505 x 820 mm | 120 kg/h
- CP30: 1.5 kW | 80 kg | 780 x 710 x 940 mm | 180 kg/h

Confirm material, configuration, utilities and performance before ordering.

SCAN TO CHAT ON WHATSAPP

+86 155 8886 9611 | 15588869611@163.com

https://wa.me/8615588869611

Jinan Ailin Machinery Equipment Co., Ltd.

Root Vegetable Processing

Select a machine using real raw material, acceptable peel/cut quality, complete batch cycle, cleaning method and site utilities.

SH30 Slicer Cutter



Adjustable slicing and optional coarse shredding

- Power: 0.76 kW
- Weight: 45 kg
- Dimensions: 350 x 400 x 600 mm
- Capacity: 150 kg/h

Confirm material, configuration, utilities and performance before ordering.

QSP20 Vegetable Slicer and Shredder



Two feed ports for different product sizes

- Power: 0.75 kW
- Weight: 46 kg
- Dimensions: 440 x 360 x 600 mm
- Capacity: 100-300 kg/h

Confirm material, configuration, utilities and performance before ordering.

QT100 Strip Cutting Machine



Strip cutting for meat and firm produce

- Power: 0.37 kW
- Weight: 63 kg
- Dimensions: 700 x 330 x 520 mm
- Capacity: 100 kg/h

Confirm material, configuration, utilities and performance before ordering.

TP Series Potato Peelers



Batch peeling for potatoes and root vegetables

- TP350: 1.5 kW | 50 kg | 710 x 500 x 830 mm | 240 kg/h
- TP500: 1.5 kW | 55 kg | 750 x 590 x 950 mm | 400 kg/h
- TP600: 3 kW | 120 kg | 900 x 730 x 1200 mm | 600 kg/h

Confirm material, configuration, utilities and performance before ordering.

SCAN TO CHAT ON WHATSAPP

+86 155 8886 9611 | 15588869611@163.com

https://wa.me/8615588869611

Jinan Ailin Machinery Equipment Co., Ltd.

Cleaning and Meat Processing

Stainless-steel processing equipment for preparation workflows. Verify local hygiene, guarding and installation requirements before purchase.

CX Brush Vegetable Washer



Continuous brush washing and peeling

- CX45: 1.5 kW | 95 kg | 750 x 550 x 810 mm | 260 kg/h
- CX60: 1.5 kW | 180 kg | 880 x 700 x 960 mm | 300 kg/h
- CX80: 1.5 kW | 220 kg | 1080 x 700 x 960 mm | 400 kg/h
- CX100: 1.5 kW | 240 kg | 1385 x 700 x 960 mm | 450 kg/h
- CX150: 1.5 kW | 280 kg | 1885 x 700 x 960 mm | 650 kg/h

Confirm material, configuration, utilities and performance before ordering.

JQ 400 Minced Meat Cutter



Meat cutting and grinding configurations

- JQ-400 cutter: 1.5 kW | 60 kg | 610 x 480 x 480 mm | 220-280 kg/h
- JQ 400 grinder: 1.1 kW | 65 kg | 658 x 395 x 700 mm | 220-280 kg/h
- JQ-400 deluxe: 1.5 + 1.5 kW | 80 kg | 610 x 480 x 780 mm | cutter 360 / grinder 180 kg/h

Confirm material, configuration, utilities and performance before ordering.

SCAN TO CHAT ON WHATSAPP

+86 155 8886 9611 | 15588869611@163.com

https://wa.me/8615588869611

Jinan Ailin Machinery Equipment Co., Ltd.

Meat, Filling and Noodle Machines

Compare useful output under the same product condition. Confirm included cutter sets, electrical configuration and cleaning procedure.

BX Filling Mixer



Mixing for meat, vegetable and prepared-food fillings

- BX80: 1060 x 440 x 870 mm | 1.5 kW | 80 L/batch
- BX150: 950 x 650 x 900 mm | 1.5 kW | 150 L/batch
- BX200: 1050 x 650 x 900 mm | 2.5 kW | 200 L/batch

Confirm material, configuration, utilities and performance before ordering.

DK300 Multi-purpose Chopping Block Machine



Cuts meat portions and bone-in products

- Power: 3.5 kW (220 V) / 1.5 kW (380 V)
- Weight: 230 kg
- Dimensions: 1300 x 600 x 900 mm
- Capacity: 600-750 kg/h

Confirm material, configuration, utilities and performance before ordering.

BLJ Series Filling Machines



Mixing for fillings with different moisture levels

- BLJ15: 15 kg/batch | 650 x 400 x 900 mm | 1.5 kW
- BLJ25: 25 kg/batch | 830 x 530 x 1040 mm | 3 kW

Confirm material, configuration, utilities and performance before ordering.

MT Noodle Machines



Noodle cutting with selectable roller widths

- MT40: 1.5 kW | 85 kg | 600 x 440 x 790 mm | 200 mm roller | 25-40 kg/h
- MT50: 1.5 kW | 75 kg | 950 x 500 x 1200 mm | 220 mm | 25-50 kg/h
- MT60: 1.5 kW | 85 kg | 950 x 650 x 530 mm | 250 mm | 30-60 kg/h
- MT75: 2.2 kW | 108 kg | 1350 x 580 x 1450 mm | 260 mm | 30-75 kg/h

Confirm material, configuration, utilities and performance before ordering.

SCAN TO CHAT ON WHATSAPP

+86 155 8886 9611 | 15588869611@163.com

https://wa.me/8615588869611

Jinan Ailin Machinery Equipment Co., Ltd.

Dough Mixers and Bun Forming

State flour weight, water ratio and total dough weight for every recipe. Capacity claims require a defined working batch and complete cycle.

HWT / HWY Dough Mixer Series



Batch mixing for buns, dumplings, noodles and flour products

- HWT15: 150 kg/h | 15 kg/batch | 1.5 kW | 700 x 500 x 700 mm | 80 kg
- HWT25I: 250 | 25 | 2.2 kW | 800 x 590 x 850 mm | 160 kg
- HWT35: 250 | 25 | 2.2 kW | 1000 x 700 x 1000 mm | 220 kg
- HWT50: 400 | 50 | 3 kW | 1040 x 675 x 1000 mm | 290 kg
- HWT50/2: 400 | 50 | 3 kW | 1300 x 640 x 1000 mm | 250 kg
- HWT75: 675 | 75 | 4 / 0.75 kW | 1180 x 720 x 1400 mm | 510 kg

Confirm material, configuration, utilities and performance before ordering.

HWJ Low-noise Dough Mixer



Enclosed mixing configuration

- HWJ15: 150 kg/h | 15 kg/batch | 1.1 kW | 730 x 440 x 870 mm | 100 kg
- HWJ25: 250 | 25 | 1.5 kW | 770 x 490 x 950 mm | 110 kg
- HWJ50: 500 | 50 | 2.2 kW | 1010 x 545 x 1080 mm | 180 kg

Confirm material, configuration, utilities and performance before ordering.

BZ200 Steamed Stuffed Bun Machine



Forming of buns and filled dough products

- BZ180 single head: 1.87 kW | 220 kg | 1500 x 700 x 1650 mm | 30-190 g | 500-2000 pcs/h
- BZ180 twin head: 2.24 kW | 240 kg | 1450 x 700 x 1450 mm | 30-190 g | 800-2400 pcs/h

Confirm material, configuration, utilities and performance before ordering.

SCAN TO CHAT ON WHATSAPP

+86 155 8886 9611 | 15588869611@163.com

https://wa.me/8615588869611

Jinan Ailin Machinery Equipment Co., Ltd.

Dough Processing and Dumpling Machines

Agree on dough formulation, target weight, product dimensions, acceptable appearance and representative acceptance testing.

YP Dough Roller



Rolling of dough sheets with adjustable clearance

- YP300: 1.5 kW | 90 kg | 520 x 368 x 752 mm | 113 x 300 mm roller | 90 r/min
- YP350: 1.5 kW | 100 kg | 580 x 420 x 880 mm | 113 x 350 mm | 90 r/min
- YP380: 2.2 kW | 110 kg | 618 x 440 x 865 mm | 113 x 380 mm | 90 r/min
- YP500: 2.2 kW | 150 kg | 730 x 420 x 860 mm | 113 x 500 mm | 90 r/min

Confirm material, configuration, utilities and performance before ordering.

Automatic Dough Sheeter



Continuous sheeting for prepared flour products

- YMZD350: 3 kW | 230 kg | 1380 x 610 x 1260 mm | 113 x 350 mm roller | 350 mm sheet
- YNZD500: 3 kW | 280 kg | 1380 x 760 x 1260 mm | 113 x 500 mm | 500 mm sheet

Confirm material, configuration, utilities and performance before ordering.

MG65/2 Dough Divider Rounder



Divides and rounds steamed-bread dough

- Power: 3 kW
- Weight: 200 kg
- Dimensions: 1300 x 930 x 400 mm
- Capacity: 4000 pcs/h
- Piece weight: 65-175 g

Confirm material, configuration, utilities and performance before ordering.

MP30/2 Dough Divider



Dough dividing for prepared flour products

- Power: 1.5 kW
- Weight: 140 kg
- Dimensions: 560 x 620 x 980 mm
- Capacity: 280 kg/h
- Piece weight: 50-150 g

Confirm material, configuration, utilities and performance before ordering.

SCAN TO CHAT ON WHATSAPP

+86 155 8886 9611 | 15588869611@163.com

https://wa.me/8615588869611

Jinan Ailin Machinery Equipment Co., Ltd.

Bread, Bun and Planetary Mixers

Final machine selection depends on the buyer's recipe, product weight, workflow, utilities and confirmed test result.

MD150 Bread Machine



Bread and dough forming

- Capacity: 4800-9000 pcs/h
- Product weight: 300-1500 g
- Power: conveyor 750 W / cutter 220 V / dough unit 300 W
- Dimensions: 3100 x 650 x 1100 mm
- Weight: 310 kg

Confirm material, configuration, utilities and performance before ordering.

MZX65 Steamed Bun Forming and Conveying Machine



Continuous forming and conveying

- Power: 0.75 kW
- Weight: 150 kg
- Dimensions: 1380 x 390 x 535 mm
- Capacity: 65 pcs/h (as listed in original catalog)

Confirm material, configuration, utilities and performance before ordering.

B Series Planetary Mixer



Mixing and whipping for food production

- B20: 1.1 kW | 96 kg | 420 x 530 x 770 mm | 20 L bowl
- B30: 1.5 kW | 103 kg | 440 x 530 x 800 mm | 30 L bowl

Confirm material, configuration, utilities and performance before ordering.

SS Double-speed Dough Mixer



Two-speed mixing with stainless-steel bowl

- SS20: 1.5 kW | 90 kg | 730 x 450 x 925 mm | 20 L | 8 kg flour/batch
- SS30: 1.5 kW | 97 kg | 750 x 435 x 1000 mm | 30 L | 12 kg flour/batch

Confirm material, configuration, utilities and performance before ordering.

SCAN TO CHAT ON WHATSAPP

+86 155 8886 9611 | 15588869611@163.com

https://wa.me/8615588869611

Jinan Ailin Machinery Equipment Co., Ltd.