

TANGZHENG

INSULATED DECORATIVE METAL WALL PANELS

English product catalogue · 152 finish models



Project enquiries and physical sample requests

+86 155 8886 9611 · 15588869611@163.com



SCAN FOR WHATSAPP

Three-layer decorative wall panel

1 DECORATIVE METAL SURFACE

Coated Al-Zn alloy steel sheet, or aluminium sheet as specified for the selected product.

2 RIGID INSULATION CORE

Rigid polyurethane core in the catalogue construction. Confirm the exact core and project requirements before ordering.

3 INNER BACKING LAYER

Aluminium foil or glass-fibre fabric backing, depending on the confirmed product construction.

CATALOGUE REFERENCE SPECIFICATION

Panel size	3800 × 380 × 16 mm
------------	---------------------------

Packing size	3850 × 380 × 16 mm
--------------	---------------------------

Catalogue weight	3.7 kg/m²
------------------	-----------------------------

Packing quantity	8 panels / package
------------------	---------------------------

These figures reproduce the supplied catalogue. Confirm current dimensions, construction, tolerances, packing and all test documents in the written quotation for the selected model.



WHY BUYERS CHOOSE THIS PANEL FORMAT

Project-specific verification remains essential



THERMAL INSULATION

An integrated insulation core can support exterior wall thermal design when the complete assembly is properly specified.



FAST INSTALLATION

Large, lightweight panels can reduce wet trades and simplify wall covering work on suitable substrates.



LIGHTWEIGHT FORMAT

Catalogue weight is 3.7 kg/m². Structural support and fixings must still be designed for the project.



WEATHER DETAILING

Joints, corners, openings, flashings and sealants must be planned as part of the complete wall system.



DURABLE FINISH OPTIONS

Brick, stone, wood, marble, corrugated and plain appearances provide a broad material palette.



RENOVATION FLEXIBILITY

Panels may be considered for new walls and exterior renovation after the existing wall has been assessed.



DECORATIVE TRIMS & ACCESSORIES

Confirm compatible profiles for the selected panel

ACCESSORY	MODEL	MATERIAL	PURPOSE
Outside corner cap	YM-10590A	Spray-moulded aluminium alloy	Exterior corner base A
Inside corner base / cap	YM-10710A	Aluminium alloy	Internal and external corner cover
Door / window trim	YM-20313E	Spray-moulded aluminium alloy	External corner pedestal F
External corner trim	YM-20313C / YM-20314	Spray-moulded aluminium alloy	Multi-function decorative trim
Starter	YM-2968	Spray-moulded aluminium alloy	Starter profile
Invisible starter	YM-10590	Aluminium alloy	Built-in starter
Middle seam base	YM-10590A / PVC-20054	Spray-moulded aluminium alloy	Panel connection base A
Middle seam cap	BH-20051A	Panel material + aluminium alloy	Panel connection buckle A
Cover and base set	YM-2969 / YM-2970	Aluminium alloy	Fastening cover and base
F profile	YM-2966	Spray-moulded aluminium alloy	Window, door and corner trim
Large / small positive corner	BH-20050	Panel material + galvanised light steel	Matching positive-corner parts
Asphalt tile trim	BH-20050	Panel material + galvanised light steel	Roof-edge waterproof decoration





F-010

F-010


Physical sample recommended



F-018

F-018

Physical sample recommended



F-001

F-001

Physical sample recommended



COARSE BRICK

Finish images from the supplied catalogue



CBV-027

Physical sample recommended




CBV-028

Physical sample recommended




CBV-020

Physical sample recommended




CBV-025

Physical sample recommended



CBV-026

Physical sample recommended



CBV-030

Physical sample recommended



CBV-021

Physical sample recommended



S-018-01

Physical sample recommended



S-036

Physical sample recommended





古墙灰

长条石CT-001

ECT-001

Physical sample recommended




浅棕砂

长条石CT-002

ECT-002

Physical sample recommended




天使白

长条石CT-003

ECT-003

Physical sample recommended




浅棕砂 银橘红

长条石CT-004

ECT-004

Physical sample recommended



深米黄

长条石CT-010

ECT-010

Physical sample recommended



微紫黄

长条石CT-007

ECT-007

Physical sample recommended



STANDARD BRICK · PART 1

Finish images from the supplied catalogue



SBG-001 Physical sample recommended



SBG-002 Physical sample recommended



SBG-003 Physical sample recommended



SBG-004 Physical sample recommended




SBG-005 Physical sample recommended



SBG-006 Physical sample recommended



SBG-007 Physical sample recommended



SBG-008 Physical sample recommended



SBG-009 Physical sample recommended



SBG-010 Physical sample recommended



SBG-011 Physical sample recommended



SBG-012 Physical sample recommended



SBG-013 Physical sample recommended



SBG-014 Physical sample recommended



SBG-015 Physical sample recommended



STANDARD BRICK · PART 2

Finish images from the supplied catalogue



SBG-016 Physical sample recommended



SBG-017 Physical sample recommended



SBG-018 Physical sample recommended



SBG-019 Physical sample recommended




SBG-020 Physical sample recommended



SBG-021 Physical sample recommended



SBG-022 Physical sample recommended



SBG-023 Physical sample recommended



SBG-024 Physical sample recommended



SBG-025 Physical sample recommended



SBG-026 Physical sample recommended



SBG-027 Physical sample recommended



SBG-028 Physical sample recommended



SBG-029 Physical sample recommended



SBG-030 Physical sample recommended



WIDE & NARROW BRICK

Finish images from the supplied catalogue



WNB-001

Physical sample recommended




WNB-002

Physical sample recommended




WNB-003

Physical sample recommended



WNB-004

Physical sample recommended



WNB-010

Physical sample recommended



WNB-011

Physical sample recommended



WNB-007

Physical sample recommended



WNB-008

Physical sample recommended



WNB-009

Physical sample recommended



WNB-013

Physical sample recommended



WNB-014

Physical sample recommended



WNB-015

Physical sample recommended



BARK GRAIN · PART 1

Finish images from the supplied catalogue




CM-051 Physical sample recommended



A-034 Physical sample recommended




AM-053 Physical sample recommended




AM-058 Physical sample recommended



BV-001 Physical sample recommended



BV-003 Physical sample recommended



BV-005 Physical sample recommended



BV-006 Physical sample recommended



BV-007 Physical sample recommended



BV-008 Physical sample recommended



BV-009 Physical sample recommended




BV-010 Physical sample recommended



BV-011 Physical sample recommended



BV-012 Physical sample recommended




BV-013 Physical sample recommended



BARK GRAIN · PART 2

Finish images from the supplied catalogue



BV-014

Physical sample recommended



BV-015

Physical sample recommended



MARBLE

Finish images from the supplied catalogue




MV-001 Physical sample recommended



MV-002 Physical sample recommended



MV-003 Physical sample recommended



MV-004 Physical sample recommended




MV-005 Physical sample recommended



MV-006 Physical sample recommended



MV-007 Physical sample recommended



MV-008 Physical sample recommended




MV-009 Physical sample recommended



MV-010 Physical sample recommended



MV-011 Physical sample recommended




MV-012 Physical sample recommended



A-049 Physical sample recommended



A-050 Physical sample recommended



A-055 Physical sample recommended



CORRUGATED

Finish images from the supplied catalogue



CV-001

Physical sample recommended




CV-002

Physical sample recommended




CV-003

Physical sample recommended



CV-004

Physical sample recommended




CV-005

Physical sample recommended



CV-006

Physical sample recommended



CV-007

Physical sample recommended



CV-008

Physical sample recommended



CV-009

Physical sample recommended



CV-010

Physical sample recommended



CV-011

Physical sample recommended



CV-012

Physical sample recommended



STONE

Finish images from the supplied catalogue



SV-001 Physical sample recommended



SV-002 Physical sample recommended



SV-003 Physical sample recommended




SV-004 Physical sample recommended




SV-005 Physical sample recommended



SV-006 Physical sample recommended




SV-007 Physical sample recommended




SV-008 Physical sample recommended




SV-009 Physical sample recommended




SV-011 Physical sample recommended



SV-012 Physical sample recommended



SV-013 Physical sample recommended



SV-014 Physical sample recommended



SV-015 Physical sample recommended



SV-016 Physical sample recommended



PLAIN

Finish images from the supplied catalogue



PV-001 Physical sample recommended



PV-002 Physical sample recommended




PV-003 Physical sample recommended




PV-004 Physical sample recommended



PV-005 Physical sample recommended




PV-007 Physical sample recommended



PV-008 Physical sample recommended



PV-011 Physical sample recommended




PV-012 Physical sample recommended



PV-013 Physical sample recommended



PV-014 Physical sample recommended



PV-015 Physical sample recommended



A-052 Physical sample recommended



A-059 Physical sample recommended



B-060 Physical sample recommended



OAK GRAIN

Finish images from the supplied catalogue



K-018

Physical sample recommended




K-018-05

Physical sample recommended



K-020-09

Physical sample recommended



K-009-03

Physical sample recommended



K-038


Physical sample recommended



K-011

Physical sample recommended





L-017

Physical sample recommended



L-010

Physical sample recommended



L-037

Physical sample recommended



L-017

L-001


Physical sample recommended



L-010

L-011

Physical sample recommended



L-037

L-028

Physical sample recommended



STACKED STONE

Finish images from the supplied catalogue



XS-001

Physical sample recommended



XS-002

Physical sample recommended



XS-003

Physical sample recommended



叠石纹XS-001



XS-004

Physical sample recommended



叠石纹XS-002



XS-005

Physical sample recommended



叠石纹XS-003



XS-006

Physical sample recommended



Information needed for an accurate discussion

- 1 Project country, city and building use
- 2 New construction or renovation
- 3 Wall dimensions, drawings and approximate quantity
- 4 Selected finish model codes and physical sample request
- 5 Required thermal, fire, structural and weather documents
- 6 Openings, corners, parapets, base details and accessories
- 7 Delivery destination and target schedule

CONTACT TANGZHENG

+86 155 8886 9611

15588869611@163.com

<https://tangzhengpanels.com>



WHATSAPP · SCAN TO ENQUIRE

