

Theory - If Else


✓ / → (Divide)

It is a divide operator which is used to find out the quotient of any number.

✓ % → (Modulus)

It is a modulus operator which is used to find out the remainder of any number.

✓ Decision Making Statements :-



✓ If statement :-

It is a decision making statement which is used when we want to check a specific condition, if the condition is satisfied or true, then the remaining portion within the if statement will be executed. If the condition will be false, nothing will display on the screen.

Syntax :-

```
if (condition)
{
    statement 1;
    statement 2;
    statement 3;
}
```

If else / nothing will display

If else statement:-

It is also a decision making statement which is used when we want to check 2 conditions in our programme. If the first part of the if statement is true, then the remaining portion with the if statement will be executed and if the first part is false, then the else portion will be executed.

Syntax:-

If the statement is false

```
if (condition)
{
    statement 1;
    statement 2;
    statement 3;
}
else
{
    statement 1;
    statement 2;
    statement 3;
}
```

If else if statement:-

It is also a decision making statement, which is used when we want to check more than 2 conditions in our programme. If the 1st condition is true, then the remaining portion within the if statement will be executed. If the 1st condition is false, the else if portion will be checked. If that else if portion is satisfied then the remaining portion within the else if statement will be executed. It is way it will go on until none of the condition is false. If all the condition is false then the else portion will be executed.

Syntax:-

If the statement false

```
if (condition) → If the statement true
{
    statement 1;
    statement 2;
}
else if (condition) → If this statement is true
{
    statement 1;
    statement 2;
    statement 3;
}
else
{
    statement 1;
    statement 2;
    statement 3;
}
```

✓ Switch Case:-

It is a decision statement which is alternate of if else statement but in case of switch only equality operator (==) is used, no logical operator can be present within switch case statement. In case of switch case is present, in place of else if statement 'break' is statement which is used within switch case on-loop statement.

break:-

This is a statement through which we can forcefully come out from the loop on switch case.

Syntax:-

```
switch(value)
{
    case 1:
        statement 1;
        break;
    case 2:
        statement 2;
        break;
    default
}
```

✓ Default:-

Is the last statement of switch case statement which is alternate of else statement.

✓ (=) assignment operator:-

It is a assignment operator, which is used to store any value with in the variable.

✓ == equality operator:-

It is a equality operator, which is used to check/compose/variable with a value is equal or not.

✓ Logical Operator:-

AND (&&):- It is a logical operator which is used to check anyone of the condition

Logical Operator:-

✓ AND (&):-

It is a logical operator which is used within if else statement and loop statement. This statement is used to check whether all the conditions are true or not, then the remaining portion within the if statement will be executed otherwise next else or else if portion will be executed.

✓ OR (||):-

It is also a logical operator which is used to check anyone of the condition is true or not within the if statement anyone of the condition is true, then the remain portion within the if statement will be executed. If none of the condition is true then the else portion will be executed.

✓ / → (Divide)

It is a divide operator which is used to find out the quotient of any number.

✓ % → (Modulus)

It is a modulus operator which is used to find out the remainder of any number. ✓ @program