Message to Mars

When King Rayregalia received the invitation, he took out his dictionary of N ($1 \le N \le 2000$) Martian words, all different, each containing at most 2000 lowercase letters from a to c. Unfortunately, King Rayregalia is getting old, and in his bedridden state he is unable to understand what his daughter is trying to convey because when he looks at the invitation, all he can think about is that the substrings of it look like they also contain important information! A substring is **important** if and only if it is created by concatenating one or more Martian words together (repeats are allowed). Since there are an overwhelming number of substrings for King Rayregalia to check manually, he has hired you to advise him on the number of **important** substrings of Princess Asseylum's invitation.

Constraints

- In test cases worth 25% of points, $1 \leq |S| \leq 50$ and $1 \leq N \leq 7$.
- ullet In test cases worth another 25% of points, $1 \leq |S| \leq 100$ and $1 \leq N \leq 100$.
- In test cases worth another 25% of points, $1 \le |S| \le 500$.
- In the rest of the test cases, the constraints given in the problem statement will hold.

Input Specification

The first line of input will have S.

The second line of input will have N.

The next N lines of input will each have a word in King Rayregalia's dictionary.

Output Specification

A single line containing the number of important substrings.

Sample Input 1

dearfather 2 dear father

Sample Output 1

```
3
```

Sample Input 2

```
iamwritingfromearthtoinformyouofmysituation
7
a
i
my
to
of
it
earth
```

Sample Output 2

22

Sample Input 3

```
itspartytime
3
its
party
time
```

Sample Output 3

6