
UTS Open '15 #5 - Distribution Channel



Distribution channels are often very confusing.

After acquiring enough funding and finally finishing the development for her product, Mrs. Evans wants to release it to the local market. However, the Canadian Competition Act prevents her from choosing the cheapest way to connect her stores.

In order to spend the least amount of money and abide to the Canadian Competition Act, she must find the **second cheapest way** to connect her stores.

Mrs. Evans hopes to open N ($1 \le N \le 50\,000$) stores and there are M ($1 \le M \le 100\,000$) possible connections between her stores. The $i^{\rm th}$ connection connects station a_i to station b_i with a cost of c_i . She can only choose N-1 connections.

If it is impossible for her to do this, output -1.

N.B. The time limit is rather strict for certain slow languages like Python and Java. C++ is recommended for this question.

Partial Marks

For 25% of the marks, you may assume that $N \leq 5\,000$, $M \leq 10\,000$.

For 50% of the marks, you may assume that N \leq 10~000 , M \leq 50~000 .

Input Format

The first line will contain N, and M. The i^{th} of the next M lines will contain a_i , b_i , and c_i , where ($1 \leq a_i, b_i \leq N, a_i \neq b_i, 1 \leq c_i \leq 10\,000$).

Output Format

A single line containing the second cheapest way to connect her stores.


Sample Input 1

```
3 3
1 2 1
2 3 2
3 1 3
```

Sample Output 1

4

Explanation



Mrs. Evans chooses the following connections for a total cost of 4:

- $\bullet \quad 1 \to 2 \text{ with cost } 1$
- $\bullet \quad 1 \to 3 \text{ with cost } 3$

Sample Input 2

```
      5
      10

      2
      3
      5

      1
      5
      5

      1
      2
      3

      1
      3
      2

      5
      3
      2

      4
      3
      3

      4
      5
      9

      4
      2
      10


      5
      2
      4

      4
      1
      9
```

Sample Output 2

11

Explanation



Mrs. Evans chooses the following connections for a total cost of $11\colon$

- $\bullet \quad 1 \to 3 \text{ with cost } 2$
- $\bullet \quad 3 \to 5 \text{ with cost } 2$
- ullet 3
 ightarrow 4 with cost 3
- ullet 2
 ightarrow 5 with cost 4