DMPG '17 G2 - Holy Grail War

Arthuria is preparing to fight Gilgamesh for the Holy Grail! Unfortunately, Gilgamesh activates his Noble Phantasm, *Gate of Babylon*, and summons N swords, and the i^{th} has destructive power d_i. Luckily for Arthuria, her Noble Phantasm, *Excalibur*, is capable of destroying any contiguous subsequence of Gilgamesh's swords. As such, Arthuria gives you Q queries of two possible forms:

1. `S i x` : Gilgamesh swaps out the i^{th} sword for one of destructive value x.

2. `Q l r` : Arthuria simulates destroying the contiguous subsequence **with the maximum sum** in the range $[l, r]$. Note that **she does not actually destroy these swords**.

As Arthuria's master, you wish to know the answer to all of the queries of the form `Q l r`. Help win the Holy Grail!

Input Specification

Line 1: Two space seperated integers, N and Q.
Line 2: N space seperated integers, d_i, the destructive power of Gilgamesh's **original** N swords.
Lines $3 \ldots Q + 2$: Q valid queries

Output Specification:

Print the answer to each query of the form `Q l r`

Subtasks

For all subtasks, $1 \leq i \leq N$, and $1 \leq l \leq r \leq N$.

Subtask 1 [5 points]

$1 \leq N \leq 100$
$1 \leq Q \leq 100$
$-10^9 \leq d_i \leq 10^9$

Subtaks 2 [5 points]

$1 \leq N \leq 10^5$
$1 \leq Q \leq 10^5$
$1 \leq d_i \leq 10^9$

Subtask 3 [30 points]

$1 \leq N \leq 1000$
$1 \leq Q \leq 10^5$
$-10^9 \leq d_i \leq 10^9$

All Q queries will be of the form `Q l r`

Subtask 4 [60 points]

$1 \le N \le 10^5$
$1 \le Q \le 10^5$
$-10^9 \le d_i \le 10^9$

Sample Input

```
8 2
1 2 3 4 5 6 7 8
S 1 2
Q 1 3
```

Sample Output

```
7
```