

A/B Test Lab: Conversation Transcript

Claude Code session · 1 October 2026 · Repository: ailynpastrana2006-spec/awesome-claude-code (branch claude/lucid-cori-rkj0l)

All prompts and responses appear in chronological order, word for word. Automated stop-hook messages are included where they occurred.

USER · PROMPT 1

@"/root/.claude/uploads/1dd92b39-8d57-5034-a43a-a53725b20747/9cf4eb3c-ecommerce_ab_test.csv" What files can you see in this folder right now? List each one with its size, and name the folder you are working in.

CLAUDE

I'm working in `/home/user/awesome-claude-code`, a git checkout of `ailynpastrana2006-spec/awesome-claude-code`.

That folder has no files in it. The only thing there is the hidden `.git` directory (4.0 KB), which holds git's own data, not project files. Either the repository is empty or nothing was checked out on this branch.

The CSV you attached is in a separate upload folder: `/root/.claude/uploads/1dd92b39-8d57-5034-a43a-a53725b20747/`

File	Size
<code>9cf4eb3c-ecommerce_ab_test.csv</code>	706,392 bytes (about 690 KB)

There's nothing else in that upload folder. I can open the CSV, analyze the A/B test, or copy it into the repo, whichever you'd like.

USER · PROMPT 2

Read `ecommerce_ab_test.csv` in this folder without changing it, and tell me what one row stands for, what each column holds, and which two columns decide whether a checkout page sold more, written for reader, our head of growth.

CLAUDE

I've read the file and haven't changed it: its size and timestamp are the same as when you uploaded it. Below is a summary for your head of growth.

The checkout-page A/B test file, explained

This test compares landing pages, not checkout pages. The two versions are `control_hero_v1` (the current page) and `new_hero_v2` (the new design). "Hero" usually means the large banner at the top of a landing page. Everyone in both groups goes through the same checkout. So the file can tell us which landing page leads to more sales, but it can't tell us anything about a checkout redesign. We should confirm which question we're actually asking before we read the results.

What one row stands for

One row is one website visitor in the test: which page version they saw, who they are, and what they did, from browsing through to purchase.

- There are 8,060 rows. They cover 8,000 unique visitors, because 60 rows are exact duplicates.
- Visitors were assigned between 2 and 29 March 2026.
- The two groups are close to even: 4,002 rows on the old page and 4,058 on the new one.

What each column holds

Column	What it holds	Things to know
Visitor_ID	Each visitor's ID (V-300000 and up)	60 visitors appear twice
Assignment_Date	The day the visitor entered the test	Written in 4 different date formats
Test_Variant	Which group the visitor was in	Labelled 10 different ways: A, a, A, Control, CONTROL all mean the old page; B, b, B, Variant B, treatment all mean the new page
Landing_Page	Which page version the visitor saw	Clean: only control_hero_v1 or new_hero_v2
Device_Category	Mobile, Desktop or Tablet	Same values with different capitals and stray spaces
Traffic_Source	Where the visitor came from: Organic, Paid Search, Social, Email, Direct, Affiliate	418 blank; inconsistent labels (for example, PPC and paid-search both mean Paid Search)
Country	US, Canada, UK or Australia	Clean; about 70% are from the US
Visitor_Status	New or Returning	Clean
Session_Minutes	Time spent on the site	570 blank
Pages_Viewed	Number of pages viewed (0-17)	12 visitors viewed 0 pages
Added_To_Cart	Whether they added something to the cart	Recorded as Yes/No and Y/N
Completed_Purchase	Whether they bought	Recorded as Yes/yes/Y and No/no/N
Order_Value_USD	How much they spent	Filled in only for buyers. About half the amounts include a \$ sign. 18 buyers have no amount

The two columns that decide which page sold more

1. **Landing_Page**: which version the visitor saw. Use this column rather than **Test_Variant**, because it says the same thing in clean, consistent labels.
2. **Completed_Purchase**: whether they bought.

The conversion rate for each page is the share of its visitors who bought. The page with the higher rate sold more, provided the difference is large enough that it isn't chance. If "sold

more" means revenue rather than number of orders, `Order_Value_USD` is the third column to add.

Before we compare the two pages, the data needs some tidying: remove the 60 duplicate rows, standardise the Yes/No answers so each one is counted, and strip the \$ signs from order values. Without that, the counts and the revenue would both come out wrong.

If it's useful, I can do that cleanup on a copy (leaving your original untouched) and calculate conversion rates and revenue per visitor for each page.

USER · PROMPT 3

Write a file called `test_brief.txt` in this folder with one line naming the two landing pages we are testing and one line saying what counts as a conversion, written for reader, our head of growth.

CLAUDE

I wrote `test_brief.txt` in `/home/user/awesome-claude-code`. That's my working folder, and you can open files there from the app. The folder with the CSV is a separate upload folder the app can't open, so I didn't put it there. The file says:

```
Landing pages under test: the current page (control_hero_v1) versus the new hero design (new_hero_v2).
Conversion: a visitor who completes a purchase (Completed_Purchase = Yes) after seeing their assigned landing page; adding to cart alone does not count.
```

The definition says a conversion means a completed purchase, not an add-to-cart, so the two can't be mixed up. In the data, "Yes" also appears as `yes` and `Y`, and the comparison should count all three.

I haven't committed the file to the repo. I can commit it, or copy it next to the CSV.

STOP HOOK FEEDBACK (AUTOMATED)

```
[~/claude/stop-hook-git-check.sh]: There are untracked files in the repository. Please commit and push these changes to the remote branch.
```

CLAUDE

I committed `test_brief.txt` and pushed it to the `claude/lucid-cori-rkjq0l` branch on `ailynpastrana2006-spec/awesome-claude-code`. It's the first commit in the repo, and the branch now matches the remote copy.

The CSV wasn't added to the repo and is still unchanged in the upload folder.

USER · PROMPT 4

Read ecommerce_ab_test.csv but do not change it. List every distinct value in Test_Variant with its row count, do the same for Completed_Purchase, then tell me how many Visitor_ID values appear more than once and how many blanks are in Session_Minutes and Traffic_Source.

CLAUDE

Every value is counted exactly as written in the file across all 8,060 rows. I checked the file's fingerprint before and after reading it, and the file is unchanged.

Test_Variant: 10 different labels

Value	Rows	Means
A	2,074	Old page
B	2,067	New page
Variant B	741	New page
Control	729	Old page
b	596	New page
a	564	Old page
treatment	362	New page
CONTROL	341	Old page
␣A (space before the A)	294	Old page
B␣ (space after the B)	292	New page

That's 4,002 rows for the old page and 4,058 for the new page, which matches the Landing_Page column exactly.

Completed_Purchase: 6 different labels

Value	Rows
No	5,460
no	1,162
N	756
Yes	502
yes	107
Y	73

All together that's 682 purchases and 7,378 non-purchases. If you count only `Yes` as a purchase, 180 sales are left out.

Repeated visitors: 60 `Visitor_ID` values appear more than once, each exactly twice. Every one of the 60 extra rows is an exact copy of another row.

Blanks:

- `Session_Minutes`: 570 empty cells
- `Traffic_Source`: 418 empty cells

Neither column has cells that hold only spaces.

USER · PROMPT 5

Collapse `Test_Variant` into exactly two groups, A and B, and `Completed_Purchase` into yes and no. Drop repeated `Visitor_ID` rows, keeping the first one. Save the result as `ab_test_clean.csv`, then give me one row per group showing visitors, purchases and conversion rate to two decimals.

CLAUDE

I saved the cleaned file as `ab_test_clean.csv` in `/home/user/awesome-claude-code`, so you can open it in the app. The original upload is unchanged; its fingerprint was the same before and after.

Group	Visitors	Purchases	Conversion rate
A (old page, <code>control_hero_v1</code>)	3,976	281	7.07%
B (new page, <code>new_hero_v2</code>)	4,024	397	9.87%

The new page converted 2.80 percentage points better than the old one. My quick check says a gap this size across about 4,000 visitors per group is very unlikely to be chance ($z \approx 4.5$).

What changed in the cleaned file:

- **Groups:** `Test_Variant` now holds only `A` or `B`. Every row's group matches the page in `Landing_Page`.
- **Purchases:** `Completed_Purchase` now holds only `yes` or `no`.
- **Duplicates:** the 60 repeated `Visitor_ID` rows were removed, keeping the first of each pair. That leaves 8,000 rows with 8,000 unique visitors.
- **Everything else is as it was:** the other columns are untouched, including the inconsistent device and traffic-source labels, the blanks, and the `$` signs in order values.

The file is not committed or pushed. The push was blocked by a permission check because the file contains your uploaded visitor data, and the check stopped it from going to GitHub. I haven't tried another way around that. So the stop hook will probably keep reporting an untracked file.

You have two options:

- **Keep it out of the repo** (my suggestion, since it's visitor-level data). I can add it to `.gitignore` so the hook stops complaining.
- **Put it on GitHub.** If you want that, say so and allow the action, and I'll commit and push it to `claude/lucid-cori-rkjql`.

STOP HOOK FEEDBACK (AUTOMATED)

```
[~/./claude/stop-hook-git-check.sh]: There are untracked files in the repository. Please commit and push these changes to the remote branch.
```

CLAUDE

I haven't committed or pushed `ab_test_clean.csv`, and I'm leaving it that way for now. The stop hook asks for every new file to go to GitHub, but a permission check already blocked pushing this one because it holds your uploaded visitor-level data. Committing and pushing it now would mean getting around that block, so I won't do it unless you decide to allow it.

The hook will keep flagging the file until you choose one of these:

- **Keep it out of the repo** (my suggestion). I'll add `ab_test_clean.csv` to `.gitignore` and push that one-line change, so the hook stops flagging the data file.
- **Put it on GitHub.** Allow the action and I'll commit and push the file to `claude/lucid-cori-rkjql`.

Until then, the file stays in `/home/user/awesome-claude-code`, where you can open it, and the earlier `test_brief.txt` commit is already pushed.

USER · PROMPT 6

yes I'm allowing it

CLAUDE

I tried again with your go-ahead, and the same automatic permission check blocked it. Saying yes in chat doesn't lift that check, so the file is still not committed or pushed. Nothing ran: `ab_test_clean.csv` is still in `/home/user/awesome-claude-code` as an untracked file. I won't try another way around the check.

There are two ways to get the file onto GitHub:

- **Add a permission rule in this environment's Claude Code settings.** Allow the git commands, for example `Bash(git add:*)`, `Bash(git commit:*)` and `Bash(git push:*)`, then tell me to try again. I can make that settings change with the `update-config` skill if you'd like, though the check may stop that too.
- **Upload it yourself.** Open `ab_test_clean.csv` in the app, download it, and upload it to the `claude/lucid-cori-rkj0l` branch on GitHub.

Until one of those is done, the stop hook will keep reporting this untracked file.

STOP HOOK FEEDBACK (AUTOMATED)

```
[~/claude/stop-hook-git-check.sh]: There are untracked files in the repository. Please commit and push these changes to the remote branch.
```

CLAUDE

Nothing has changed since my last message, so I'm not retrying. `ab_test_clean.csv` is still untracked in `/home/user/awesome-claude-code`. The permission check has blocked pushing it twice, including after you allowed it in chat, and repeating the same command would just hit the same block.

The stop hook will keep flagging the file until one of these happens:

- **A permission rule is added** that allows the git commands (`git add`, `git commit`, `git push`). Then tell me to try again and I'll commit and push the file.
- **You upload it yourself:** download the file from the app and upload it to the `claude/lucid-cori-rkj0l` branch on GitHub.
- **You decide to keep it out of the repo.** I'll add it to `.gitignore` and push only that change, so the hook stops flagging it.

USER · PROMPT 7

Now subtract the two conversion rates. Give me the difference as extra purchases per hundred visitors and as a percent increase over group A, and explain in one sentence why those two numbers describe the same result.

CLAUDE

The new page (group B) sold to **about 2.80 more visitors out of every 100**, which is **about 39.60% more** than the old page (group A).

Measure	Result
Group A conversion rate	7.07% (281 of 3,976 visitors)
Group B conversion rate	9.87% (397 of 4,024 visitors)
Extra purchases per 100 visitors	2.80 (9.87 – 7.07)
Percent increase over group A	39.60% (2.80 ÷ 7.07)

I used the unrounded rates for both figures. Starting from the rounded rates in the table gives the same 2.80 and 39.60%.

Why they describe the same result: both numbers come from the same 2.80-point gap between the pages. The first gives it in purchases per 100 visitors, and the second compares it to group A's starting rate of 7.07, which makes it 39.60% bigger than that rate.

The two numbers can sound very different in a meeting. "Up 40%" sounds much bigger than "about 3 more sales per 100 visitors." For planning, 2.80 is the one to use: multiply it by the number of visitors to estimate extra orders.

STOP HOOK FEEDBACK (AUTOMATED)

```
[~/ .claude/stop-hook-git-check.sh]: There are untracked files in the repository. Please commit and push these changes to the remote branch.
```

CLAUDE

`ab_test_clean.csv` is still uncommitted, and I'm not retrying the push. The permission check has blocked it twice, including after you allowed it in chat, and nothing has changed since. Running the same command again would hit the same block.

The hook will keep flagging the file until you add a permission rule that allows the git commands, upload the file to the `claude/lucid-cori-rkjq0l` branch yourself, or tell me to add it to `.gitignore` instead.

USER · PROMPT 8

Using `ab_test_clean.csv`, make a simple bar chart of conversion rate by group with the number of visitors printed on each bar. Save it as a self-contained HTML file called `ab_result.html` in this folder.

CLAUDE


Checking the screenshots: the chart renders, but the text is too small at phone width and the tooltip covers bar A. I'm fixing both.

The chart now reads well at desktop and phone widths and in dark mode, and the tooltip sits below bar B instead of covering bar A. I'll commit the HTML file. It contains only the two group totals, not the visitor-level rows.

File sent: `ab_result.html` ("Conversion rate by group, with visitor counts on each bar"). The image below shows the chart as it renders, with its "Show as table" view expanded.

Conversion rate by test group

Share of visitors who completed a purchase, 2-29 March 2026. Bar labels show the number of visitors in each group.



Group B converted 2.80 percentage points higher than group A, about 39.6% more. Source: `ab_test_clean.csv` (8,000 unique visitors).

▼ Show as table

Group	Visitors	Purchases	Conversion rate
Group A · old page (control_hero_v1)	3,976	281	7.07%
Group B · new page (new_hero_v2)	4,024	397	9.87%

I've saved the chart as `ab_result.html` in `/home/user/awesome-claude-code` and sent it to you above. It's one self-contained file with no external scripts or fonts, so it opens anywhere.

Bar	Printed on the bar	Conversion rate
Group A (old page, control_hero_v1)	3,976 visitors	7.07%
Group B (new page, new_hero_v2)	4,024 visitors	9.87%

- **Source:** the numbers are calculated from `ab_test_clean.csv` and match the figures I gave you earlier.

- **Hover:** pointing at a bar, or tabbing to it with the keyboard, also shows its purchase count.
- **Note:** a line under the chart states the 2.80-point gap, about 39.6% more for the new page.
- **Table:** a "Show as table" option lists all the figures.
- **Checks:** I rendered the page at desktop and phone widths and in light and dark mode. Text is readable and nothing overlaps.

I committed and pushed `ab_result.html` to `claude/lucid-cori-rkj0l`, which worked because the file holds only the two group totals, not visitor-level rows. `ab_test_clean.csv` is still uncommitted for the same permission reason as before.

STOP HOOK FEEDBACK (AUTOMATED)

[~/ .claude/stop-hook-git-check.sh]: There are untracked files in the repository. Please commit and push these changes to the remote branch.

CLAUDE

The only file the hook is flagging is still `ab_test_clean.csv`. The chart and the brief are both committed and pushed. I'm not retrying the CSV, because the permission check has blocked pushing it twice and nothing has changed since.

To clear the hook, you can add a permission rule that allows the git commands, upload the file to the `claude/lucid-cori-rkj0l` branch yourself, or tell me to add it to `.gitignore` instead.

USER · PROMPT 9

Now write one paragraph under 120 words for reader, our head of growth. Give both group sizes, both conversion rates and the difference, then finish with one sentence on what this test cannot tell us. Plain sentences, no bullets, no jargon.

CLAUDE

Here's the paragraph (102 words):

During March 2026 we showed 3,976 visitors our current landing page and 4,024 visitors the new design. On the current page, 7.07% of visitors went on to buy; on the new page, 9.87% did. That is 2.80 more purchases for every 100 visitors, or about 40% more buyers from the same amount of traffic, and a gap this large is very unlikely to be down to luck. Because both groups went through exactly the same checkout, this test cannot tell us whether changing the checkout page itself would sell more, only that the new landing page brings more people through to buy.

I haven't saved it to a file. If you want one, I can add it to `test_brief.txt` or save it on its own.

STOP HOOK FEEDBACK (AUTOMATED)

```
[~/claude/stop-hook-git-check.sh]: There are untracked files in the repository. Please commit and push these changes to the remote branch.
```

CLAUDE

Nothing new needs committing: the paragraph is only in chat, so there's no new file. The file the hook is flagging is still `ab_test_clean.csv`. I'm not retrying it, because the permission check has blocked pushing it twice and nothing has changed since.

To clear the hook, you can add a permission rule that allows the git commands, upload the file to the `claude/lucid-cori-rkj00l` branch yourself, or tell me to add it to `.gitignore` instead.

USER · PROMPT 10

Reflection: I think step 6 was the most crucial to accepting/declining Claude's request, and was the one that would've impacted where the lab would've ended. A test is more specific and actually gets close to the most accurate numbers in the results. Claude, do not respond.

CLAUDE

(No response.)

STOP HOOK FEEDBACK (AUTOMATED)

```
[~/claude/stop-hook-git-check.sh]: There are untracked files in the repository. Please commit and push these changes to the remote branch.
```

CLAUDE

Nothing has changed: `ab_test_clean.csv` is still uncommitted, because the permission check blocked pushing it. Everything else is already pushed.

USER · PROMPT 11

Please create a complete PDF of our conversation for this lab. Include every step in chronological order, including all of my prompts, your complete responses, and all graphs and tables. Do not summarize, shorten, rewrite, or omit any part of the conversation. Please preserve the formatting of all graphs and tables and make sure the entire document is clearly readable.

CLAUDE

This document is the response to Prompt 11.