PROJECT HANDOVER DOCUMENT

الفلاح

Al-Falah Masjid App

Jama Masjid Ahle Hadith — Community Mobile Application

PREPARED FOR	DATE	VERSION	STATUS
Product Owner / Future Developer	March 2026	v1.0.0	✅ Live & Deployed

TABLE OF CONTENTS

1 Project Overview
2 Live URLs
3 Credentials & Accounts
4 Tech Stack
5 Architecture & Flow
6 Project Structure
7 Features
8 API Endpoints
9 Environment Variables
10 Deployment Guide
11 How to Make Updates
12 Android APK
13 Admin Panel Guide
14 Muazzin Guide
15 Known Patterns & Notes

Project Overview 01

A full-stack, mobile-first web application for **Jama Masjid Ahle Hadith** that delivers a complete digital experience for the community — from daily prayer times to live Azan broadcasting.

- **Prayer Times**
  Daily prayer times with live countdown to next prayer
- **Live Azan**
  Real-time audio broadcast from muazzin to all listeners
- **Schedules**
  Weekly, Ramadan, and Eid prayer timetables
- **Announcements**
  Community news with urgent alert highlighting
- **Admin Dashboard**
  Full content management — no code changes needed
- **Android APK + PWA**
  Installable on any device; push notifications via FCM

Live URLs 02

Web App (PWA)	https://al-falah-five.vercel.app
Backend API	https://al-falah-backend-0p6w.onrender.com
Admin Panel	https://al-falah-five.vercel.app/admin/login
GitHub Repo	https://github.com/aimanansari07/Al-Falah
APK Download	https://github.com/…/Al-Falah.apk
API Health Check	https://al-falah-backend-0p6w.onrender.com/api/health

🔑 Credentials & Accounts 03

⚠️ **Confidential —** Keep this section private. Do not share publicly or commit to version control.

🔐 Admin Panel

URL	`/admin/login`
Username	`admin`
Default Password	`alfalah2025`

🐙 GitHub

Account	`aimanansari07`
Repo	`Al-Falah (public)`

▲ Vercel (Frontend)

Login via	`GitHub OAuth`
Auto-deploy	`Yes (main branch)`

🖥️ Render (Backend)

Login via	`GitHub OAuth`
Auto-deploy	`Yes (main branch)`

🍃 MongoDB Atlas

Platform	`cloud.mongodb.com`
IP Whitelist	`0.0.0.0/0`

📡 Agora (Live Audio)

App ID	`07f9be2d...3c754`
Channel	`alfahees-azan`

ℹ️ On first admin login, you'll be prompted to set a new password and recovery email. The default password above will no longer work after setup. Use "Forgot Password" on the login page if needed — an OTP is sent to the registered admin email.

Tech Stack 04

FRONTEND
React 18, Vite 5, Tailwind CSS 3, Framer Motion

MOBILE
Capacitor 6 (Android APK wrapper)

LIVE AUDIO
Agora RTC SDK

BACKEND
Node.js + Express

DATABASE
MongoDB (Mongoose ODM)

AUTH
JWT + bcrypt

PUSH NOTIFICATIONS
Firebase Cloud Messaging (FCM)

EMAIL / OTP
Nodemailer via Gmail SMTP

PWA
vite-plugin-pwa (service worker + manifest)

FRONTEND HOSTING
Vercel

BACKEND HOSTING
Render

DB HOSTING
MongoDB Atlas

Architecture & Flow 05

HIGH-LEVEL ARCHITECTURE

```
User (Browser / Android APK)
        |
        ▼
   Vercel (Frontend)          ← React + Tailwind
   React + Tailwind
        |  REST API calls
        ▼
   Render (Backend)           ← Express + MongoDB
        |
        ├── MongoDB Atlas      ← Data storage
        ├── Agora              ← Live audio relay
        └── Firebase           ← Push notifications
```

DEPLOY FLOW

```
git push (main branch)
        |
        ├──────────────────┐
        ▼                  ▼
     Vercel             Render
   (Frontend)         (Backend)
  auto-deploys       auto-deploys
   ~1 minute          ~1-2 minutes
```

⚠️ APK does **not** auto-update. It must be rebuilt and re-uploaded to GitHub Releases manually after code changes.

LIVE AZAN FLOW

```
Muazzin opens link → taps Start Broadcast
        |
        |  Agora RTC (audio stream)
        ▼
   Agora Cloud (relay)
        |
        ▼
  All listeners on app
  (auto-join if Auto-play ON,
   or tap "Tap to Listen")
```

AUTHENTICATION FLOW

```
Admin visits /admin/login
  → enters username + password
  → backend returns JWT (8h expiry)
  → token stored in localStorage
  → admin API calls send token in Authorization header
  → 5 failed attempts = 15 min lockout
```

Project Structure 06

```
Al-Falah/
├── frontend/                    ← React app + Android
│   ├── src/
│   │   ├── pages/
│   │   │   ├── Home.jsx             ← Dashboard with prayer countdown
│   │   │   ├── PrayerTimes.jsx      ← Today's full prayer times
│   │   │   ├── WeeklySchedule.jsx   ← 7-day timetable
│   │   │   ├── SpecialPrayers.jsx   ← Jumma / Ramadan / Eid
│   │   │   ├── LiveAzan.jsx         ← Listen to live azan
│   │   │   ├── Announcements.jsx    ← Community news
│   │   │   ├── MuazzinBroadcast.jsx ← Muazzin broadcast page
│   │   │   └── admin/
│   │   │       ├── AdminLogin.jsx
│   │   │       └── AdminDashboard.jsx
│   │   ├── components/
│   │   │   ├── BottomNav.jsx        ← 5-tab navigation bar
│   │   │   ├── MenuSheet.jsx        ← Slide-up drawer (More menu)
│   │   │   └── MakruhAlert.jsx      ← Makruh time warning
│   │   ├── context/
│   │   │   ├── AppContext.jsx       ← Global settings + admin state
│   │   │   └── DataContext.jsx      ← All API data fetching
│   │   └── lib/agora.js             ← Agora RTC logic
│
└── backend/                     ← Express API
    └── src/
        ├── app.js                   ← Express setup + CORS + routes
        ├── routes/                  ← All API route files
        ├── models/                  ← Mongoose schemas
        ├── middleware/auth.js       ← JWT verification
        └── utils/
            ├── mailer.js            ← OTP email via Gmail
            └── firebase.js          ← FCM push notifications
```

✨ Features 07

Feature	Description
Prayer Times	Daily Fajr, Dhuhr, Asr, Maghrib, Isha with Azan & Jamat times. Live countdown to next prayer.
Live Azan	Real-time audio via Agora RTC. Muazzin broadcasts, everyone listens instantly.
Weekly Schedule	Full 7-day prayer timetable.
Special Prayers	Jumma times (2 slots), Ramadan sehri/iftar/taraweeh, Eid schedules.
Announcements	Admin posts community news. Urgent alerts highlighted in red.
Makruh Times	Warning banner during prohibited prayer times (sunrise, zawal, sunset).
Hijri Date	Islamic calendar date shown on home screen.
Admin Dashboard	Full content management — update all data without touching code.
Muazzin Panel	Token-based page, no login. Muazzin opens link, taps broadcast.
Push Notifications	FCM alerts for live azan going live and new announcements.
PWA	Installable on iPhone/Android from browser. Works offline (cached data).
Android APK	Native app via Capacitor. Distributed via GitHub Releases.
News Ticker	Scrolling ticker on home screen with custom messages.

API Endpoints 08

PUBLIC ENDPOINTS (NO AUTH REQUIRED)

Method	Endpoint	Description
GET	/api/health	Health check
GET	/api/prayers	Today's prayer times
GET	/api/prayers/jumma	Jumma times
GET	/api/weekly	Weekly schedule
GET	/api/ramadan	Ramadan timetable
GET	/api/eid	Eid schedules
GET	/api/announcements	Announcements list
GET	/api/ticker	News ticker items
GET	/api/live-azan	Live azan status

AUTH ENDPOINTS

Method	Endpoint	Description
POST	/api/auth/login	Admin login → returns JWT
POST	/api/auth/setup	First-time password setup
PUT	/api/auth/change-password	Change password (requires JWT)
POST	/api/auth/forgot-password	Send OTP to registered email
POST	/api/auth/verify-otp	Verify OTP → returns reset token
POST	/api/auth/reset-password	Reset password with reset token

ADMIN ENDPOINTS (JWT REQUIRED)

Method	Endpoint	Description
PUT	/api/prayers	Update prayer times
PUT	/api/prayers/jumma	Update Jumma times
PUT	/api/weekly	Update weekly schedule

Method	Endpoint	Description
POST	/api/announcements	Create announcement
DELETE	/api/announcements/:id	Delete announcement
PUT	/api/ticker	Update ticker items
POST	/api/live-azan/muazzin-token	Generate new muazzin token

🔧 Environment Variables 09

FRONTEND — FRONTEND/.ENV

```
VITE_API_URL=https://al-falah-backend-0p6w.onrender.com
VITE_APP_URL=https://al-falah-five.vercel.app
VITE_AGORA_APP_ID=07f9be2d9bcd414a8fcf14c733d3c754
```

BACKEND — BACKEND/.ENV

```
MONGODB_URI=<your MongoDB Atlas connection string>
JWT_SECRET=<random string, min 32 chars>
AGORA_APP_ID=07f9be2d9bcd414a8fcf14c733d3c754
FIREBASE_PROJECT_ID=<your Firebase project ID>
GMAIL_USER=<gmail address>
GMAIL_PASS=<gmail app password>
CORS_ORIGIN=https://al-falah-five.vercel.app,http://localhost:5173
PORT=3000
NODE_ENV=production
```

🚀 Deployment Guide 10

FRONTEND — VERCEL

Setting	Value
Branch	main
Root Directory	frontend
Build Command	`npm run build`
Output Directory	dist
Auto-deploy	✅ Yes — every git push to main

BACKEND — RENDER

Setting	Value
Branch	main
Root Directory	backend
Build Command	`npm install`
Start Command	`npm start`
Auto-deploy	✅ Yes — every git push to main

⚠️ Free tier sleeps after 15 min of inactivity. First request after sleep may take ~30 seconds. Upgrade to a paid plan to avoid this.

✏️ How to Make Updates 11

UPDATE WEB CONTENT (PRAYERS, ANNOUNCEMENTS, ETC.)

1. Log in to Admin Panel at `https://al-falah-five.vercel.app/admin/login`
2. Navigate to the section you want to update
3. Make changes and save — **no code changes needed**

UPDATE CODE & DEPLOY

```
# 1. Make your changes locally
# 2. Test on dev server
cd frontend && npm run dev

# 3. Push to GitHub (auto-deploys in 1-2 minutes)
git add .
git commit -m "describe your change"
git push
```

Android APK 12

Setting	Value
App ID	`com.alfalah.masjid`
Min Android	5.1 (API 22) — covers ~99% of devices
Target Android	14 (API 34)
Current Version	v1.0.0 (debug)
Download Link	GitHub Releases → Al-Falah.apk

INSTALL ON PHONE

1. Download `Al-Falah.apk` from GitHub Releases
2. Tap the file to install
3. If prompted, enable **"Install from unknown sources"**
4. Tap Install

Admin Panel Guide 13

FIRST-TIME LOGIN

1. Visit `https://al-falah-five.vercel.app/admin/login`
2. Enter username: `admin`, password: `alfalah2025`
3. You'll be redirected to setup — enter your email and set a new password
4. Store your new password safely — this replaces the default

WHAT YOU CAN MANAGE

- **Prayer Times**
  Update Azan & Jamat times for all 5 prayers
- **Jumma**
  Update both Jumma slots and notes
- **Ramadan & Eid**
  Sehri/iftar times and Eid details
- **Announcements**
  Post/delete news, mark urgent for red highlight
- **Masjid Info**
  Name, address, phone, email, about text
- **Live Azan**
  Generate muazzin token link

Muazzin (Live Azan) Guide 14

ADMIN SETUP (ONE TIME)

1. Log in to Admin Panel
2. Go to **Live Azan** section
3. Click **Generate Muazzin Link**
4. Copy the link and share with the muazzin (e.g., via WhatsApp)

MUAZZIN INSTRUCTIONS

1. Open the link in **Chrome** (not inside WhatsApp — tap 3 dots → Open in Chrome)
2. Allow microphone permission when prompted
3. Tap **Start Broadcast** when ready to begin
4. Tap **Stop** when done

📋 Known Patterns & Notes 15

Topic	Note
Render Cold Start	Free tier sleeps after 15 min. First request takes ~30s. Upgrade to paid plan to avoid this.
Agora Channel Name	Fixed as `alfahees-azan`. Change via Admin Panel → Live Azan settings.
Muazzin Browser	Must use Chrome on Android. Safari/in-app browsers may block microphone access.
APK vs PWA	PWA updates automatically on git push. APK must be rebuilt and re-shared manually.
CORS	Only Vercel URL and localhost:5173 are whitelisted. Update `CORS_ORIGIN` on Render if frontend URL changes.
MongoDB Seed	Database is seeded once on first startup. To re-seed, delete all documents from Atlas and restart backend.
Hijri Date	Currently shows a static mock date. Replace `getHijri()` in prayerUtils.js with a live API call for dynamic dates.
Push Notifications	Requires real Firebase setup with `google-services.json` in Android project. FCM token logged on first app launch.
Admin Lockout	If locked out and no email is set, reset the admin document directly in MongoDB Atlas.

⚡ QUICK REFERENCE CARD

WEB APP
https://al-falah-five.vercel.app

ADMIN PANEL
/admin/login → admin / alfalah2025

BACKEND API
https://al-falah-backend-0p6w.onrender.com

GITHUB
github.com/aimanansari07/Al-Falah

DEPLOY
git push → auto-deploys Vercel + Render

APK BUILD
cd frontend && npm run apk:debug