

Opdracht 1

HTML-code

```
<ul>

<li class="menuitem"><a href="..">products</a></li>

<li class="menuitem"><a href="..">distributors</a></li>

<li class="menuitem"><a href="..">contact</a></li>

</ul>
```

CSS-code

```
.menuitem {
display:inline-block;
width:150px;
}
.menuitem > a {
color:red;
}
```

HTML-code zonder klassen

CSS-code zonder klassen

```
ul li {
display:inline-block;
width:150px;
}
ul li > a {
color:red;
}
```

Opdracht 2


```
<div class="summary" id="zen-summary" role="article">
  ...
</div>
...
<div class="preamble" id="zen-preamble" role="article">
  ...
</div> == $0
</section>
<div class="main supporting" id="zen-supporting" role="main">
  ...
</div>
<aside class="sidebar" role="complementary">
  ...
</aside>
</div>
<!--

  These superfluous divs/spans were originally provided
  as catch-alls to add extra imagery.

  These days we have full ::before and ::after support,
  favour using those instead.

  These only remain for historical design compatibility.
-->
```

```
text-align: center;
background: linear-gradient(to right, #FBFBF5, url(grass.gif)
  right bottom fixed no-repeat);
color: #566047;
}
```



Opdracht 3

Zie opdracht resume in github page

Opdracht 4

Zie opdracht 4 in github page

Opdracht 5

HTML

```
<a href="">hyperlink 1</
a>
<a href="">hyperlink 2</
a>
```

CSS

```
a img {
  width: 14px;
  margin-right: 5px;
}

a {
  display: block;
}
```

Zie opdracht 5 in github page

Opdracht 6

```
.checklist{
  padding: 0;
}

.checklist li{
  padding-left: 1.2em;
  font-size: 20px;
  background-repeat: no-repeat;
  background-position: left center;
  background-size: 1em;
}

.checklist li.checked{
  background-image: url("../image/checkbox_ckeck_icon_143039.png");
}

.checklist li:not(.checked){
  background-size: 1em;
  background-position: left center;
  background-image: url("../image/checkbox_unchecked_filled_icon_201516.png");
  background-repeat: no-repeat;
}
```