


Molecule 1



SMILES [C]c1c(c(c(c1)C(C(=O)N1[C][C]O[C]([C]T)c1c(c)c(c)c1)C1)C1)C(=O)N1[C][C]O[C]([C]T)c1c(c)c(c)c1)C1

Physicochemical Properties

Formula	C ₂₇ H ₂ N ₃ O ₃
Molecular weight	416.32 g/mol
Num. heavy atoms	33
Num. arom. heavy atoms	18
Fraction Csp ³	0.30
Num. rotatable bonds	6
Num. H-bond acceptors	4
Num. H-bond donors	1
Molar Refractivity	102.96
TPSA	85.52 Å ²

Lipophilicity

Log <i>P</i> _{ow} (ILOPP)	Temporarily unavailable
Log <i>P</i> _{ow} (XLOGP3)	3.24
Log <i>P</i> _{ow} (WLOGP)	-1.15
Log <i>P</i> _{ow} (MLOGP)	2.28
Log <i>P</i> _{ow} (SILICOS-IT)	4.49
Consensus Log <i>P</i> _{ow}	

Water Solubility

Log <i>S</i> (ESOL)	-4.47
Solubility	1.41e-02 mg/ml ; 3.39e-05 mol/l
Class	Moderately soluble
Log <i>S</i> (AII)	-4.71
Solubility	8.13e-03 mg/ml ; 1.95e-05 mol/l
Class	Moderately soluble
Log <i>S</i> (SILICOS-IT)	-5.98
Solubility	4.36e-04 mg/ml ; 1.05e-06 mol/l
Class	Moderately soluble

Pharmacokinetics

GI absorption	High
BBB permeant	No
P-gp substrate	Temporarily unavailable
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log <i>K_p</i> (skin permeation)	-6.54 cm/s

Druglikeness



Lipinski	Yes; 0 violation
Ghose	No; 1 violation: WLOGP<-0.4
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

Medicinal Chemistry

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No; 1 violation: MW>350
Synthetic accessibility	3.03

2166

Molecule 2



SMILES [C]c1c(c(c(c(n1)C)Nc1n[nH]c2c1c(c)c(c(n2)[C]1[C]C(N)[C]1)C(-O)c1c(c(c(c)c1)C

Physicochemical Properties

Formula	C24H2N6O
Molecular weight	390.31 g/mol
Num. heavy atoms	31
Num. arom. heavy atoms	21
Fraction Csp3	0.25
Num. rotatable bonds	6
Num. H-bond acceptors	4
Num. H-bond donors	2
Molar Refractivity	100.19
TPSA	86.80 Å²

Lipophilicity

Log $P_{o/w}$ (iLOGP)	Temporarily unavailable
Log $P_{o/w}$ (XLOGP3)	3.37
Log $P_{o/w}$ (WLOGP)	-0.76
Log $P_{o/w}$ (MLOGP)	2.81
Log $P_{o/w}$ (SILICOS-IT)	3.91
Consensus Log $P_{o/w}$	

Water Solubility	
Log S (ESOL)	-4.49
Solubility	1.27e-02 mg/ml ; 3.25e-05 mol/l
Class	Moderately soluble
Log S (Ali)	-4.87
Solubility	5.25e-03 mg/ml ; 1.35e-05 mol/l
Class	Moderately soluble
Log S (SILICOS-IT)	-6.61
Solubility	9.65e-05 mg/ml ; 2.47e-07 mol/l
Class	Poorly soluble

Pharmacokinetics

GI absorption	High
BBB permeant	No
P-gp substrate	Temporarily unavailable
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log K_p (skin permeation)	-6.29 cm/s

Druglikeness


Lipinski	Yes; 0 violation
Ghose	No; 1 violation: WLOGP<-0.4
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

Medicinal Chemistry

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No; 1 violation: MW>350
Synthetic accessibility	2.89

2110

Molecule 3



SMILES O=C(N1C[C]([C]([C]1)c1c[c]c2c(n1)[nH]nc2N[C]c1c[c]c[c]c1)[C]c1c[c]c[c]c1)[C]([C]

Physicochemical Properties

Formula	C27H2N5O
Molecular weight	412.34 g/mol
Num. heavy atoms	33
Num. arom. heavy atoms	21
Fraction Csp3	0.30
Num. rotatable bonds	7
Num. H-bond acceptors	3
Num. H-bond donors	2
Molar Refractivity	106.43
TPSA	73.91 Å²

Lipophilicity

Log $P_{o/w}$ (ILOGP)	Temporarily unavailable
Log $P_{o/w}$ (XLOGP3)	4.67
Log $P_{o/w}$ (WLOGP)	-0.76
Log $P_{o/w}$ (MLOGP)	3.96
Log $P_{o/w}$ (SILICOS-IT)	5.40
Consensus Log $P_{o/w}$	

Water Solubility

Log S (ESOL)	-5.35
Solubility	1.85e-03 mg/ml ; 4.49e-06 mol/l
Class	Moderately soluble
Log S (Ali)	-5.95
Solubility	4.63e-04 mg/ml ; 1.12e-06 mol/l
Class	Moderately soluble
Log S (SILICOS-IT)	-7.75
Solubility	7.40e-06 mg/ml ; 1.79e-08 mol/l
Class	Poorly soluble

Pharmacokinetics

GI absorption	High
BBB permeant	No
P-gp substrate	Temporarily unavailable
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log K_p (skin permeation)	-5.50 cm/s

Druglikeness


Lipinski	Yes; 0 violation
Ghose	No; 1 violation: WLOGP<-0.4
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

Medicinal Chemistry

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No; 2 violations: MW>350, XLOGP3>3.5
Synthetic accessibility	2.93

2029

Molecule 4



1100

1100



1100

1100

1100

SMILES [O-]C(=O)c1ccc(cc1)[C@H]2CC[C@@H]3C[C@@H](C(=O)N)C[C@H]3C[C@H]2c1ccc(cc1)[C@H]4CC[C@@H]5C[C@H](C(=O)N)C[C@H]5C4

Physicochemical Properties

Formula	C ₂₅ H ₂ N ₃ O ₃
Molecular weight	392.30 g/mol
Num. heavy atoms	31
Num. arom. heavy atoms	18
Fraction Csp ³	0.28
Num. rotatable bonds	6
Num. H-bond acceptors	5
Num. H-bond donors	1
Molar Refractivity	95.99
TPSA	77.68 Å ²

Lipophilicity

Log <i>P</i> _{o/w} (iLOGP)	Temporarily unavailable
Log <i>P</i> _{o/w} (XLOGP3)	2.72
Log <i>P</i> _{o/w} (WLOGP)	-1.15
Log <i>P</i> _{o/w} (MLOGP)	1.80
Log <i>P</i> _{o/w} (SILICOS-IT)	4.14
Consensus Log <i>P</i> _{o/w}	1.88

Water Solubility

Log <i>S</i> (ESOL)	-4.02
Solubility	3.75e-02 mg/ml ; 9.56e-05 mol/l
Class	Moderately soluble
Log <i>S</i> (Ali)	-4.01
Solubility	3.88e-02 mg/ml ; 9.88e-05 mol/l
Class	Moderately soluble
Log <i>S</i> (SILICOS-IT)	-5.92
Solubility	4.75e-04 mg/ml ; 1.21e-06 mol/l
Class	Moderately soluble

Pharmacokinetics

GI absorption	High
BBB permeant	No
P-gp substrate	Yes
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log <i>K</i> _p (skin permeation)	-6.76 cm/s

Druglikeness


Lipinski	Yes; 0 violation
Ghose	No; 1 violation: WLOGP<-0.4
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

Medicinal Chemistry

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No; 1 violation: MW>350
Synthetic accessibility	2.90

2004

Molecule 1



1.000

0.000



0.000

0.000

0.000

SMILES Fc1c([c]c2c([c]1c(C)N1C)C)C(C)C(C)1c1c([c]c([c]c1n1)c1c([c]c([c]1)C(=O)N)(c2)C

Physicochemical Properties

Formula	C27H2FN4O
Molecular weight	417.33 g/mol
Num. heavy atoms	33
Num. arom. heavy atoms	21
Fraction Csp3	0.26
Num. rotatable bonds	5
Num. H-bond acceptors	4
Num. H-bond donors	1
Molar Refractivity	105.89
TPSA	64.15 Å²

Lipophilicity

Log $P_{il/w}$ (iLOGP)	Temporarily unavailable
Log $P_{il/w}$ (XLOGP3)	3.64
Log $P_{il/w}$ (WLOGP)	0.53
Log $P_{al/w}$ (MLOGP)	3.25
Log $P_{al/w}$ (SILICOS-IT)	3.68
Consensus Log $P_{al/w}$	2.77

1215

Water Solubility

Log S (ESOL)	-4.86
Solubility	5.74e-03 mg/ml ; 1.38e-05 mol/l
Class	Moderately soluble
Log S (Ali)	-4.68
Solubility	8.81e-03 mg/ml ; 2.11e-05 mol/l
Class	Moderately soluble
Log S (SILICOS-IT)	-5.86
Solubility	5.73e-04 mg/ml ; 1.37e-06 mol/l
Class	Moderately soluble

Pharmacokinetics


GI absorption	High
BBB permeant	No
P-gp substrate	Yes
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log K_p (skin permeation)	-6.26 cm/s

Druglikeness

Lipinski	Yes, 0 violation
Ghose	Yes
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

Medicinal Chemistry

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No, 2 violations: MW>350, XLOGP3>3.5
Synthetic accessibility	2.95



Abstract

SMILES O=C(N1[C@@H](O[C@H]1C)T)c1c(c(c(c(c1)C)c1(c(c(c1)C)C)F)C)C(F)Tc1c2c1c(c(c(c1)C)C)C2

Formula	C26FN4O2
Molecular weight	419.30 g/mol
Num. heavy atoms	33
Num. arom. heavy atoms	21
Fraction Csp3	0.27
Num. rotatable bonds	7
Num. H-bond acceptors	5
Num. H-bond donors	0
Molar Refractivity	100.12
TPSA	60.25 Å²

Log $P_{a/w}$ (LOGP)	Temporarily unavailable
Log $P_{a/w}$ (XLOGP3)	3.08
Log $P_{a/w}$ (WLOGP)	-0.29
Log $P_{a/w}$ (MLOGP)	2.78
Log $P_{a/w}$ (SILICOS-IT)	3.25
Consensus Log $P_{a/w}$	2.20


1901

Log S (ESOL)	-4.39
Solubility	1.71e-02 mg/ml ; 4.08e-05 mol/l
Class	Moderately soluble
Log S (All)	-4.01
Solubility	4.07e-02 mg/ml ; 9.71e-05 mol/l
Class	Moderately soluble
Log S (SILICOS-IT)	-6.21
Solubility	2.57e-04 mg/ml ; 6.14e-07 mol/l
Class	Poorly soluble

GI absorption	High
BBB permeant	No
P-gp substrate	No
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log K_o (skin permeation)	-6.67 cm/s

Lipinski	Yes, 0 violation
Ghose	Yes
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No; 1 violation: MW>350
Synthetic accessibility	3.00



Physicochemical Properties

Lipophilicity	
Log $P_{a/w}$ (ILOGP) 	Temporarily unavailable
Log $P_{a/w}$ (XLOGP3) 	3.59
Log $P_{a/w}$ (WLOGP) 	0.75
Log $P_{a/w}$ (MLOGP) 	2.78
Log $P_{a/w}$ (SILICOS-IT) 	3.86
Consensus Log $P_{a/w}$ 	2.75

1990


Water Solubility	
Log S (ESOL) 	-4.71
Solubility	7.91e-03 mg/ml ; 1.95e-05 mol/l
Class 	Moderately soluble
Log S (Ali) 	-4.50
Solubility	1.29e-02 mg/ml ; 3.17e-05 mol/l
Class 	Moderately soluble
Log S (SILICOS-IT) 	-4.51
Solubility	1.24e-02 mg/ml ; 3.06e-05 mol/l
Class 	Moderately soluble

GI absorption	High
BBB permeant	Yes
P-gp substrate	No
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log K_o (skin permeation)	-6.23 cm/s

Lipinski	Yes, 0 violation
Ghose	Yes
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No, 2 violations: MW>350, XLOGP3>3.5
Synthetic accessibility	2.94

Molecule 5



SMILES Fc1c(c)c2c(c1)c(c1C)C(C)C(C)C1c1c(c)c(c1)c1c1c1c1c1c1c1c1c1c1C1O/N(c1c2)C

Physicochemical Properties

Formula	C ₂₆ H ₂ FN ₄ O ₂
Molecular weight	421.32 g/mol
Num. heavy atoms	33
Num. arom. heavy atoms	21
Fraction Csp ³	0.23
Num. rotatable bonds	5
Num. H-bond acceptors	5
Num. H-bond donors	1
Molar Refractivity	103.22
TPSA	73.38 Å ²

Lipophilicity

Log <i>P</i> _{o/w} (iLOGP)	Temporarily unavailable
Log <i>P</i> _{o/w} (XLOGP3)	2.56
Log <i>P</i> _{o/w} (WLOGP)	-0.02
Log <i>P</i> _{o/w} (MLOGP)	2.23
Log <i>P</i> _{o/w} (SILICOS-IT)	3.04
Consensus Log <i>P</i> _{o/w}	1.95

2012

Water Solubility

Log <i>S</i> (ESOL)	-4.21
Solubility	2.62e-02 mg/ml ; 6.22e-05 mol/l
Class	Moderately soluble
Log <i>S</i> (Ali)	-3.75
Solubility	7.51e-02 mg/ml ; 1.78e-04 mol/l
Class	Soluble
Log <i>S</i> (SILICOS-IT)	-5.32
Solubility	2.01e-03 mg/ml ; 4.78e-06 mol/l
Class	Moderately soluble

Pharmacokinetics

GI absorption	High
BBB permeant	No
P-gp substrate	Yes
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log <i>K</i> _p (skin permeation)	-7.05 cm/s


Druglikeness

Lipinski	Yes: 0 violation
Ghose	Yes
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

Medicinal Chemistry

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No: 1 violation: MW>350
Synthetic accessibility	3.09

Molecule 6



SMILES NC(=O)c1ccc(cc1)-c2ccncc2-c3ccncc3-c4ccncc4-c5ccncc5

Physicochemical Properties

Formula	C ₂₆ H ₂₄ N ₄ O ₂
Molecular weight	402.32 g/mol
Num. heavy atoms	32
Num. arom. heavy atoms	21
Fraction Csp ³	0.23
Num. rotatable bonds	5
Num. H-bond acceptors	4
Num. H-bond donors	1
Molar Refractivity	102.10
TPSA	73.38 Å ²

Lipophilicity

Log <i>P</i> _{o/w} (ILOGP)	Temporarily unavailable
Log <i>P</i> _{o/w} (XLOGP3)	2.46
Log <i>P</i> _{o/w} (WLOGP)	-0.78
Log <i>P</i> _{o/w} (MLOGP)	1.86
Log <i>P</i> _{o/w} (SILICOS-IT)	3.04
Consensus Log <i>P</i> _{o/w}	1.65

2013

Water Solubility

Log S (ESOL)	-4.04
Solubility	3.67e-02 mg/ml ; 9.12e-05 mol/l
Class	Moderately soluble
Log S (Alii)	-3.64
Solubility	9.11e-02 mg/ml ; 2.27e-04 mol/l
Class	Soluble
Log S (SILICOS-IT)	-5.29
Solubility	2.06e-03 mg/ml ; 5.13e-06 mol/l
Class	Moderately soluble

Pharmacokinetics


GI absorption	High
BBB permeant	No
P-gp substrate	Yes
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log <i>K</i> _p (skin permeation)	-7.01 cm/s

Druglikeness

Lipinski	Yes; 0 violation
Ghose	No; 1 violation: WLOGP<-0.4
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

Medicinal Chemistry

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No; 1 violation: MW>350
Synthetic accessibility	2.99



SMILES Fc1ccc(cc1)[C@H](O)C(=O)N1C(C)C(C)C1c1ccc(cc1)n1[nH]nc2N(C)c1ccc(cc1)n1

Physicochemical Properties

Formula	C ₂₄ H ₂ FN ₆ O
Molecular weight	409.31 g/mol
Num. heavy atoms	32
Num. atom. heavy atoms	21
Fraction Csp ³	0.25
Num. rotatable bonds	7
Num. H-bond acceptors	5
Num. H-bond donors	2
Molar Refractivity	100.83
TPSA	86.80 Å ²

Lipophilicity

Log P _{o/w} (ILOGP)	Temporarily unavailable
Log P _{o/w} (XLOGP3)	3.01
Log P _{o/w} (WLOGP)	-0.32
Log P _{o/w} (MLOGP)	2.02
Log P _{o/w} (SILICOS-IT)	4.20
Consensus Log P _{o/w}	2.45

2133

Water Solubility

Log S (ESOL)	-4.30
Solubility	2.06e-02 mg/ml ; 5.04e-05 mol/l
Class	Moderately soluble
Log S (Alii)	-4.50
Solubility	1.30e-02 mg/ml ; 3.18e-05 mol/l
Class	Moderately soluble
Log S (SILICOS-IT)	-6.89
Solubility	5.31e-05 mg/ml ; 1.30e-07 mol/l
Class	Poorly soluble

Pharmacokinetics

GI absorption	High
BBB permeant	No
P-gp substrate	No
CYP1A2 inhibitor	Temporarily unavailable
CYP2C19 inhibitor	Temporarily unavailable
CYP2C9 inhibitor	Temporarily unavailable
CYP2D6 inhibitor	Temporarily unavailable
CYP3A4 inhibitor	Temporarily unavailable
Log K _p (skin permeation)	-6.66 cm ² /s

Druglikeness

Lipinski	Yes, 0 violation
Ghose	Yes
Veber	Yes
Egan	Yes
Muegge	Yes
Bioavailability Score	0.55

Medicinal Chemistry

PAINS	0 alert
Brenk	0 alert
Leadlikeness	No, 1 violation: MW>350
Synthetic accessibility	2.97