






Schematic	lorawan_spacesensor_v1.5			Update Date	2024-05-06
				Create Date	2024-05-06
Page	方框图			Part Number	
Drawed		SpaceSensor_V1.3			
Reviewed					
		VER	SIZE	PAGE	1 OF 6
		V1.0	A4	嘉立创EDA	


电池输入：3.6V，38000mAh，SPC1520+ER34615x2



Schematic	lorawan_spacesensor_v1.5		Update Date	2024-05-19
			Create Date	2024-05-06
Page	POWER		Part Number	
Drawn		SpaceSensor_V1.3		
Reviewed				
		VER	SIZE	PAGE 2 OF 6
		V1.0	A4	嘉立创EDA




Schematic	lorawan_spacesensor_v1.5			Update Date	2024-05-18
				Create Date	2024-05-06
Page	MCU			Part Number	
Drawed		SpaceSensor_V1.3			
Reviewed					
		VER	SIZE	PAGE	3 OF 6
		V1.0	A4	嘉立创EDA	




LoRaWAN模块


Schematic	lorawan_spacesensor_v1.5		Update Date	2024-05-18
			Create Date	2024-05-06
Page	LoRaWAN		Part Number	
Drawed		SpaceSensor_V1.3		
Reviewed				
		VER	SIZE	PAGE 4 OF 6
嘉立创EDA		V1.0	A4	嘉立创EDA




NOR FLASH



雷达模块



环境光检测/防拆



磁力计

竞品PCB总高度15.4、板距13、板厚1.6
共模壳内直径79.5mm（圆型）、螺丝孔径3.0、螺帽不超过5.5、螺丝孔距73.5

Schematic	lorawan_spacesensor_v1.5			Update Date	2024-05-18
				Create Date	2024-05-06
Page	SENSOR			Part Number	
Drawn		SpaceSensor_V1.3			
Reviewed					
		VER	SIZE	PAGE	5 OF 6
		V1.0	A4	嘉立创EDA	

