






SPC1520+ER34615HC(SPC1520可不使用)





Schematic	LoRaWAN_SpaceSensor_V1.1			Update Date	2023-04-05
				Create Date	2023-02-23
Page	POWER			Part Number	
Drawed		SpaceSensor			
Reviewed					
		VER	SIZE	PAGE 1 OF 5	
嘉立创EDA		V1.0	A4	嘉立创EDA	




烧录口



DEBUG串口




Schematic	LoRaWAN_SpaceSensor_V1.1		Update Date	2023-04-05
			Create Date	2023-02-23
Page	MCU		Part Number	
Drawed		SpaceSensor		
Reviewed				
		VER	SIZE	PAGE 2 OF 5
嘉立创EDA		V1.0	A4	嘉立创EDA




LoRaWAN模块

Schematic	LoRaWAN_SpaceSensor_V1.1			Update Date	2023-04-05
				Create Date	2023-02-23
Page	LoRaWAN			Part Number	
Drawed		SpaceSensor			
Reviewed					
		VER	SIZE	PAGE	3 OF 5
嘉立创EDA		V1.0	A4	嘉立创EDA	




NOR FLASH


$$V_{out(max.)} = I_{PH(max.)} \times R_L \quad V_{out(饱和度)} = V_{cc} - 0.4V$$
$$R_L \times C_L \geq 0.5$$




环境光检测/防拆



磁开关



雷达模块



磁力计

竞品PCB总高度15.4、板距13、板厚1.6
共模壳内直径79.5mm（圆型）、螺丝孔径3.0、螺帽不超过5.5、螺丝孔距73.5

Schematic	LoRaWAN_SpaceSensor_V1.1			Update Date	2023-04-06
				Create Date	2023-02-23
Page	SENSOR			Part Number	
Drawed		SpaceSensor			
Reviewed					
		VER	SIZE	PAGE	4 OF 5
嘉立创EDA		V1.0	A4	嘉立创EDA	

