

Lecture-2 **Recap Lecture-1**

- Introduction to the course title, Formal and Informal languages, Alphabets, Strings, Null string, Words, Valid and In-valid alphabets, length of a string, Reverse of a string, Defining languages, Descriptive definition of languages, EQUAL, EVEN-EVEN, INTEGER, EVEN, $\{a^n b^n\}$, $\{a^n b^n a^n\}$, factorial, FACTORIAL, DOUBLEFACTORIAL, SQUARE, DOUBLESQUARE, PRIME, PALINDROME.

Kleene Star Closure



- Given Σ , then the Kleene Star Closure of the alphabet Σ , denoted by Σ^* , is the collection of all strings defined over Σ , including Λ .
- It is to be noted that Kleene Star Closure can be defined over any set of strings.

Examples

□ If $\Sigma = \{x\}$

Then $\Sigma^* = \{\Lambda, x, xx, xxx, xxxx, \dots\}$

□ If $\Sigma = \{0,1\}$

Then $\Sigma^* = \{\Lambda, 0, 1, 00, 01, 10, 11, \dots\}$

□ If $\Sigma = \{aaB, c\}$

Then $\Sigma^* = \{\Lambda, aaB, c, aaBaaB, aaBc, caaB, cc, \dots\}$

Note



- Languages generated by Kleene Star Closure of set of strings, are infinite languages. (By infinite language, it is supposed that the language contains infinite many words, each of finite length).

PLUS Operation (+)

- Plus Operation is same as Kleene Star Closure except that it does not generate Λ (null string), automatically.

Example:

- If $\Sigma = \{0,1\}$

Then $\Sigma^+ = \{0, 1, 00, 01, 10, 11, \dots\}$

- If $\Sigma = \{aab, c\}$

Then $\Sigma^+ = \{aab, c, aabaab, aabc, caab, cc, \dots\}$

Remark

- It is to be noted that Kleene Star can also be operated on any string *i.e.* a^* can be considered to be all possible strings defined over $\{a\}$, which shows that a^* generates

$\Lambda, a, aa, aaa, \dots$

It may also be noted that a^+ can be considered to be all possible non empty strings defined over $\{a\}$, which shows that a^+ generates

$a, aa, aaa, aaaa, \dots$

Defining Languages Continued...



□ **Recursive definition of languages**

The following three steps are used in recursive definition

1. Some basic words are specified in the language.
2. Rules for constructing more words are defined in the language.
3. No strings except those constructed in above, are allowed to be in the language.

Example

□ Defining language of **INTEGER**

Step 1:

1 is in **INTEGER**.

Step 2:

If x is in **INTEGER** then $x+1$ and $x-1$ are also in **INTEGER**.

Step 3:

No strings except those constructed in above, are allowed to be in **INTEGER**.

Example



□ Defining language of **EVEN**

Step 1:

2 is in **EVEN**.

Step 2:

If x is in **EVEN** then $x+2$ and $x-2$ are also in **EVEN**.

Step 3:

No strings except those constructed in above, are allowed to be in **EVEN**.

Example

□ Defining the language factorial

Step 1:

As $0! = 1$, so 1 is in **factorial**.

Step 2:

$n! = n * (n-1)!$ is in **factorial**.

Step 3:

No strings except those constructed in above,
are allowed to be in **factorial**.

□ **Defining the language PALINDROME,
defined over $\Sigma = \{a,b\}$**

Step 1:

a and b are in **PALINDROME**

Step 2:

if x is palindrome, then $s(x)\text{Rev}(s)$ and xx will also be palindrome, where s belongs to Σ^*

Step 3:

No strings except those constructed in above, are allowed to be in palindrome

□ **Defining the language $\{a^n b^n\}$, $n=1,2,3,\dots$, of strings defined over $\Sigma=\{a,b\}$**

Step 1:

ab is in $\{a^n b^n\}$

Step 2:

if x is in $\{a^n b^n\}$, then axb is in $\{a^n b^n\}$

Step 3:

No strings except those constructed in above, are allowed to be in $\{a^n b^n\}$

□ **Defining the language L , of strings ending in a , defined over $\Sigma = \{a, b\}$**

Step 1:

a is in L

Step 2:

if x is in L then $s(x)$ is also in L , where s belongs to Σ^*

Step 3:

No strings except those constructed in above, are allowed to be in L



□ **Defining the language L , of strings beginning and ending in same letters , defined over $\Sigma=\{a, b\}$**

Step 1:

a and b are in L

Step 2:

(a)s(a) and (b)s(b) are also in L , where s belongs to Σ^*

Step 3:

No strings except those constructed in above, are allowed to be in L

□ **Defining the language L , of strings containing aa or bb , defined over $\Sigma = \{a, b\}$**

Step 1:

aa and bb are in L

Step 2:

$s(aa)s$ and $s(bb)s$ are also in L , where s belongs to Σ^*

Step 3:

No strings except those constructed in above, are allowed to be in L

□ **Defining the language L , of strings containing exactly aa , defined over $\Sigma = \{a, b\}$**

Step 1:

aa is in L

Step 2:

$s(aa)s$ is also in L , where s belongs to b^*

Step 3:

No strings except those constructed in above, are allowed to be in L

Summing Up



- Kleene Star Closure, Plus operation, recursive definition of languages, INTEGER, EVEN, factorial, PALINDROME, $\{a^n b^n\}$, languages of strings (i) ending in a, (ii) beginning and ending in same letters, (iii) containing aa or bb (iv) containing exactly aa,