

This XML file does not appear to have any style information associated with it. The document tree is shown below.

---

```
-<get_tasks_response status="200" status_text="OK">
  <apply_overrides>0</apply_overrides>
  -<task id="0afcaa00-d014-496c-ae92-d4b37b4a9263">
    -<owner>
      <name>admin</name>
    </owner>
    <name>Immediate scan of IP 192.168.1.102</name>
    <comment/>
    <creation_time>2024-03-02T05:28:29Z</creation_time>
    <modification_time>2024-03-02T05:28:43Z</modification_time>
    <writable>1</writable>
    <in_use>0</in_use>
  -<permissions>
    -<permission>
      <name>Everything</name>
    </permission>
  </permissions>
  -<user_tags>
    <count>0</count>
  </user_tags>
  <alterable>0</alterable>
  -<config id="daba56c8-73ec-11df-a475-002264764cea">
    <name>Full and fast</name>
    <type>0</type>
    <trash>0</trash>
  </config>
  -<target id="319dd8ae-d715-4dce-9d2f-7c89b1507856">
    <name>Target for immediate scan of IP 192.168.1.102</name>
    <trash>0</trash>
  </target>
  <hosts_ordering/>
  -<scanner id="08b69003-5fc2-4037-a479-93b440211c73">
    <name>OpenVAS Default</name>
    <type>2</type>
    <trash>0</trash>
  </scanner>
  <status>Done</status>
  <progress>-1</progress>
  -<report_count>
    1
    <finished>1</finished>
  </report_count>
  <trend/>
  -<schedule id="">
```

```
<name/>
<next_time>over</next_time>
<trash>0</trash>
</schedule>
<schedule_periods>0</schedule_periods>
-<first_report>
  -<report id="037c02e1-9b5b-46f1-bf5c-24f02a88a8e0">
    <timestamp>2024-03-02T05:28:30Z</timestamp>
    <scan_start>2024-03-02T05:28:39Z</scan_start>
    <scan_end>2024-03-02T05:50:57Z</scan_end>
    -<result_count>
      <debug>0</debug>
      <hole>19</hole>
      <info>3</info>
      <log>85</log>
      <warning>35</warning>
      <false_positive>0</false_positive>
    </result_count>
    <severity>10.0</severity>
  </report>
</first_report>
-<last_report>
  -<report id="037c02e1-9b5b-46f1-bf5c-24f02a88a8e0">
    <timestamp>2024-03-02T05:28:30Z</timestamp>
    <scan_start>2024-03-02T05:28:39Z</scan_start>
    <scan_end>2024-03-02T05:50:57Z</scan_end>
    -<result_count>
      <debug>0</debug>
      <hole>19</hole>
      <info>3</info>
      <log>85</log>
      <warning>35</warning>
      <false_positive>0</false_positive>
    </result_count>
    <severity>10.0</severity>
  </report>
</last_report>
<observers/>
<average_duration>1338</average_duration>
-<reports>
  -<report id="037c02e1-9b5b-46f1-bf5c-24f02a88a8e0">
    <timestamp>2024-03-02T05:28:30Z</timestamp>
    <scan_start>2024-03-02T05:28:39Z</scan_start>
    <scan_end>2024-03-02T05:50:57Z</scan_end>
    <scan_run_status>Done</scan_run_status>
    -<result_count>
      <debug>0</debug>
      <hole>19</hole>
      <info>3</info>
```

```
    <log>85</log>
    <warning>35</warning>
    <false_positive>0</false_positive>
  </result_count>
  <severity>10.0</severity>
</report>
</reports>
<result_count>135</result_count>
-<preferences>
  -<preference>
    <name>Maximum concurrently executed NVTs per host</name>
    <scanner_name>max_checks</scanner_name>
    <value>10</value>
  </preference>
  -<preference>
    <name>Maximum concurrently scanned hosts</name>
    <scanner_name>max_hosts</scanner_name>
    <value>30</value>
  </preference>
  -<preference>
    <name>Network Source Interface</name>
    <scanner_name>source_iface</scanner_name>
    <value/>
  </preference>
  -<preference>
    <name>Add results to Asset Management</name>
    <scanner_name>in_assets</scanner_name>
    <value>yes</value>
  </preference>
  -<preference>
    <name>Apply Overrides when adding Assets</name>
    <scanner_name>assets_apply_overrides</scanner_name>
    <value>yes</value>
  </preference>
  -<preference>
    <name>Min QOD when adding Assets</name>
    <scanner_name>assets_min_qod</scanner_name>
    <value>70</value>
  </preference>
  -<preference>
    <name>Auto Delete Reports</name>
    <scanner_name>auto_delete</scanner_name>
    <value>0</value>
  </preference>
  -<preference>
    <name>Auto Delete Reports Data</name>
    <scanner_name>auto_delete_data</scanner_name>
    <value>0</value>
  </preference>
```

```
</preferences>
</task>
-<filters id="">
  -<term>
    apply_overrides=0 min_qod=70 first=1 rows=10 sort=name
  </term>
  -<keywords>
    -<keyword>
      <column>apply_overrides</column>
      <relation>=</relation>
      <value>0</value>
    </keyword>
    -<keyword>
      <column>min_qod</column>
      <relation>=</relation>
      <value>70</value>
    </keyword>
    -<keyword>
      <column>first</column>
      <relation>=</relation>
      <value>1</value>
    </keyword>
    -<keyword>
      <column>rows</column>
      <relation>=</relation>
      <value>10</value>
    </keyword>
    -<keyword>
      <column>sort</column>
      <relation>=</relation>
      <value>name</value>
    </keyword>
  </keywords>
</filters>
-<sort>
  -<field>
    name
    <order>ascending</order>
  </field>
</sort>
<tasks start="1" max="1000"/>
-<task_count>
  1
  <filtered>1</filtered>
  <page>1</page>
</task_count>
</get_tasks_response>
```