उत्तरपूर्वीय पुलिस अकादमी / **North Eastern Police Academy**
(CBC & NABET ACCREDITED 'UTKRISHT' ORGANISATION)
भारत सरकार /**Govt. of India**
गृह मंत्रालय / **Ministry of Home Affairs**
उमसाव / **Umsaw,** मेघालय / **Meghalaya/ 793 123**
Tele & Fax – 0364-2572036
Email : nepa-meg@nic.in **:Website :** www.nepa.gov.in

No. NEPA/WS/RTI/01/2025/8880-82 **Dated 10/07-11- 2025.**

To,

Ms S Lamin Advocate

High Court of Meghalaya

Sub: Information sought under Right to Information Act, 2005 - regarding

With reference to the RTI application dated 10/10/2025 it is to state that your application is Money order of Rs. 10 has not been received by this office. After careful perusal of the money order receipt, it is found that instead of sending the money order to Public Information Officer of NEPA you have money ordered it to wrong address i.e. the public information office of Umsaw village.

However, the information as sought and as provided by DPIO is as under: -

1 & 2. There is one natural spring water source, one small natural stream and bore wells as sources of water in NEPA.
3. The storage capacity of water filtration plant is two lakhs liters' appx
4. There are seven bore wells within NEPA with the extraction capacity of ten thousand liters per day without any reserve.
5. Nil (No reservoirs)
6. Submersible pumps installed in seven bore wells are of 5 HP and in one of 10 HP. The capacity to draw ten thousand liters from each is there as per the requirement, to cater the need of water within NEPA for different messes.
7. All the submersible pumps as mentioned in para 6 of reply are not used on daily basis.
8. Yes there is a 0.25 MLD capacity water treatment plant installed in NEPA, installation of which was complete in January 2025, The frequency of water treatment twice a day.
9. Explanation and clarification cannot be provided under RTI Act.
10. One Water filtration plant as mentioned in para-8
11. In a year twice the water testing is done which has been started after the water treatment plant is installed in NEPA in January 2025.
12 & 13. PHED District laboratory Nongpoh Ri-bhoi conducted the water testing in January & March 2025. Reports enclosed
14. Yes, 10000 (Ten Thousand Liters per day) to nearby village.
15. The volumes of water being pumped vis various pumps in a day is between five to six lakh liters per day approximately. log details being a voluminous record, can be inspected on any working day in

7/11/25

उत्तर पूर्वीय पुलिस अकादमी भारत सरकार उमसाव, उमियाम, मेघालय पिन 793123

office hours after giving advance information within seven days from the date of receiving this information.
16. information does not exist.
17. Yes to regenerate underground water the borewells at different locations are only used in cases of emergencies or summers to cater the need further near four ponds have been made in which rain water is accumulated which seeps underground so that water table can be maintained.
18. Except the above ponds there is no rain water harvesting system.
19. Information does not exist.

If you are not satisfied with the information provided you may file an appeal within 30 days from the date of receiving this information.

Address of the First Appellate Authority

Director
North Eastern Police Academy
Umsaw, Umiam, Meghalaya
793123

7/11/23

(Jitendra Kumar Dwivedi)
DD(A)/CPIO, NEPA

Copy to:-

1. AV section NEPA for uploading on NEPA website in RTI section.

उत्तर पूर्वीय पुलिस अकादमी
सत्यमेव जयते
भारत सरकार
उमसाव, उमियाम, मेघालय पिन 793123

Government of Meghalaya
Office of the Executive Engineer PHE,
PHED District Laboratory Nongpoh Division
Meghalaya::: Ri Bhoi
TEST REPORT

129

TC-11421

Report No : 40(C)
URL No: TC114210000000077F

Date of Issue :22.01.2025
Discipline :Chemical

Group: Water
Sub-Group: Drinking Water

Sample Details

Sample ID	:MEGPHED/DLN/25/01/01
Sample Name	:Water
Type of source	:Spring
Collection point	: TP
Quantity received & container type	: 1 Ltr polyethylene bottle
Sample conditions on receipt	:Good
Sample submitted by Lab / Client	:NEPA WSS
Sampling Details if done by lab	:Sampling not done by lab
Date of collection	:20.01.2025
Date of receipt	:20.01.2025
Date of Analysis Started	:20.01.2025
Date of Analysis completed	:21.01.2025

Issued To

Name of scheme/ client : NEPA WSS
Contact Number : 9383290220

Address : Umsawkhwan Umsnin

Test Results:

Sr. No	Test parameter &Reference method	Unit	MAX LIMIT Req/Permissible as per IS 10500:2012 (Reaffirmed 2018)	Result
1	Color IS 3025(Part 4):2021	Hazen	5 : 15	1
2	Odour IS 3025(Part 5):2018	--	agreeable	agreeable
3	pH IS 3025 (Part 11):2022	--	6.5 - 8.5	6.50
4	Turbidity IS 3025 (Part 10):2023	NTU	1 : 5	2.08
5	Total Dissolved Solids IS 3025 (Part 16):2023	mg/l	500 : 2000	62
6	Chloride(as Cl) IS 3025(Part 32):1988 (Raffirmed Year:2019)	mg/l	250 : 1000	7.40
7	Total Alkalinity (as $CaCO_3$) IS 3025 (Part 23):2023	mg/l	200 : 600	10
8	Total Hardness (as $CaCO_3$) IS 3025 (Part 21):2009 (Reaffirmed Year: 2019)	mg/l	200 : 600	14
9	Free Residual Chlorine IS 3025 (Part 26):2021	mg/l	0.2 : 1.0	ND
10	Iron (as Fe) IS 3025 (Part 53):2024	mg/l	1 : NR	0.08

Note-1.The results relate only to the item tested i.e water as received from the customer
2-The sample will be retained for a period of seven days from the date of issue of report
3. Laboratory perform activities at temperature 25± 5°C and 50±20% RH
4. ND-Not detected, BDL-Below Detection Limit
5. This report shall not be used for legal or advertisement purpose

Remarks: The tested water sample conformed to IS 10500:2012(Reaffirmed Year :2018) in terms Of the above parameters only.

Review by:

Authorized By
Batkupar Pyrtuh
CHEMIST/WATER ANALYST
PHED NONGPOH

-----End of Report-----

Disclaimer: This report is issued by the Department upon client/Department request to assess the quality of water, as determined by the Laboratory personnel. The test results refer to only to sample/s submitted tested on the mentioned date. The report cannot be reproduced in full or part without the approval of the laboratory

Government of Meghalaya
Office of the Executive Engineer PHE,
PHED District Laboratory Nongpoh Division
Meghalaya::: Ri Bhoi
TEST REPORT

TC-11421

Report No : 40(B)
URL No: TC114210000000077F

Date of Issue :22.01.2025
Discipline :Bacteriological

Group: Water
Sub-Group: Drinking Water

Sample Details

Sample ID	:MEGPHED/DLN/25/01/01
Sample Name	:Water
Type of source	:Spring
Collection point	: TP
Quantity received & container type	: 500ml Sterilize Glass Bottle
Sample conditions on receipt	:Good
Sample submitted by Lab / Client	: Department
Sampling Details if done by lab	:Sampling not done by Lab
Date of collection	:20.01.2025
Date of receipt	:20.01.2025
Date of Analysis Started	:20.01.2025
Date of Analysis completed	:22.01.2025

Issued To
Name of scheme/ client : NEPA WSS
Contact Number : 9383290220

Address:Umsawkhwan,Umsning

Test Results:

1.	E.coli	Present/Absent	IS:15185:2016	Absent in 100 ml	Shall not be detectable in any 100ml sample
2.	Total Coliform	Present/Absent	IS:15185:2016	Absent in 100 ml	Shall not be detectable in any 100ml sample

Note-1.The results relate only to the item tested i.e. water as received from the customer
2-The sample will be retained for a period of Seven days from the date of issue of report
3. Laboratory perform activities at temperature 25± 5°C and 55±20% RH

Review by: Kharsahnoh

Authorized By
Lapyndaplin Kharsahnoh

------End of Report------

Disclaimer:
This report is issued by the Department upon client/Department request to assess the quality of water, as determined by the Laboratory personnel. The test results refer to only to sample/s submitted tested on the mentioned date. Microbiological results may change depending upon storage conditions. The report cannot be reproduced in full or part without the approval of the laboratory.

Government of Meghalaya
Office of the Executive Engineer PHE,
PHED District Laboratory Nongpoh Division
Meghalaya::: Ri Bhoi

Report No : 139(C)
URL No: TC114210000000091F

TEST REPORT

Date of Issue :19.03.2025
Discipline :Chemical

Group: Water
Sub-Group: Drinking Water

Sample Details

Sample ID	:MEGPHED/DLN/25/03/15
Sample Name	:Water
Type of source	:Spring
Collection point	:CWR
Quantity received & container type	:1 Ltr polyethylene bottle
Sample conditions on receipt	:Good
Sample submitted by Lab / Client	:NEPA WSS
Sampling Details if done by lab	:Sampling done by lab
Date of collection	:17.03.2025
Date of receipt	:17.03.2025
Date of Analysis Started	:17.03.2025
Date of Analysis completed	:18.03.2025

Issued To

Name of scheme/ client : NEPA WSS Address : Umsawkhwan
Contact Number : 9383290220

Test Results:

Sr. No	Test parameter &Reference method	Unit	MAX LIMIT Req/Permissible as per IS 10500:2012 (Reaffirmed 2018)	Result
1	Color IS 3025(Part 4):2021	Hazen	5 : 15	1
2	Odour IS 3025(Part 5):2018	--	agreeable	agreeable
3	pH IS 3025 (Part 11):2022	--	6.5 - 8.5	6.58
4	Turbidity IS 3025 (Part 10):2023	NTU	1 : 5	1.32
5	Total Dissolved Solids IS 3025 (Part 16):2023	mg/l	500 : 2000	45
6	Chloride(as Cl) IS 3025(Part 32):1988 (Raffirmed Year:2019)	mg/l	250 : 1000	9.57
7	Total Alkalinity (as $CaCO_3$) IS 3025 (Part 23):2023	mg/l	200 : 600	20
8	Total Hardness (as $CaCO_3$) IS 3025 (Part 21):2009 (Reaffirmed Year: 2019)	mg/l	200 : 600	21.56
9	Free Residual Chlorine IS 3025 (Part 26):2021	mg/l	0.2 : 1.0	ND
10	Iron (as Fe) IS 3025 (Part 53):2024	mg/l	1 : NR	0.21

Note-1.The results relate only to the item tested i.e water as received from the customer
2-The sample will be retained for a period of seven days from the date of issue of report
3. Laboratory perform activities at temperature 25± 5°C and 50±20% RH
4. ND-Not detected, BDL-Below Detection Limit
5. This report shall not be used for legal or advertisement purpose

Remarks: The tested water sample conformed to IS 10500:2012(Reaffirmed Year :2018) In terms Of the above parameters only.

Review by:

Authorized By
Barapani Division
PHED Meghalaya

------End of Report------

Disclaimer: This report is issued by the Department upon client/Department request to assess the quality of water, as determined by the Laboratory personnel. The test results refer to only to sample/s submitted tested on the mentioned date. The report cannot be reproduced in full or part without the approval of the laboratory

Government of Meghalaya
Office of the Executive Engineer PHE,
PHED District Laboratory Nongpoh Division
Meghalaya::: Ri Bhoi

Report No : 139(C)
URL No: TC114210000000091F

TEST REPORT

Date of Issue :19.03.2025
Discipline :Chemical

Group: Water
Sub-Group: Drinking Water

Sample Details

Sample ID	:MEGPHED/DLN/25/03/15
Sample Name	:Water
Type of source	:Spring
Collection point	:CWR
Quantity received & container type	:1 Ltr polyethylene bottle
Sample conditions on receipt	:Good
Sample submitted by Lab / Client	:NEPA WSS
Sampling Details if done by lab	:Sampling done by lab
Date of collection	:17.03.2025
Date of receipt	:17.03.2025
Date of Analysis Started	:17.03.2025
Date of Analysis completed	:18.03.2025

Issued To

Name of scheme/ client : NEPA WSS
Contact Number : 9383290220
Address : Umsawkhwan

Test Results:

Sr. No	Test parameter &Reference method	Unit	MAX LIMIT Req/Permissible as per IS 10500:2012 (Reaffirmed 2018)	Result
1	Color IS 3025(Part 4):2021	Hazen	5 : 15	1
2	Odour IS 3025(Part 5):2018	--	agreeable	agreeable
3	pH IS 3025 (Part 11):2022	--	6.5 - 8.5	6.58
4	Turbidity IS 3025 (Part 10):2023	NTU	1 : 5	1.32
5	Total Dissolved Solids IS 3025 (Part 16):2023	mg/l	500 : 2000	45
6	Chloride(as Cl) IS 3025(Part 32):1988 (Raffirmed Year:2019)	mg/l	250 : 1000	9.57
7	Total Alkalinity (as $CaCO_3$) IS 3025 (Part 23):2023	mg/l	200 : 600	20
8	Total Hardness (as $CaCO_3$) IS 3025 (Part 21):2009 (Reaffirmed Year: 2019)	mg/l	200 : 600	21.56
9	Free Residual Chlorine IS 3025 (Part 26):2021	mg/l	0.2 : 1.0	ND
10	Iron (as Fe) IS 3025 (Part 53):2024	mg/l	1 : NR	0.21

Note-1.The results relate only to the item tested i.e water as received from the customer
2-The sample will be retained for a period of seven days from the date of issue of report
3. Laboratory perform activities at temperature 25± 5°C and 50±20% RH
4. ND-Not detected, BDL-Below Detection Limit
5. This report shall not be used for legal or advertisement purpose

Remarks: The tested water sample conformed to IS 10500:2012(Reaffirmed Year :2018) in terms Of the above parameters only.

Review by:

Authorized By: [illegible]
Executive Engineer
PHED Ri Bhoi

------End of Report------

Disclaimer: This report is issued by the Department upon client/Department request to assess the quality of water, as determined by the Laboratory personnel. The test results refer to only to sample/s submitted tested on the mentioned date. The report cannot be reproduced in full or part without the approval of the laboratory