

```
Anaconda Prompt - conda in  +  v

(base) C:\Users\Alsa Munir>conda --version
conda 26.3.2

(base) C:\Users\Alsa Munir>conda create -n ai-bootcamp python=3.10
Do you accept the Terms of Service (ToS) for https://repo.anaconda.com/pkgs/main? [(a)ccept/(r)eject/(v)iew]: a
Do you accept the Terms of Service (ToS) for https://repo.anaconda.com/pkgs/r? [(a)ccept/(r)eject/(v)iew]: a
Do you accept the Terms of Service (ToS) for https://repo.anaconda.com/pkgs/msys2? [(a)ccept/(r)eject/(v)iew]: a
3 channel Terms of Service accepted
Retrieving notices: done
WARNING conda.core.prefix_data.validate_path(334): Environment paths should not contain spaces. Prefix: 'C:\Users\Alsa Munir\.conda\envs\ai-bootcamp'
Channels:
  - defaults
Platform: win-64
Collecting package metadata (repodata.json): done
Solving environment: done

==> WARNING: A newer version of conda exists. <==
current version: 26.3.2
latest version: 26.5.3

Please update conda by running

$ conda update -n base -c defaults conda

## Package Plan ##

environment location: C:\Users\Alsa Munir\.conda\envs\ai-bootcamp

added / updated specs:
- python=3.10

The following packages will be downloaded:

package | build |
-----|-----|
ca-certificates-2026.5.14 | haa95532_0 | 107 KB
```

The following packages will be downloaded:

package	build	
ca-certificates-2026.5.14	haa95532_0	107 KB
libexpat-2.8.2	hd7fb8db_1	125 KB
libffi-3.4.8	h42d73b9_3	118 KB
libzlib-1.3.2	h1c6eee0_0	63 KB
openssl-3.5.7	hbb43b14_0	8.9 MB
packaging-26.0	py310haa95532_0	166 KB
pip-26.1.2	pyhc872135_0	1.1 MB
python-3.10.20	hb00fc5c_1	15.3 MB
setuptools-82.0.1	py310haa95532_0	1.2 MB
sqlite-3.53.2	hee5a0db_0	944 KB
tzdata-2026b	he532380_0	118 KB
vc-14.3	h2df5915_12	16 KB
vc14_runtime-14.44.35208	h4927774_12	664 KB
vs2015_runtime-14.44.35208	ha6b5a95_12	16 KB
wheel-0.47.0	py310haa95532_0	81 KB
zlib-1.3.2	h1c6eee0_0	828 KB
Total:		29.8 MB

The following NEW packages will be INSTALLED:

bzip2	pkgs/main/win-64::bzip2-1.0.8-h2bbff1b_6
ca-certificates	pkgs/main/win-64::ca-certificates-2026.5.14-haa95532_0
libexpat	pkgs/main/win-64::libexpat-2.8.2-hd7fb8db_1
libffi	pkgs/main/win-64::libffi-3.4.8-h42d73b9_3
libzlib	pkgs/main/win-64::libzlib-1.3.2-h1c6eee0_0
openssl	pkgs/main/win-64::openssl-3.5.7-hbb43b14_0
packaging	pkgs/main/win-64::packaging-26.0-py310haa95532_0
pip	pkgs/main/noarch::pip-26.1.2-pyhc872135_0
python	pkgs/main/win-64::python-3.10.20-hb00fc5c_1
setuptools	pkgs/main/win-64::setuptools-82.0.1-py310haa95532_0
sqlite	pkgs/main/win-64::sqlite-3.53.2-hee5a0db_0
tk	pkgs/main/win-64::tk-8.6.15-hf199647_0
tzdata	pkgs/main/noarch::tzdata-2026b-he532380_0
ucrt	pkgs/main/win-64::ucrt-10.0.22621.0-haa95532_0
vc	pkgs/main/win-64::vc-14.3-h2df5915_12

```
Anaconda Prompt - conda in  x + v
Proceed ([y]/n)? y

Downloading and Extracting Packages:

Preparing transaction: done
Verifying transaction: done
Executing transaction: done
#
# To activate this environment, use
#
#     $ conda activate ai-bootcamp
#
# To deactivate an active environment, use
#
#     $ conda deactivate

Channel "defaults" has the following notices:
[info] -- Tue Jun  9 00:00:00 2026
PyTorch 2.12 with CUDA support is now available to install with your s

(base) C:\Users\Alsa Munir>conda activate ai-bootcamp

(ai-bootcamp) C:\Users\Alsa Munir>conda install numpy pandas matplotlib jupyter
3 channel Terms of Service accepted
Channels:
- defaults
Platform: win-64
Collecting package metadata (repodata.json): done
Solving environment: done

==> WARNING: A newer version of conda exists. <==
current version: 26.3.2
latest version: 26.5.3
```

Package Plan

environment location: C:\Users\Alsa Munir\.conda\envs\ai-bootcamp

added / updated specs:

- jupyter
- matplotlib
- numpy
- pandas

The following packages will be downloaded:

package	build	
anyio-4.12.1	py310haa95532_0	245 KB
argon2-cffi-25.1.0	py310haa95532_0	31 KB
argon2-cffi-bindings-25.1.0	py310h02ab6af_0	41 KB
asttokens-3.0.1	py310haa95532_0	60 KB
async-lru-2.0.5	py310haa95532_0	18 KB
attrs-26.1.0	py310h35db113_0	153 KB
babel-2.17.0	py310haa95532_0	13.3 MB
beautifulsoup4-4.15.0	py310haa95532_0	217 KB
blas-1.0	mk1	6 KB
bleach-6.4.0	py310haa95532_0	280 KB
bottleneck-1.4.2	py310h540bb41_1	121 KB
brotllicffi-1.2.0.0	py310h885b0b7_0	346 KB
cairo-1.18.4	he9e932c_0	637 KB
certifi-2026.6.17	py310haa95532_0	131 KB
cffi-2.0.0	py310h02ab6af_1	241 KB
charset-normalizer-3.4.4	py310haa95532_0	106 KB
colorama-0.4.6	py310haa95532_0	32 KB
comm-0.2.3	py310haa95532_0	15 KB
conpty-1.23.20211.0	h169ad4e_1	517 KB
contourpy-1.3.1	py310h214f63a_0	217 KB
cycler-0.12.1	py310haa95532_0	17 KB
debugpy-1.8.16	py310h885b0b7_1	3.0 MB
decorator-5.3.1	py310haa95532_0	39 KB
defusedxml-0.7.1	pyhd3eb1b0_0	23 KB
exceptiongroup-1.3.1	py310haa95532_0	41 KB

Proceed ([y]/n)? y

Downloading and Extracting Packages:

Preparing transaction: done
Verifying transaction: done
Executing transaction: - Overwriting existing link at C:\Users\Alsa Munir.

done

(ai-bootcamp) C:\Users\Alsa Munir>pip install seaborn
Unable to create process using 'C:\Users\Alsa Munir\.conda\envs\ai-bootcamp\python.exe "C:\Users\Alsa Munir\.conda\envs\ai-bootcamp\Scripts\pip-script.py" i
nstall seaborn'

(ai-bootcamp) C:\Users\Alsa Munir>python -m pip install seaborn

Collecting seaborn

Using cached seaborn-0.13.2-py3-none-any.whl.metadata (5.4 kB)

Requirement already satisfied: numpy!=1.24.0, >=1.20 in .\conda\envs\ai-bootcamp\lib\site-packages (from seaborn) (2.2.5)

Requirement already satisfied: pandas>=1.2 in .\conda\envs\ai-bootcamp\lib\site-packages (from seaborn) (2.3.3)

Requirement already satisfied: matplotlib!=3.6.1, >=3.4 in .\conda\envs\ai-bootcamp\lib\site-packages (from seaborn) (3.10.9)

Requirement already satisfied: contourpy>=1.0.1 in .\conda\envs\ai-bootcamp\lib\site-packages (from matplotlib!=3.6.1, >=3.4->seaborn) (1.3.1)

Requirement already satisfied: cycler>=0.10 in .\conda\envs\ai-bootcamp\lib\site-packages (from matplotlib!=3.6.1, >=3.4->seaborn) (0.12.1)

Requirement already satisfied: fonttools>=4.22.0 in .\conda\envs\ai-bootcamp\lib\site-packages (from matplotlib!=3.6.1, >=3.4->seaborn) (4.63.0)

Requirement already satisfied: kiwisolver>=1.3.1 in .\conda\envs\ai-bootcamp\lib\site-packages (from matplotlib!=3.6.1, >=3.4->seaborn) (1.4.9)

Requirement already satisfied: packaging>=20.0 in .\conda\envs\ai-bootcamp\lib\site-packages (from matplotlib!=3.6.1, >=3.4->seaborn) (26.0)

Requirement already satisfied: pillow>=8 in .\conda\envs\ai-bootcamp\lib\site-packages (from matplotlib!=3.6.1, >=3.4->seaborn) (11.1.0)

Requirement already satisfied: pyparsing>=3 in .\conda\envs\ai-bootcamp\lib\site-packages (from matplotlib!=3.6.1, >=3.4->seaborn) (3.2.5)

Requirement already satisfied: python-dateutil>=2.7 in .\conda\envs\ai-bootcamp\lib\site-packages (from matplotlib!=3.6.1, >=3.4->seaborn) (2.9.0.post0)

Requirement already satisfied: pytz>=2020.1 in .\conda\envs\ai-bootcamp\lib\site-packages (from pandas>=1.2->seaborn) (2026.2)

Requirement already satisfied: tzdata>=2022.7 in .\conda\envs\ai-bootcamp\lib\site-packages (from pandas>=1.2->seaborn) (2026.2)

Requirement already satisfied: six>=1.5 in .\conda\envs\ai-bootcamp\lib\site-packages (from python-dateutil>=2.7->matplotlib!=3.6.1, >=3.4->seaborn) (1.17.0)
)

Using cached seaborn-0.13.2-py3-none-any.whl (294 kB)

Installing collected packages: seaborn

Successfully installed seaborn-0.13.2

(ai-bootcamp) C:\Users\Alsa Munir>jupyter notebook

```
(ai-bootcamp) C:\Users\Alsa Munir>python -m notebook
[I 2026-07-01 00:59:39.535 ServerApp] Extension package jupyter_lsp took 0.1820s to import
[I 2026-07-01 00:59:39.664 ServerApp] Extension package jupyter_server_terminals took 0.1267s to import
[I 2026-07-01 00:59:40.025 ServerApp] jupyter_lsp | extension was successfully linked.
[I 2026-07-01 00:59:40.041 ServerApp] jupyter_server_terminals | extension was successfully linked.
[I 2026-07-01 00:59:40.049 ServerApp] jupyterlab | extension was successfully linked.
[I 2026-07-01 00:59:40.057 ServerApp] notebook | extension was successfully linked.
[I 2026-07-01 00:59:40.934 ServerApp] notebook_shim | extension was successfully linked.
[I 2026-07-01 00:59:40.991 ServerApp] notebook_shim | extension was successfully loaded.
[I 2026-07-01 00:59:40.991 ServerApp] jupyter_lsp | extension was successfully loaded.
[I 2026-07-01 00:59:40.991 ServerApp] jupyter_server_terminals | extension was successfully loaded.
[I 2026-07-01 00:59:41.012 LabApp] JupyterLab extension loaded from C:\Users\Alsa Munir\.conda\envs\ai-bootcamp\lib\site-packages\jupyterlab
[I 2026-07-01 00:59:41.012 LabApp] JupyterLab application directory is C:\Users\Alsa Munir\.conda\envs\ai-bootcamp\share\jupyter\lab
[I 2026-07-01 00:59:41.013 LabApp] Extension Manager is 'pypi'.
[I 2026-07-01 00:59:41.108 ServerApp] jupyterlab | extension was successfully loaded.
[I 2026-07-01 00:59:41.116 ServerApp] notebook | extension was successfully loaded.
[I 2026-07-01 00:59:41.116 ServerApp] Serving notebooks from local directory: C:\Users\Alsa Munir
[I 2026-07-01 00:59:41.116 ServerApp] Jupyter Server 2.20.0 is running at:
[I 2026-07-01 00:59:41.116 ServerApp] http://localhost:8888/tree?token=dc9e88326e839f8b37a6520315b6cf3719985dc09f74c87d
[I 2026-07-01 00:59:41.116 ServerApp] http://127.0.0.1:8888/tree?token=dc9e88326e839f8b37a6520315b6cf3719985dc09f74c87d
[I 2026-07-01 00:59:41.116 ServerApp] Use Control-C to stop this server and shut down all kernels (twice to skip confirmation).
[C 2026-07-01 00:59:41.207 ServerApp]
```

To access the server, open this file in a browser:

file:///C:/Users/Alsa%20Munir/AppData/Roaming/jupyter/runtime/jpserver-20464-open.html

Or copy and paste one of these URLs:

http://localhost:8888/tree?token=dc9e88326e839f8b37a6520315b6cf3719985dc09f74c87d

http://127.0.0.1:8888/tree?token=dc9e88326e839f8b37a6520315b6cf3719985dc09f74c87d

```
[I 2026-07-01 00:59:41.311 ServerApp] Skipped non-installed server(s): basedpyright, bash-language-server, dockerfile-language-server-nodejs, javascript-typescript-langserver, jedi-language-server, julia-language-server, pyrefly, pyright, python-language-server, python-lsp-server, r-languageserver, sql-language-server, texlab, typescript-language-server, unified-language-server, vscode-css-languageserver-bin, vscode-html-languageserver-bin, vscode-json-languageserver-bin, yaml-language-server
```

```
[I 2026-07-01 01:02:00.354 JupyterNotebookApp] 302 GET /tree (@::1) 0.00ms
```

```
[I 2026-07-01 01:02:36.226 ServerApp] Interrupted...
```

```
(ai-bootcamp) C:\Users\Alsa Munir>python -m notebook
```

```
[I 2026-07-01 01:02:39.789 ServerApp] jupyter_lsp | extension was successfully linked.
[I 2026-07-01 01:02:39.797 ServerApp] jupyter_server_terminals | extension was successfully linked.
[I 2026-07-01 01:02:39.805 ServerApp] jupyterlab | extension was successfully linked.
[I 2026-07-01 01:02:39.814 ServerApp] notebook | extension was successfully linked.
```

[C 2026-07-01 01:02:40.397 ServerApp]

To access the server, open this file in a browser:

file:///C:/Users/Alsa%Munir/AppData/Roaming/jupyter/runtime/jpserver-10032-open.html

Or copy and paste one of these URLs:

http://localhost:8888/tree?token=55cbc2dfb11a893239964f5497efb01dd0dc0803712c6cfa

http://127.0.0.1:8888/tree?token=55cbc2dfb11a893239964f5497efb01dd0dc0803712c6cfa

[I 2026-07-01 01:02:40.500 ServerApp] Skipped non-installed server(s): basedpyright, bash-language-server, dockerfile-language-server-nodejs, javascript-typescript-langserver, jedi-language-server, julia-language-server, pyrefly, pyright, python-language-server, python-lsp-server, r-languageserver, sql-language-server, texlab, typescript-language-server, unified-language-server, vscode-css-languageserver-bin, vscode-html-languageserver-bin, vscode-json-languageserver-bin, yaml-language-server

[I 2026-07-01 01:03:19.132 ServerApp] Creating new notebook in

[I 2026-07-01 01:03:19.688 ServerApp] Saving file at /Untitled.ipynb

[I 2026-07-01 01:03:19.849 ServerApp] Kernel started: 7208ad2b-4aa0-4fe9-bf37-f590588eea4f

[I 2026-07-01 01:03:21.894 ServerApp] Adapting from protocol version 5.3 (kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f) to 5.4 (client).

[I 2026-07-01 01:03:21.894 ServerApp] Adapting from protocol version 5.3 (kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f) to 5.4 (client).

[I 2026-07-01 01:03:21.897 ServerApp] Connecting to kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f.

[I 2026-07-01 01:03:21.919 ServerApp] Connecting to kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f.

[W 2026-07-01 01:03:21.937 ServerApp] The websocket_ping_timeout (90000) cannot be longer than the websocket_ping_interval (30000).

Setting websocket_ping_timeout=30000

[I 2026-07-01 01:03:21.953 ServerApp] Adapting from protocol version 5.3 (kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f) to 5.4 (client).

[I 2026-07-01 01:03:21.967 ServerApp] Connecting to kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f.

[I 2026-07-01 01:03:22.006 ServerApp] Adapting from protocol version 5.3 (kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f) to 5.4 (client).


[I 2026-07-01 01:03:22.007 ServerApp] Adapting from protocol version 5.3 (kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f) to 5.4 (client).

[I 2026-07-01 01:03:22.013 ServerApp] Connecting to kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f.

[I 2026-07-01 01:03:22.032 ServerApp] Connecting to kernel 7208ad2b-4aa0-4fe9-bf37-f590588eea4f.

[W 2026-07-01 01:03:22.098 ServerApp] Got events for closed stream <zmq.eventloop.zmqstream.ZMQStream object at 0x000001B6AE572410>

[I 2026-07-01 01:05:22.362 ServerApp] Saving file at /Untitled.ipynb





```
[6]: import sys
import numpy as np
import pandas as pd
print("Python:", sys.version)
print("NumPy:", np.__version__)
print("Pandas:", pd.__version__)
```



```
Python: 3.10.20 | packaged by Anaconda, Inc. | (main, Jun 11 2026, 15:13:20) [MSC v.1942 64 bit (AMD64)]
NumPy: 2.2.5
Pandas: 2.3.3
```

```
[7]: print("hello")
```

```
hello
```

```
[ ]:
```



File View Settings Help

Files

Running

Open

Download

Rename

Duplicate

Move to Trash

▼ New

⬆️ Upload

↻

/

[-] Name	Modified	File Size
☐ Searches	12 months ago	
☐ source	4 years ago	
☐ sqe	last year	
☐ venv	last year	
☐ Videos	12 months ago	
☐ YOLOX	last year	
☐ yolox_env	last year	
☐ Zotero	6 days ago	
☒ AI_Bootcamp.ipynb	20 minutes ago	1.5 KB