



MARA UNIVERSITY OF TECHNOLOGY
FACULTY OF COMPUTER AND MATHEMATICAL SCIENCES

Bachelor of Information Technology (HONS.)

CS240

(ICT600) Web Technology and Application

ASSIGNMENT

Individual Assignment

Prepared by:

NOR AIN FARHANA BINTI HAMDAN (2019636986)

CS2405C

Prepared for:

MADAM SUZANA BINTI ZAMBRI

Date of Submission: 23 December 2020


CONTENTS

1.0	INTRODUCTION.....	3
2.0	SYSTEM DESIGN.....	5
2.1	SITE MAP	5
2.2	UI DESIGN.....	6
3.0	IMPLEMENTATION	15
3.1	SYSTEM FUNCTION 1 (SIGN-UP / USER REGISTRATION)	15
3.2	SYSTEM FUNCTION 2 (LOGIN)	21
3.3	SYSTEM FUNCTION 3 (SEND REQUEST).....	27
3.4	SYSTEM FUNCTION 4 (VIEW AND EDIT REQUEST).....	32
3.5	SYSTEM FUNCTION 5 (EDIT PROFILE).....	40
3.6	SYSTEM FUNCTION 6 (APPROVE AND REJECT A REQUEST).....	46
4.0	CONCLUSION	55

1.0 INTRODUCTION

Currently MyTecc UiTM Pahang uses the Instagram to update the activities and introduce the club to the FSKM students in UiTM Raub. It used to use Twitter (<http://twitter.com/myteccpahang>) and Instagram (<http://instagram.com/myteccpahang>) as a platform to communicate with the club members.

The club has its own domain or website previously which is (<http://www.mytecc.club>) but it is no longer active. If there are any updates about the events of club, they will share everything on Instagram. Instagram is a good platform to share a lot of videos and pictures. Mostly the club uses Instagram to upload the all the events photos and updates. This is because a lot of students love to use Instagram as social media. A lot of infographics can be used to attract the students to join the events. Besides, not everyone loves reading, they would prefer messages in the graphic form such as poster, infographic and etc.




One of the weaknesses of current platform used by the club is, it has no registration page or database to store the students or member club details. The club distributed a google form to collect all the members details as the registration form. Any registration or application members want to make, they will sign up using the form.

Besides, we also cannot visit the club's Instagram as visitor. We must login our Instagram to know updates or about the club. Sometimes it annoys someone to login the Instagram first just for seeing photos. So, Instagram is not suitable for visitor who have Instagram account.

For the improvement for MyTecc Club webpage, I would suggest a system which has registration form for member registration, a form request for use of equipment, update profile for members and approve or reject a request for admin to manage the requests. The system would be convenient for students to get approval for any requests or applications. They also can check the status anytime and anywhere. If the club using the google form, it is difficult for club members to check their statuses and it is difficult for admin too, to check the status and inform them. The user also can update details if there are any changes. So, the system could help both user and admin for the club operation.

2.0 SYSTEM DESIGN


2.1 SITE MAP



MyTecc Site Map - <https://drive.google.com/file/d/1TCL8bvh9MJu2fvJKK-G2-5FKfvtgRj0Q/view?usp=sharing>

2.2 UI DESIGN


index.php



gallery.php




Sign-up.php

 MyTecc UITM


HomeAbout UsGallery


Sign UpLogin





Complete your details and submit


Sign up as MyTecc Member


 Full Name


 Email


 Password


 --Gender--

 Address

 City


 Postcode

 State

 Country


Confirm Sign Up

login.php

 MyTecc UITM


HomeAbout UsGallery


Sign UpLogin



Log in


Enter your email and password

 Email

 Password

Login

dashboard.php (Home)

 MyTecc UITM Home


Application RequestRequest ListsUser ListsLogout

Hi! Welcome Ain Farhana!


User Profile

Full Name	Ain Farhana
Email	admin
Gender	Female
Address	08-1-06 Rosana Ville
City	Puchong
Postcode	47130
State	Selangor
Country	Malaysia

request.php (user)


 MyTecc UITM Home


RequestRequest ListRequest StatusView ProfileLogout





Request Form for Program Equipment Use


Equipment Provided: Bunting Stand, Extension Wire, Easel Stand, Red Carpet and LED Fairy Light


 Full Name


 Phone Number

 Program Name

 Program Organizer

 Program Venue

 mm/dd/yyyy

 --:-- --

Request

request_list.php (user)

MyTecc

UITM

Home

Request

Request List

Request Status

View Profile

Logout

Request List

The list of all application sent by you to be approved.

Request ID	Full Name	Phone Number	Program Name	Program Organizer	Program Venue	Program Date	Program Time	Program Date	Status	Action
6	Fariya	0183529289	Adobe Illustrator Workshop	MyTecc	Dewan Al-Ghazali	2020-01-18	10:00	2020-12-22	PENDING	<div><div>Edit</div><div>Delete</div></div>

status.php (user)

MyTecc

UITM

Home

Request

Request List

Request Status

View Profile

Logout

Request Status

The list of all application approved/rejected and pending.

Request ID	Full Name	Phone Number	Program Name	Program Organizer	Program Venue	Program Date	Program Time	Program Date	Status
2	Fariya	0183529289	Bengkel Excel 1	MyTecc Club UITM	Dewan Kuliah 300 Blok Sarjana	2021-01-18	10:00	2020-12-21	REJECTED
6	Fariya	0183529289	Adobe Illustrator Workshop	MyTecc	Dewan Al-Ghazali	2020-01-18	10:00	2020-12-22	PENDING

profile.php (user)

MyTecc UITM Home

RequestRequest ListRequest StatusView ProfileLogout

Update/Edit Profile

Farisa

farisa@gmail.com

Female

Cyberjaya

Selangor

63000

Selangor

Malaysia

Update

Clear

request_approval.php (admin)

MyTecc UITM Home


Application RequestRequest ListsUser ListsLogout


Application Request

The list of all application sent by students to be approved.

Req ID	User ID	Full Name	Phone Number	Program Name	Program Organizer	Program Venue	Program Date	Program Time	Program Date	Action
5	4	Muhammad	0182993864	Program Tilawah Al Quran	MyTecc	Dewan Al-Biruni	2020-01-20	08:00	2020-12-21	<div>Approve</div>
6	3	Farisa	0183529289	Adobe Illustrator Workshop	MyTecc	Dewan Al-Ghazali	2020-01-18	10:00	2020-12-22	<div>Approve</div>

approval.php (admin)



MyTecc UITM
Home
Application Request
Request Lists
User Lists
Logout



Approve or Reject a Request

Approve
Reject

approved-request.php (admin)



MyTecc UITM
Home
Application Request
Request Lists
User Lists
Logout

Request List

The list of all application approved/rejected and pending.

Request ID	User ID	Full Name	Phone Number	Program Name	Program Organizer	Program Venue	Program Date	Program Time	Program Date	Status
1	2	Alman	0175649242	Flutter Workshop	FSKM	Dewan Titiwangsa	2021-02-12	08:30	2020-12-21	APPROVED
2	3	Fariya	0183529289	Bengkel Excel 1	MyTecc Club UITM	Dewan Kuliah 300 Blok Sarjana	2021-01-18	10:00	2020-12-21	REJECTED
5	4	Muhammad	0182993864	Program Tilawah Al Quran	MyTecc	Dewan Al-Biruni	2020-01-20	08:00	2020-12-21	PENDING
6	3	Fariya	0183529289	Adobe Illustrator Workshop	MyTecc	Dewan Al-Ghazali	2020-01-18	10:00	2020-12-22	PENDING

Users.php

 MyTecc UITM Home

Application RequestRequest ListsUser ListsLogout

User Lists


User Profile

User ID	Full Name	Student ID	Gender	Address	City	Postcode	State	Country
2	Alman	alman@gmail.com	Male	No 13 Jalan Puchong Batu 8	Puchong	47100	Selangor	Malaysia
3	Farisyah	farisyah@gmail.com	Female	Cyberjaya	Selangor	63000	Selangor	Malaysia
4	Muhammad	muhammad@gmail.com	Male	No 5 Jalan Sikamat	Seremban	70400	Negeri Sembilan	Malaysia

3.0 IMPLEMENTATION

3.1 SYSTEM FUNCTION 1 (SIGN-UP / USER REGISTRATION)

User can create an account to be a member of MyTecc Club. User must fill up the form by entering their full name, email, password, gender and address. Once the student sign-up or create the account they can login to access the homepage.



Code:

```
<!DOCTYPE html>
<html lang="en">
<style>
body{
    background-image: url("Images/grid.gif");
    background-repeat: repeat;
    background-attachment: fixed;
}

</style>

<head>
    <title>Sign Up</title>
    <link rel="icon" href="./img/logo.jpg" type="image/gif"
sizes="16x16">

    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.cs
s">
```

```

    <!-- jQuery library -->
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></s
cript>

    <!-- Latest compiled JavaScript -->
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js">
</script>
</head>

<nav class="navbar navbar-default">
<div class="container-fluid">
    <div class="navbar-header">
        
    </div>

    <div class="navbar-header">
        <a class="navbar-brand" href="#">MyTecc UiTM</a>
    </div>
    <ul class="nav navbar-nav">
        <li><a href="#">Home</a></li>
        <li><a href="about-us.php">About Us</a></li>
        <li><a href="gallery.php">Gallery</a></li>

    </ul>
    <div class="collapse navbar-collapse" id="myNavbar">
        <ul class="nav navbar-nav navbar-right">
            <li class="active"><a href="sign-up.php"><span class="glyphicon
glyphicon-user"></span> Sign Up</a></li>
            <li><a href="login.php"><span class="glyphicon glyphicon-log-
in"></span> Login</a></li>
        </ul>
    </div>
</div>
</nav>

<div class="container">
    <div class="jumbotron">
        <br>
        <center><br><h5>Complete your
details and submit</h5></center>
        <fieldset><center><legend><h2>Sign up as MyTecc
Member</h2></legend></center>
            <?php if(!isset($_POST['signup']))
            {
                if($userEmail='')
                {
                    $valid[]="<div class='alert alert-success'
role='alert' style='text-align:center'><strong>Please see your username
for verification link!</strong><br/><a href='login.php'><strong>Proceed to
Login</strong></a></div>";
                }
            }

```



```

                                if(isset($valid))
                                {
                                    foreach($valid as $valid){
                                        echo "<div
class='alert alert-danger' role='alert' style='text-
align:center'><strong>". $error."</strong><strong></strong></a></div>";
                                        }
                                    }
                                if(isset($success))
                                {
                                    foreach($success as
$success){
                                        echo "<div
class='alert alert-success' role='success' style='text-
align:center'><strong>". $success."</strong><strong></strong></a></div>";
                                        }
                                    }
                                }

                                ?>

                                <form align = "" role="form" method="post" data-
toggle="validator" action="<?php echo $_SERVER['PHP_SELF']; ?>">
                                <ul align="center">
                                <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
                                    <div class="col-xs-20">
                                        <div class="input-group">
                                            <span class="input-group-addon"><span class="glyphicon
glyphicon-user"></span></span>
                                                <input type="name"
name="userFullname" class="form-control" placeholder="Full Name" >
                                            </div>
                                        </div>
                                    </li>
                                    <p><br>
                                    </ul>
                                    <ul align="center">
                                    <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
                                        <div class="col-xs-20">
                                            <div class="input-group">
                                                <span class="input-group-addon"><span class="glyphicon
glyphicon-envelope"></span></span>
                                                    <input type="text" name="userEmail"
class="form-control" placeholder="Email">
                                                </div>
                                            </div>
                                        </li>
                                        </ul>
                                        <p><br>
                                        <ul align="center">
                                        <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
                                            <div class="col-xs-20">
                                                <div class="input-group">

```

```

        <span class="input-group-addon"><span class="glyphicon
glyphicon-lock"></span></span>
        <input type="password"
name="userPass" class="form-control" placeholder="Password" >
        </div>
    </div>
    </li>
</ul>
<p><br>
<ul align="center">
<li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
        <div class="col-xs-20">
            <div class="input-group">
                <span class="input-group-
addon"><span class="glyphicon glyphicon-question-sign"></span></span>
                <select name="userGender"
id="userGender" class="form-control">
                    <option class="form-
control">--Gender--</option>
                    <option value="Male"
class="form-control">Male</option>
                    <option
value="Female">Female</option>
                </select>
            </div>
        </div>
    </li>
</ul>
<p><br>
<ul align="center">
<li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
        <div class="col-xs-20">
            <div class="input-group">
                <span class="input-group-addon"><span class="glyphicon
glyphicon-home"></span></span>
                <input type="text"
name="userAddress" class="form-control" placeholder="Address" >
            </div>
        </div>
    </li>
</ul>
<p><br>
<ul align="center">
<li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
        <div class="col-xs-20">
            <div class="input-group">
                <span class="input-group-addon"><span class="glyphicon
glyphicon-map-marker"></span></span>
                <input type="text" name="userCity"
class="form-control" placeholder="City" >
            </div>
        </div>
    </li>
</ul>

```

```

                <p><br>
                <ul align="center">
                <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
                    <div class="col-xs-20">
                        <div class="input-group">
                            <span class="input-group-addon"><span class="glyphicon
glyphicon-info-sign"></span></span>
                                <input type="text"
name="userPostcode" class="form-control" placeholder="Postcode" >
                            </div>
                        </div>
                    </li>
                </ul>
                <p><br>
                <ul align="center">
                <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
                    <div class="col-xs-20">
                        <div class="input-group">
                            <span class="input-group-addon"><span class="glyphicon
glyphicon-send"></span></span>
                                <input type="text" name="userState"
class="form-control" placeholder="State" >
                            </div>
                        </div>
                    </li>
                </ul>
                <p><br>
                <ul align="center">
                <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
                    <div class="col-xs-20">
                        <div class="input-group">
                            <span class="input-group-addon"><span class="glyphicon
glyphicon-flag"></span></span>
                                <input type="text"
name="userCountry" class="form-control" placeholder="Country" >
                            </div>
                        </div>
                    </li>
                </ul>
                <ul>
                <p><br>
                <li style="list-style-type: none;" align="center">
                    <input type="submit" class="btn btn-default btn-lg"
value="Confirm Sign Up" name="signup">
                </li>
                </ul>
                </form></fieldset>
                <?php
} else {
    $userFullName = $_POST['userFullname'];
    $userEmail = $_POST['userEmail'];
    $userPass = $_POST['userPass'];
    $userGender = $_POST['userGender'];
    $userAddress = $_POST['userAddress'];

```

```

$userCity = $_POST['userCity'];
$userPostcode = $_POST['userPostcode'];
$userState = $_POST['userState'];
$userCountry = $_POST['userCountry'];

$userType = 'user'; // usertype

require 'dbcon.php';
// Check if username already exist
$stmtHandler = dbConnect()->prepare("SELECT userEmail FROM users
WHERE userEmail = :userEmail");
$stmtHandler->bindParam(':userEmail', $userEmail);
$stmtHandler->execute();

//if($stmtHandler->rowCount() > 0){
//    echo "<div class='alert alert-danger' role='alert'
style='text-align:center'><strong>The username has been used</strong><a
href='forgotten_password.php'><strong>Request a new
password?</strong></a></div>";
//} else {
//    // Prepaire SQL Statement
$query = dbconnect()->prepare("INSERT INTO users (userFullname,
userEmail, userPass, userGender, userAddress, userCity, userPostcode,
userState, userCountry, userType)
VALUES
(:userFullname, :userEmail, :userPass, :userGender, :userCit
y, :userPostcode, :userState, :userCountry, :userType)");

    $query->bindParam(':userFullname', $_POST['userFullname']);
    $query->bindParam(':userEmail', $_POST['userEmail']);
    $query->bindParam(':userPass', $_POST['userPass']);
    $query->bindParam(':userGender', $_POST['userGender']);
    $query->bindParam(':userAddress', $_POST['userAddress']);
    $query->bindParam(':userCity', $_POST['userCity']);
    $query->bindParam(':userPostcode', $_POST['userPostcode']);
    $query->bindParam(':userState', $_POST['userState']);
    $query->bindParam(':userCountry', $_POST['userCountry']);
    $query->bindParam(':userType', $userType);

    if($query->execute()){

        echo "<div class='alert alert-success' role='alert'
style='text-align:center'><strong>Please see your username for
verification link!</strong><br/><a href='login.php'><strong>Proceed to
Login</strong></a></div>";

    }


}

?>
</div>
</body>
</html>

```

3.2 SYSTEM FUNCTION 2 (LOGIN)

User can login by entering email and password. If email or password is invalid, the user cannot login into the homepage. The screenshot below shows the example of the given email or password did not match or invalid. The system can retrieve whether the user is a normal user or an admin. If user, the navigation bar will show Request, Request Lists, Request Status and View File as the menu list for user. If admin, Application Requests, Request Lists, User Lists will be shown on the navigation bar.



Code:

```
<?php include "listmenu.php"; ?>
<!DOCTYPE html>
<html lang="en">
<style>

</style>

<head>
  <title>Log in</title>
  <link rel="icon" href="./img/logo.jpg" type="image/gif"
sizes="16x16">

  <!-- Latest compiled and minified CSS -->
  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.cs
s">

  <!-- jQuery library -->
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></s
cript>

  <!-- Latest compiled JavaScript -->
```

```

<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js">
</script>
</head>

<nav class="navbar navbar-default">
<div class="container-fluid">
<div class="navbar-header">

</div>

<div class="navbar-header">
<a class="navbar-brand" href="#">MyTecc UiTM</a>
</div>
<ul class="nav navbar-nav">
<li class=""><a href="#">Home</a></li>
<li><a href="about-us.php">About Us</a></li>
<li><a href="gallery.php">Gallery</a></li>
</ul>
<div class="collapse navbar-collapse" id="myNavbar">
<ul class="nav navbar-nav navbar-right">
<li><a href="sign-up.php"><span class="glyphicon glyphicon-
user"></span> Sign Up</a></li>
<li class="active"><a href="login.php"><span class="glyphicon
glyphicon-log-in"></span> Login</a></li>
</ul>
</div>
</div>
</nav>
<body>

<div class="container">
<div class="jumbotron">
<br>

<center></center>

<center><legend><h2>Log in</h2></legend></center>
<H4 align="center">Enter your email and password</H4><br>
<?php
session_start();
//require 'lib/password.php';
require 'dbcon.php';

if(!isset($_POST['loginUser']))
{ ?>
<form role="form" method="post" action="<?php echo
$_SERVER['PHP_SELF']; ?>">
<ul align="center">
<li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
<div class="col-xs-20">
<div class="input-group">
<span class="input-
group-addon"><span class="glyphicon glyphicon-user"></span></span>

```

```

name="userEmail" id="userEmail" class="form-control" placeholder="Email"
required="required">
                                </div>
                                </div>
                                </li>
                                </ul><p><br>
                                <ul align="center">
                                <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                                <div class="col-xs-20">
                                <div class="input-group">
                                <span class="input-
group-addon"><span class="glyphicon glyphicon-lock"></span></span>
                                <input
type="password" name="userPass" id="userPass" class="form-control"
placeholder="Password" required="required">
                                </div>
                                </li>
                                </ul>
                                <p><br>
                                <ul align="center">
                                <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                                <input type="submit" class="btn btn-
default btn-md" name="loginUser" value="Login">
                                </li>
                                </ul>
                                </form>
                                <?php
} else {
    $userEmail = $_POST['userEmail'];
    $userPass = $_POST['userPass'];
    // Encrypt Password
    //$encrypted = md5($userpassword);
    // Include Database Connection
    require_once 'dbcon.php';

    $result = dbconnect()->prepare("SELECT userType, userEmail, userID,
userPass FROM users WHERE userEmail = :userEmail AND
userPass= :userPass");
    $result->bindParam(':userEmail', $userEmail);
    $result->bindParam(':userPass', $userPass);
    $result->execute();
    $rows = $result->fetch();

    $userType = @$rows['userType'];
    $userID = @$rows['userID'];

    if($rows > 0)
    {

        session_start();
        $_SESSION['userType'] = $userType;
        $_SESSION['userEmail'] = $userEmail;

```

```

        $_SESSION['userID'] = $userID;
        header("Location: dashboard.php");
    }
    else
    {
        echo "<div class='alert alert-danger' role='alert'
style='text-align:center'><strong>Your details did not match or you are
not yet registered!<br/></strong><a
href='forgotten_password.php'><strong>Request a new
password?</strong></a><br/><a href='login.php'><strong>Retry
Login?</strong></a></div>";
    }
}
?>

</div>

</body>
</html>

```

Code: (listmenu for two roles / users)

```

<?php

function home()
{
    if(empty($_SESSION['userType']))
    {
        echo '<a class="navbar-brand"
href="home.php">Index</a>';
    }
    else
    {
        echo '<a class="navbar-brand"
href="dashboard.php">Home</a>';
    }
}

function listmenu()
{
    if(empty($_SESSION['userType']))
    {
        echo '<li class="hidden">
        <a href="#page-top"></a>
        </li>
        <li>
            <a class="page-scroll" href="signup.php">
            <span class="glyphicon glyphicon-user"></span>
            Sign Up
            </a>
        </li>
        <li>
            <a class="page-scroll" href="login.php">
            <span class="glyphicon glyphicon-log-
in"></span> Login

```



```

        </a>
    </li>';
}
else
{
    $userEmail=$_SESSION['userEmail'];
    $userType = $_SESSION['userType'];
    if($userType == 'admin')
    {
        echo '<li class="hidden">
            <a href="#page-top"></a>
        </li>

        <li>
            <a class="page-scroll"
            href="request_approval.php">
            <span class="glyphicon glyphicon-
            paperclip"></span> Application Request</a>
        </li>
        <li>
            <a class="page-scroll" href="approved-
            request.php">
            <span class="glyphicon glyphicon-
            list"></span> Request Lists</a>
        </li>
        <li>
            <a class="page-scroll" href="users.php">
            <span class="glyphicon glyphicon-
            user"></span> User Lists
            </a>
        </li>
        <li>
            <a class="page-scroll" href="logout.php">
            <span class="glyphicon glyphicon-log-
            out"></span> Logout
            </a>
        </li>';
    }
    else if($userType == 'user')
    {
        echo '<li class="hidden">
            <a href="#page-top"></a>
        </li>
        <li>
            <a class="page-scroll" href="request.php">
            <span class="glyphicon glyphicon-
            paperclip"></span> Request
            </a>
        </li>
        <li>
            <a class="page-scroll"
            href="request_list.php">
            <span class="glyphicon glyphicon-
            list"></span> Request List
            </a>
        </li>
        <li>

```

```

        <a class="page-scroll" href="status.php">
        <span class="glyphicon glyphicon-list-
        alt"></span> Request Status
        </a>
    </li>
    <li>
        <a class="page-scroll" href="update-
        profile.php">
        <span class="glyphicon glyphicon-
        user"></span> View Profile
        </a>
    </li>
    <li>
        <a class="page-scroll" href="logout.php">
        <span class="glyphicon glyphicon-log-
        out"></span> Logout
        </a>
    </li>';
    }
}
?>

```

3.3 SYSTEM FUNCTION 3 (SEND REQUEST)

User can request to use equipment from MyTecc club by filling in the form. User must enter details such as full name, phone number, program name, organizer, venue, program date and time. After click the request button, the request will be sent to the database to be approved by admin.

The screenshot shows a web browser window with the MyTecc UITM logo in the top left corner. The top navigation bar includes links for Home, Request, Request List, Request Status, View Profile, and Logout. The main content area features a large red 'M' logo with 'TECC' underneath. Below the logo, the title 'Request Form for Program Equipment Use' is displayed, followed by a list of provided equipment: Bunting Stand, Extension Wire, Easel Stand, Red Carpet and LED Fairy Light. The form itself consists of several input fields: Full Name, Phone Number, Program Name, Program Organizer, Program Venue, a date field (mm/dd/yyyy), and a time field (h:mm). A 'Request' button is located at the bottom of the form.

Code:

```
<?php session_start();

include "listmenu.php";
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <title>Request</title>
    <link rel="icon" href="./img/logo.jpg" type="image/gif"
    sizes="16x16">

    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
    scale=1">
    <link rel="stylesheet"
    href="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css"
    ">
    <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></
    script>
    <script
    src="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/js/bootstrap.min.js"><
    /script>

    </head>
```

```

</head>

<nav class="navbar navbar-default">
<div class="container-fluid">
    <div class="navbar-header">
        
    </div>

    <div class="navbar-header">
        <a class="navbar-brand" href="#">MyTecc UiTM</a>
    </div>
    <ul class="nav navbar-nav">
        <li><a href="dashboard.php">Home</a></li>

    </ul>

    <div class="collapse navbar-collapse" id="myNavbar">
        <ul class="nav navbar-nav navbar-right">
            <?php listmenu(); ?>
        </ul>
    </div>
</div>
</nav>

<div class="container">
<div class="jumbotron">
<br>
<center></center>
    <fieldset><center><legend><h4>Request Form for Program
Equipment Use</h4><h5>Equipment Provided: Bunting Stand, Extension Wire,
Easel Stand, Red Carpet and LED Fairy Light</h5></legend></center>
        <?php if(!isset($_POST['signup']))
        {
            if($userUsername='')
            {
                $valid[]="<div class='alert alert-success'
role='alert' style='text-align:center'><strong>Please see your username
for verification link!</strong><br/><a href='login.php'><strong>Proceed to
Login</strong></a></div>";
            }

            if(isset($valid))
            {
                foreach($valid as $valid){
                    echo "<div
class='alert alert-danger' role='alert' style='text-align:center'><strong>".
$error."</strong><strong></strong></a></div>";
                }
            }
            if(isset($success))
            {
                foreach($success as

```

```

                                echo "<div
class='alert alert-success' role='success' style='text-
align:center'><strong>". $success. "</strong><strong></strong></a></div>";
                                }
                                }

?>

        <form align = "" role="form" method="post" data-
toggle="validator" action="<?php echo $_SERVER['PHP_SELF']; ?>">
        <ul align="center">
        <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
            <div class="col-xs-20">
                <div class="input-group">
                    <span class="input-group-addon"><span class="glyphicon
glyphicon-user"></span></span>
                                <input type="name" name="reqNam"
class="form-control" placeholder="Full Name" >
                                </div>
                </div>
                </li>
                <p><br>
                </ul>
                <ul align="center">
                <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
                    <div class="col-xs-20">
                        <div class="input-group">
                            <span class="input-group-addon"><span class="glyphicon
glyphicon-phone"></span></span>
                                <input type="username"
name="reqPhone" class="form-control" placeholder="Phone Number">
                                </div>
                        </div>
                        </li>
                        </ul>
                        <p><br>
                        <ul align="center">
                        <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
                            <div class="col-xs-20">
                                <div class="input-group">
                                    <span class="input-group-addon"><span class="glyphicon
glyphicon-th"></span></span>
                                        <input type="text" name="reqProgram"
class="form-control" placeholder="Program Name" >
                                        </div>
                                </div>
                                </li>
                                </ul>
                                <p><br>
                                <ul align="center">
                                <li class="col-md-4 col-md-offset-4" style="list-style-
type: none;">
                                    <div class="col-xs-20">

```

```


<span class="glyphicon glyphicon-briefcase"></span></span>

<span class="glyphicon glyphicon-map-marker"></span></span>

<span class="glyphicon glyphicon-calendar"></span></span>

<span class="glyphicon glyphicon-time"></span></span>



30


```

```

        </li>
        </ul>
    </form></fieldset>
    <?php
} else {
    $userID = $_SESSION['userID'];
    $reqNam = $_POST['reqNam'];
    $reqPhone = $_POST['reqPhone'];
    $reqProgram = $_POST['reqProgram'];
    $reqOrganizer = $_POST['reqOrganizer'];
    $reqVenue = $_POST['reqVenue'];
    $reqDate = $_POST['reqDate'];
    $reqTime = $_POST['reqTime'];
    $appDate = date('Y-m-d');

    $status = 'PENDING'; // set the status PENDING

    require 'dbcon.php';

    $query = dbconnect()->prepare("INSERT INTO requests (userID,
reqNam, reqPhone, reqProgram, reqOrganizer, reqVenue, reqDate, reqTime,
appDate,
    status)
VALUES
(:userID, :reqNam, :reqPhone, :reqProgram, :reqOrganizer, :reqVenue, :reqD
ate, :reqTime, :appDate, :status)");
    $query->bindParam(':userID', $userID);
    $query->bindParam(':reqNam', $_POST['reqNam']);
    $query->bindParam(':reqProgram', $_POST['reqProgram']);
    $query->bindParam(':reqOrganizer', $_POST['reqOrganizer']);
    $query->bindParam(':reqPhone', $_POST['reqPhone']);
    $query->bindParam(':reqVenue', $_POST['reqVenue']);
    $query->bindParam(':reqDate', $_POST['reqDate']);
    $query->bindParam(':reqTime', $_POST['reqTime']);
    $query->bindParam(':appDate', $appDate);
    $query->bindParam(':status', $status);

    if($query->execute()){

        echo "<div class='alert alert-success' role='alert'
style='text-align:center'><strong>Your form will be
approved!</strong><br/><a href='dashboard.php'><strong>Back to
Home</strong></a></div>";

    }

}

?>
</div>
</body>
</html>

```

3.4 SYSTEM FUNCTION 4 (VIEW AND EDIT REQUEST)

The user can view the list of requests that are still pending. The lists can be deleted or edit. If the user clicks the edit button, it will go to edit page for the request. User can edit the details there.

Request List										
The list of all application sent by you to be approved.										
Request ID	Full Name	Phone Number	Program Name	Program Organizer	Program Venue	Program Date	Program Time	Program Date	Status	Action
6	Fariya	0183529289	Adobe Illustrator Workshop	MyTecc	Dewan Al-Ghazali	2020-01-18	10:00	2020-12-22	PENDING	Edit Delete

Code:

```
<?php
session_start();

$userType = $_SESSION['userType'];
$userID = $_SESSION['userID'];
include "listmenu.php";
include "dbcon.php";
$query = dbConnect()->prepare("SELECT * FROM requests where userID
= $userID && status = 'PENDING' ");
$query->execute();

?>

<!DOCTYPE html>
<html lang="en">

<head>
<style>

label.error {
    color: #FB3A3A;
}
</style>

<title>Request Lists</title>
<link rel="icon" href="./img/logo.jpg" type="image/gif"
sizes="16x16">

<meta charset="utf-8">
```



```

        <meta name="viewport" content="width=device-width, initial-
scale=1">
        <link rel="stylesheet"
href="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css
">
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></
script>
        <script
src="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/js/bootstrap.min.js"><
/script>
                </head>

        <script type="text/javascript">
                function getCookieBase() {
                        return 'GETAFREE';
                }
        </script>

        <link href="css/homepage.css" type="text/css" rel="stylesheet" />
        <script src="js/modernizr2.6.2.min.js"
type="text/javascript"></script>
        <link rel="stylesheet" href="css/dropdown.css" type="text/css">

<script>
$(document).ready(function() {
        $(''[data-toggle="tooltip"]').tooltip();
});
</script>

</style>
</head>

        <nav class="navbar navbar-default">
        <div class="container-fluid">
                <div class="navbar-header">
                        
                </div>

                <div class="navbar-header">
                        <a class="navbar-brand" href="#">MyTecc UiTM</a>
                </div>
                <ul class="nav navbar-nav">
                        <li><a href="dashboard.php">Home</a></li>

                </ul>

                <div class="collapse navbar-collapse" id="myNavbar">
                        <ul class="nav navbar-nav navbar-right">
                                <?php listmenu(); ?>
                        </ul>
                </div>
        </div>
</nav>

```

```

<center><H3>Request List</H3></center>
<div class="row">

    <div class="panel panel-default">
        <div class="panel-heading">
            <h3 class="panel-title"><i
class="fa fa-list"></i></h3><span class="glyphicon glyphicon-
list"></span> The list of all application sent by you to be approved.
            </h3>
        </div>
        <div class="panel-body">
            <div class="table-
responsive">
                <table class="table
table-bordered table-hover table-striped">
                    <tr>
                        <th>Request ID</th>
                        <th
width="150">Full Name</th>
                        <th
width="150">Phone Number</th>
                        <th
width="150">Program Name</th>
                        <th
width="150">Program Organizer</th>
                        <th
width="150">Program Venue</th>
                        <th
width="150">Program Date</th>
                        <th
width="150">Program Time</th>
                        <th
width="150">Program Date</th>
                        <th
width="150">Status</th>
                        <th
colspan=2>Action</th>
                    </tr>
                    <?php while
                    { ?>
                    <tr>

                        <td><?php echo $row['reqID'];?></td>

                        <td><?php echo $row['reqNam'];?></td>

                        <td><?php echo $row['reqPhone'];?></td>

                        <td><?php echo $row['reqProgram'];?></td>

                        <td><?php echo $row['reqOrganizer'];?></td>

                        <td><?php echo $row['reqVenue'];?></td>

                        <td><?php echo $row['reqDate'];?></td>

```



```

$update->bindParam(':reqOrganizer', $reqOrganizer);
$update->bindParam(':reqVenue', $reqVenue);
$update->bindParam(':reqDate', $reqDate);
$update->bindParam(':reqTime', $reqTime);
$update->execute();

header('Location: request_list.php');

}
$query = dbConnect()->prepare("SELECT * FROM requests
WHERE
reqID = :reqID");
$query->bindParam(':reqID', $reqID);
$query->execute();
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html>
<head>
<title>Edit/Update Request</title>
<link rel="icon" href="./img/logo.jpg" type="image/gif" sizes="16x16">

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-
scale=1">
<link rel="stylesheet"
href="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css"
">
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></
script>
<script
src="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/js/bootstrap.min.js"><
/script>

</head>

<script type="text/javascript">
function getCookieBase() {
return 'GETAFREE';
}
</script>

<link href="css/homepage.css" type="text/css" rel="stylesheet" />
<script src="js/modernizr2.6.2.min.js"
type="text/javascript"></script>
<link rel="stylesheet" href="css/dropdown.css" type="text/css">

<script>
$(document).ready(function() {
$('[data-toggle="tooltip"]').tooltip();
});
</script>

```

```

</style>
</head>

    <nav class="navbar navbar-default">
    <div class="container-fluid">
        <div class="navbar-header">
            
        </div>

        <div class="navbar-header">
            <a class="navbar-brand" href="#">MyTecc UiTM</a>
        </div>
        <ul class="nav navbar-nav">
            <li><a href="dashboard.php">Home</a></li>

        </ul>

        <div class="collapse navbar-collapse" id="myNavbar">
            <ul class="nav navbar-nav navbar-right">
                <?php listmenu(); ?>
            </ul>
        </div>
    </div>
</nav>

<div class="container">
    <div class="jumbotron">
        <br>
        <center></center>
        <br><?php $result = $query->fetch(PDO::FETCH_LAZY); ?>

        <center><legend><h4>Update/Edit a Request</h4><h5>Edit your request
if any corrections</h5></legend></center>
        <form name="myForm" method="post" action="" onsubmit="return
confirm('Are sure to update your profile?');" autocomplete="off" >
            <ul align="center">
                <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                    <div class="col-xs-20">
                        <div class="input-group">
                            <span class="input-
group-addon"><span class="glyphicon glyphicon-user"></span></span>
                            <input type="text"
name="reqNam" id="reqNam" class="form-control" value="<?php echo
$result['reqNam'];?>" required="required">
                        </div>
                    </div>
                </li>
            </ul>
            <p><br>
            <ul align="center">
                <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                    <div class="col-xs-20">
                        <div class="input-group">
                            <span class="input-
group-addon"><span class="glyphicon glyphicon-phone"></span></span>

```

```

<input type="text"
name="reqPhone" id="reqPhone" class="form-control" value="php echo
$result['reqPhone'];?&gt;" required="required"&gt;

        &lt;/div&gt;
    &lt;/li&gt;
&lt;/ul&gt;&lt;p&gt;&lt;br&gt;
&lt;ul align="center"&gt;
    &lt;li class="col-md-4 col-md-offset-4"
style="list-style-type: none;"&gt;
        &lt;div class="col-xs-20"&gt;
            &lt;div class="input-group"&gt;
                &lt;span class="input-
group-addon"&gt;&lt;span class="glyphicon glyphicon-th"&gt;&lt;/span&gt;&lt;/span&gt;
                &lt;input type="text"
name="reqProgram" id="reqProgram" class="form-control" value="<?php echo
$result['reqProgram'];?&gt;" required="required"&gt;

            &lt;/div&gt;
        &lt;/li&gt;
&lt;/ul&gt;&lt;p&gt;&lt;br&gt;
&lt;ul align="center"&gt;
    &lt;li class="col-md-4 col-md-offset-4"
style="list-style-type: none;"&gt;
        &lt;div class="col-xs-20"&gt;
            &lt;div class="input-group"&gt;
                &lt;span class="input-
group-addon"&gt;&lt;span class="glyphicon glyphicon-briefcase"&gt;&lt;/span&gt;&lt;/span&gt;
                &lt;input type="text"
name="reqOrganizer" id="reqOrganizer" class="form-control" value="<?php
echo $result['reqOrganizer'];?&gt;" required="required"&gt;

            &lt;/div&gt;
        &lt;/li&gt;
&lt;/ul&gt;
&lt;p&gt;&lt;br&gt;
&lt;ul align="center"&gt;
    &lt;li class="col-md-4 col-md-offset-4"
style="list-style-type: none;"&gt;
        &lt;div class="col-xs-20"&gt;
            &lt;div class="input-group"&gt;
                &lt;span class="input-
group-addon"&gt;&lt;span class="glyphicon glyphicon-map-marker"&gt;&lt;/span&gt;&lt;/span&gt;
                &lt;input type="text"
name="reqVenue" id="reqVenue" class="form-control" value="<?php echo
$result['reqVenue'];?&gt;" required="required"&gt;

            &lt;/div&gt;
        &lt;/li&gt;
&lt;/ul&gt;
&lt;p&gt;&lt;br&gt;
&lt;ul align="center"&gt;
    &lt;li class="col-md-4 col-md-offset-4"
style="list-style-type: none;"&gt;
        &lt;div class="col-xs-20"&gt;
            &lt;div class="input-group"&gt;
</pre

```

```

                                <span class="input-
group-addon"><span class="glyphicon glyphicon-briefcase"></span></span>
                                <input type="date"
name="reqDate" id="reqDate" class="form-control" value="<?php echo
$result['reqDate'];?>" required="required">

                                </div>
                                </li>
                                </ul>
                                <p><br>
                                <ul align="center">
                                <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                                <div class="col-xs-20">
                                <div class="input-group">
                                <span class="input-
group-addon"><span class="glyphicon glyphicon-briefcase"></span></span>
                                <input type="time"
name="reqTime" id="reqTime" class="form-control" value="<?php echo
$result['reqTime'];?>" required="required">

                                </div>
                                </li>
                                </ul>
                                <p><br>
                                <ul align="center">
                                <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                                <input type="submit" name="update"
class="btn btn-default" value="Update" />
                                <input type="reset" name="clear"
class="btn btn-default" value="Clear" />

                                <?php
                                if (isset($_POST['update'])) {
                                    echo "<div class='alert
alert-success' role='alert' style='text-align:center'><strong>Update
Successful!<strong>Proceed to Login</a></div>";
                                }

                                if(isset($error)){
                                foreach($error as $error){
                                    echo '<p class="bg-danger">'.$error.'</p>';
                                }

                                }?>

                                </li>
                                </ul>
                                </form>
                                <br><br><br><br><br><br><br><br><br><br>
                                </div>
                                </div>
                                </center>
                                </body>
                                </html>

```

3.5 SYSTEM FUNCTION 5 (EDIT PROFILE)

User can edit or change details if there any changes in the profile.php page

The screenshot shows a web application interface for 'MyTecc UITM'. The top navigation bar includes links for 'Request', 'Request List', 'Request Status', 'View Profile', and 'Logout'. The main content area is titled 'Update/Edit Profile' and features a form with the following fields: Username (Farisya), Email (farisya@gmail.com), Password (masked with ****), Gender (Female), Address (Cyberjaya), City (Sepang), Postcode (63000), State (Selangor), and Country (Malaysia). At the bottom of the form are 'Update' and 'Clear' buttons.

```
<?php
session_start();

$userType = $_SESSION['userType'];
$userEmail = $_SESSION['userEmail'];
$userID = $_SESSION['userID'];
include "listmenu.php";
include "dbcon.php";

if(isset($_POST['update']))
{
    $userID = $_SESSION['userID'];
    $userFullname = $_POST['userFullname'];
    $userEmail = $_POST['userEmail'];
    $userPass = $_POST['userPass'];
    $userGender = $_POST['userGender'];
    $userAddress = $_POST['userAddress'];
    $userCity = $_POST['userCity'];
    $userPostcode = $_POST['userPostcode'];
    $userState = $_POST['userState'];
    $userCountry = $_POST['userCountry'];

    $update = dbConnect()->prepare("UPDATE users SET
userFullname = :userFullname, userEmail = :userEmail, userPass
= :userPass, userGender = :userGender, userAddress = :userAddress,
userCity = :userCity, userPostcode = :userPostcode, userState
= :userState, userCountry = :userCountry WHERE userID = :userID");
    $update->bindParam(':userID', $userID);
    $update->bindParam(':userFullname', $userFullname);
    $update->bindParam(':userEmail', $userEmail);
    $update->bindParam(':userPass', $userPass);
    $update->bindParam(':userGender', $userGender);
```



```

        $update->bindParam(':userAddress', $userAddress);
        $update->bindParam(':userCity', $userCity);
        $update->bindParam(':userPostcode', $userPostcode);
        $update->bindParam(':userState', $userState);
        $update->bindParam(':userCountry', $userCountry);

        $update->execute();

        header('Location: update-profile.php');

    }

    $query = dbConnect()->prepare("SELECT * FROM users
                                WHERE
                                userID = :userID");
    $query->bindParam(':userID', $userID);
    $query->execute();
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html>
<head>
<title>Edit/Update Profile</title>
    <link rel="icon" href="./img/logo.jpg" type="image/gif" sizes="16x16">

    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1">
    <link rel="stylesheet"
href="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css
">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></
script>
    <script
src="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/js/bootstrap.min.js"><
/script>

        </head>

        <script type="text/javascript">
            function getCookieBase() {
                return 'GETAFREE';
            }
        </script>

        <link href="css/homepage.css" type="text/css" rel="stylesheet" />
        <script src="js/modernizr2.6.2.min.js"
type="text/javascript"></script>
        <link rel="stylesheet" href="css/dropdown.css" type="text/css">

<script>
$(document).ready(function() {
    $('[data-toggle="tooltip"]').tooltip();

```

```

});
</script>

</style>
</head>

    <nav class="navbar navbar-default">
    <div class="container-fluid">
        <div class="navbar-header">
            
        </div>

        <div class="navbar-header">
            <a class="navbar-brand" href="#">MyTecc UiTM</a>
        </div>
        <ul class="nav navbar-nav">
            <li><a href="dashboard.php">Home</a></li>

        </ul>

        <div class="collapse navbar-collapse" id="myNavbar">
            <ul class="nav navbar-nav navbar-right">
                <?php listmenu(); ?>
            </ul>
        </div>
    </div>
</nav>

<div class="container">
    <div class="jumbotron">
        <br>
        <center></center>
        <br><?php $result = $query->fetch(PDO::FETCH_LAZY); ?>

        <center><legend><h4>Update/Edit Profile</h4></legend></center>
        <form name="myForm" method="post" action="" onsubmit="return
confirm('Are sure to update your profile?');" autocomplete="off" >
            <ul align="center">
                <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                    <div class="col-xs-20">
                        <div class="input-group">
                            <span class="input-
group-addon"><span class="glyphicon glyphicon-user"></span></span>
                            <input
type="username" name="userFullname" id="userFullname" class="form-control"
value="<?php echo $result['userFullname'];?>" required="required">
                        </div>
                    </div>
                </li>
            </ul>
            <p><br>
            <ul align="center">
                <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                    <div class="col-xs-20">
                        <div class="input-group">

```

```

                                <span class="input-
group-addon"><span class="glyphicon glyphicon-envelope"></span></span>
                                <input type="text"
name="userEmail" id="userEmail" class="form-control" value="<?php echo
$result['userEmail'];?>" required="required">

                                </div>
                        </li>
</ul><p><br>
<ul align="center">
    <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                                <div class="col-xs-20">
                                    <div class="input-group">
                                        <span class="input-
group-addon"><span class="glyphicon glyphicon-lock"></span></span>
                                        <input
type="password" name="userPass" id="userPass" class="form-control"
value="<?php echo $result['userPass'];?>" required="required">

                                </div>
                        </li>
</ul><p><br>
<ul align="center">
    <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                                <div class="col-xs-20">
                                    <div class="input-group">
                                        <span class="input-
group-addon"><span class="glyphicon glyphicon-question-
sign"></span></span>
                                        <input type="text"
name="userGender" id="userGender" class="form-control" value="<?php echo
$result['userGender'];?>" required="required">

                                </div>
                        </li>
</ul>
<p><br>
<ul align="center">
    <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                                <div class="col-xs-20">
                                    <div class="input-group">
                                        <span class="input-
group-addon"><span class="glyphicon glyphicon-home"></span></span>
                                        <input type="text"
name="userAddress" id="userAddress" class="form-control" value="<?php echo
$result['userAddress'];?>" required="required">

                                </div>
                        </li>
</ul>
<p><br>
<ul align="center">
    <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">

```

```


44


```

```

        <ul align="center">
            <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
                <input type="submit" name="update"
class="btn btn-default" value="Update" />
                <input type="reset" name="clear"
class="btn btn-default" value="Clear" />

                <?php
                    if (isset($_POST['update'])) {
                        echo "<div class='alert
alert-success' role='alert' style='text-align:center'><strong>Update
Successful!<strong>Proceed to Login</a></div>";
                    }


                    if(isset($error)){
                        foreach($error as $error){
                            echo '<p class="bg-danger">'.$error.'</p>';
                        }
                    }
                }?>

            </li>
        </ul>
    </form>
    <br>
</div>
</div>
</center></body>
</html>

```

3.6 SYSTEM FUNCTION 6 (APPROVE AND REJECT A REQUEST)


Admin can view the list of requests to be approved or rejected. When admin clicks the approved button, it will go to the approval.php where admin can approve or reject the request.



Application Request

The list of all application sent by students to be approved.

Req ID	User ID	Full Name	Phone Number	Program Name	Program Organizer	Program Venue	Program Date	Program Time	Program Date	Action
5	4	Muhammad	0182993864	Program Tilawah Al Quran	MyTecc	Dewan Al-Biruni	2020-01-20	08:00	2020-12-21	<button>Approve</button>
6	3	Farisya	0183529289	Adobe Illustrator Workshop	MyTecc	Dewan Al-Ghazali	2020-01-18	10:00	2020-12-22	<button>Approve</button>



Approve or Reject a Request

Approve Reject

Code:

```
<?php
session_start();

    $userType = $_SESSION['userType'];
    include "listmenu.php";
    include "dbcon.php";
    $query = dbConnect()->prepare("SELECT * FROM requests where status
= 'PENDING'");
    $query->execute();

?>

<!DOCTYPE html>
<html lang="en">

<head>
<style>

label.error {
    color: #FB3A3A;

}
</style>

    <title>Application Request</title>
    <link rel="icon" href="./img/logo.jpg" type="image/gif"
sizes="16x16">

    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1">
    <link rel="stylesheet"
href="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css
">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></
script>
    <script
src="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/js/bootstrap.min.js"><
/script>

        </head>

        <script type="text/javascript">
            function getCookieBase() {
                return 'GETAFREE';
            }
        </script>

        <link href="css/homepage.css" type="text/css" rel="stylesheet" />
        <script src="js/modernizr2.6.2.min.js"
type="text/javascript"></script>
        <link rel="stylesheet" href="css/dropdown.css" type="text/css">

<script>
```

```

$(document).ready(function(){
    $('[data-toggle="tooltip"]').tooltip();
});
</script>

</style>
</head>

<nav class="navbar navbar-default">
<div class="container-fluid">
    <div class="navbar-header">
        
    </div>

    <div class="navbar-header">
        <a class="navbar-brand" href="#">MyTecc UiTM</a>
    </div>
    <ul class="nav navbar-nav">
        <li><a href="dashboard.php">Home</a></li>

    </ul>

    <div class="collapse navbar-collapse" id="myNavbar">
        <ul class="nav navbar-nav navbar-right">
            <?php listmenu(); ?>
        </ul>
    </div>
</nav>

<div class="container">
    <div class="jumbotron">
        <center><H3>Application Request</H3></center>
        <div class="row">
            <div class="col-9">
                <div class="panel panel-default">
                    <div class="panel-heading">
                        <h3 class="panel-title"><i
class="fa fa-list"></i></h3><span class="glyphicon glyphicon-
list"></span> The list of all application sent by students to be approved.
                        </h3>
                    </div>
                    <div class="panel-body">
                        <div class="table-
responsive">
                            <table class="table
table-bordered table-hover table-striped">
                                <tr>

                                    <th>Req ID</th>

                                    <th>User ID</th>

                                    <th>Full Name</th>

                                    <th>Phone Number</th>

```


Code (approve and reject a request):

```
<?php
session_start();

$userType = $_SESSION['userType'];
$userEmail = $_SESSION['userEmail'];
$userID = $_SESSION['userID'];
$reqID = @$_GET['reqID'];

include "listmenu.php";
include "dbcon.php";

if(isset($_POST['update']))
{
    $status = 'APPROVED';

    $update = dbConnect()->prepare("UPDATE requests SET status
= :status WHERE reqID = :reqID");
    $update->bindParam(':reqID', $reqID);
    $update->bindParam(':status', $status);
    $update->execute();

    header('Location: approved-request.php');
}

if(isset($_POST['reject']))
{
    $status = 'REJECTED';

    $update = dbConnect()->prepare("UPDATE requests SET status
= :status WHERE reqID = :reqID");
    $update->bindParam(':reqID', $reqID);
    $update->bindParam(':status', $status);
    $update->execute();

    header('Location: approved-request.php');
}

$query = dbConnect()->prepare("SELECT * FROM requests
WHERE
reqID = :reqID");
$query->bindParam(':reqID', $reqID);
$query->execute();
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html>
<head>
<title>Edit/Update Profile</title>
    <link rel="icon" href="./img/logo.jpg" type="image/gif" sizes="16x16">

    <meta charset="utf-8">
```

```

        <meta name="viewport" content="width=device-width, initial-
scale=1">
        <link rel="stylesheet"
href="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css
">
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></
script>
        <script
src="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/js/bootstrap.min.js"><
/script>
                </head>

                <script type="text/javascript">
                        function getCookieBase() {
                                return 'GETAFREE';
                        }
                </script>

                <link href="css/homepage.css" type="text/css" rel="stylesheet" />
                <script src="js/modernizr2.6.2.min.js"
type="text/javascript"></script>
                <link rel="stylesheet" href="css/dropdown.css" type="text/css">

<script>
$(document).ready(function() {
        $('[data-toggle="tooltip"]').tooltip();
});
</script>

</style>
</head>

        <nav class="navbar navbar-default">
        <div class="container-fluid">
                <div class="navbar-header">
                        
                </div>

                <div class="navbar-header">
                        <a class="navbar-brand" href="#">MyTecc UiTM</a>
                </div>
                <ul class="nav navbar-nav">
                        <li><a href="dashboard.php">Home</a></li>

                </ul>

                <div class="collapse navbar-collapse" id="myNavbar">
                        <ul class="nav navbar-nav navbar-right">
                                <?php listmenu(); ?>
                        </ul>
                </div>
        </div>
</nav>

<div class="container">

```

```

<div class="jumbotron">
<br>
<center></center>
  <br><?php $result = $query->fetch(PDO::FETCH_LAZY); ?>

  <center><legend><h4>Approve or Reject a
Request</h4></legend></center>
  <form name="myForm" method="post" action="" onsubmit="return
confirm('Are sure to approved or reject the request?');"
autocomplete="off" >
    <ul align="center">
      <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
        <div class="col-xs-20">
          <div class="input-group">
            <span class="input-
group-addon"><span class="glyphicon glyphicon-user"></span></span>
            <input type="text"
name="reqNam" id="reqNam" class="form-control" value="<?php echo
$result['reqNam'];?>" required="required">
          </div>
        </div>
      </li>
    </ul>
    <p><br>
    <ul align="center">
      <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
        <div class="col-xs-20">
          <div class="input-group">
            <span class="input-
group-addon"><span class="glyphicon glyphicon-phone"></span></span>
            <input type="text"
name="reqPhone" id="reqPhone" class="form-control" value="<?php echo
$result['reqPhone'];?>" required="required">
          </div>
        </div>
      </li>
    </ul><p><br>
    <ul align="center">
      <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
        <div class="col-xs-20">
          <div class="input-group">
            <span class="input-
group-addon"><span class="glyphicon glyphicon-th"></span></span>
            <input type="text"
name="reqProgram" id="reqProgram" class="form-control" value="<?php echo
$result['reqProgram'];?>" required="required">
          </div>
        </div>
      </li>
    </ul><p><br>
    <ul align="center">
      <li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
        <div class="col-xs-20">

```

```


<span class="glyphicon glyphicon-briefcase"></span></span>
<span class="glyphicon glyphicon-map-marker"></span></span>
<span class="glyphicon glyphicon-briefcase"></span></span>
<span class="glyphicon glyphicon-briefcase"></span></span>



53


```

```

<li class="col-md-4 col-md-offset-4"
style="list-style-type: none;">
        <input type="submit" name="update"
class="btn btn-primary" value="Approve" />
        <input type="submit" name="reject"
class="btn btn-danger" value="Reject" />

        <?php
            if (isset($_POST['update'])) {
                echo "<div class='alert
alert-success' role='alert' style='text-align:center'><strong>Update
Successful!<strong>Proceed to Login</strong></a></div>";
            }

            if(isset($error)){
                foreach($error as $error){
                    echo '<p class="bg-danger">'.$error.'</p>';
                }
            }
        }?>

    </li>
</ul>
</form>
<br><br><br><br><br><br><br><br><br><br><br>
</div>
</center></body>
</html>

```

4.0 CONCLUSION

In conclusion, the website provides an easier way to users and admin to access the activity of the clubs. Especially for the members of MyTecc Club to use the equipment. They need to fill in the form request to use the equipment and waiting for approval from person in charge. With the approval system, they can easily check status of their requests and the admin or the person in charge can approve or reject the requests anytime and it saves time and convenient.