Architectural, Economic, and Algorithmic Analysis of the airig.ai Co-operative Network

1. Introduction: The Evolution and Stagnation of Traditional AI Affiliate Economics

The proliferation of artificial intelligence software has catalyzed a parallel explosion in digital distribution mechanisms, primarily driven by performance-based affiliate partnerships. In traditional paradigms, software companies leverage decentralized networks of content creators, agencies, and direct marketers to bypass the high customer acquisition costs (CAC) associated with traditional advertising. These standard AI affiliate programs optimize for volume by offering uniquely tracked referral links that reward referrers when a conversion occurs.[1]

Because Software as a Service (SaaS) products operate on near-zero marginal costs of replication, they inherently possess a high customer lifetime value (LTV) relative to their infrastructure overhead. This fundamental unit economic advantage allows AI software developers to offer aggressively high recurring commission rates, which routinely fluctuate between 20% and 50% of the gross subscription revenue.[2] Notable examples within the current market ecosystem include Copy.ai, which incentivizes marketers with a 45% commission on first-year subscription payments [3], and HeadshotPro, which operates on a flatter model offering a 30% commission across all direct referrals.[3] Other platforms prioritize administrative simplicity by deploying cost-per-acquisition (CPA) models [4] or utilizing fixed-dollar recurring payouts, such as issuing exactly $10 per month for every active referral, relying on automated monthly chron-jobs to calculate and dispatch payouts.[5]

While these conventional models efficiently incentivize rapid customer acquisition by lowering product adoption barriers through creator-led educational tutorials, hands-on support, and case studies [2], they are architecturally flat. They optimize exclusively for direct, first-degree conversions and largely fail to capitalize on the recursive power of deep network economics, algorithmic matrix management, or systemic philanthropic integration. They are purely transactional systems that treat the affiliate as an external mercenary rather than an integrated, structurally critical component of the platform’s survival.

In stark contrast to these flat architectures, the airig.ai ecosystem introduces a highly complex, mathematically bounded "Co-operative Living Economy".[6] Originating as a specialized, condensed shard from the broader AING.ai manifest conceptualized in 2014, and further evolving through the MaBalTrix system architecture of 2024, the airig.ai framework completely re-engineers the socioeconomic incentives of digital distribution.[6] It transitions the affiliate model

from a linear payout schema into a self-healing, topological matrix. This report provides an exhaustive analysis of the system's dual commission formulas, the psychological mechanisms enforcing its Empathy Gates, its algorithmic self-healing redistribution properties, and the precise engineering specifications required to deploy a zero-dependency interactive simulation calculator modeled for both localized and macro-scale network saturation.

2. Macroeconomic Stabilization: The 70% Immortal Company Vault

The most critical vulnerability of any multi-tiered affiliate network or hyper-growth SaaS platform is the destabilization of operational capital during periods of acute market volatility. Traditional software platforms scale their operational expenditures (server provisioning, computational API overhead, human capital) linearly alongside network growth, creating structural fragilities when user acquisition slows or churn rates spike. The airig.ai architecture mathematically neutralizes this risk through a rigid, immutable capital allocation protocol known as the "Company Vault".[6]

2.1 The Mathematics of Corporate Immortality

Under the foundational doctrine of the airig.ai framework, incoming subscription revenue is permanently and algorithmically bifurcated. Exactly 30% of funds are maintained in constant, liquid circulation.[6] This capital pool is strictly reserved for network participants, the system algorithms, and charitable integration pools. The remaining 70% of subscription revenue is sequestered immediately into the Company Vault.[6]

This 70% allocation is strictly designated to cover essential infrastructural costs. In the context of intensive AI applications, this primarily dictates server maintenance, computational processing power, data storage, and staff remuneration.[6] By permanently fixing this ratio, the architecture enforces what the system formally defines as "Mathematical Certainty," an operational state expressed by the underlying logic:

$$\frac{x}{x} = \text{Mathematical Certainty} = \text{Immortal Company}$$

This doctrine dictates that as long as baseline subscription revenue exists to trigger the initial 70% vault allocation, the corporate entity remains perpetually solvent.[6] It mathematically immunizes the central organization against external market volatility, sudden shifts in consumer acquisition costs, or macroeconomic downturns.[6]

The second-order psychological effect of this structural rigidity is the generation of absolute systemic trust. In many multi-level or complex affiliate architectures, the parent company eventually collapses under the weight of its own commission liabilities, cannibalizing user earnings to keep the servers online. By guaranteeing corporate immortality through the immutable 70% vault, the system assures its affiliates that the 30% circulation pool will never be

diluted or redirected to cover corporate operational deficits. The company operates merely as an infrastructural utility, managing the servers that house the true economy flowing within the 30% matrix.

3. Structural Topology: Network Capacity and Algorithmic Self-Healing

Traditional multi-level marketing structures encourage infinite, unsustainable geometric expansion—pyramidal topologies that ultimately collapse under their own weight when the market reaches saturation. To counteract this entropic outcome, the airig.ai network strictly limits localized organic expansion to a fixed matrix of exactly 1,110 slots per primary user.[6] This structural boundary ensures that localized networks remain sustainable, manageable, and mathematically predictable.

3.1 The Tri-Level Geometric Matrix

The network capacity for a user's localized shard expands exponentially across three strictly governed levels of depth:

1. **Level 1 (The Squad):** Constrained to exactly 10 slots.[6]
2. **Level 2 (The Managers):** Constrained to exactly 100 slots.[6]
3. **Level 3 (The Foundation / The Gold Mine):** Constrained to exactly 1,000 slots.[6]

The total theoretical capacity for any user's discrete localized matrix is therefore capped at 1,110 slots.[6] By permanently capping the depth at Level 3, the system fundamentally circumvents the dilution of the 30% circulation pool. There is no Level 4.[6] The revenue generation tree terminates at the Level 3 Foundation layer, ensuring that all upstream commission percentages remain fixed, fully funded, and mathematically sound without requiring infinite downstream recruitment.

3.2 Localized Stimulus: The 5-Donation Velocity Rule

To prevent matrix stagnation, accelerate organic growth, and maintain high network velocity, the architecture integrates a specific mechanism known as the "5-Donation Rule".[6] Under this protocol, any active user possesses the structural capacity to bypass their direct frontline and "gift" exactly five referrals directly into subordinate slots located deep within their Level 2 or Level 3 matrices.[6]

This creates a powerful, top-down localized stimulus. It empowers highly efficient, top-tier network participants to strategically fortify weak topological sectors within their downline matrix. By injecting active users into stagnant nodes, the primary user ensures that their subordinate participants remain engaged and financially incentivized, thereby securing the structural integrity of the overall localized matrix.[6]

3.3 Algorithmic Redistribution and Decay Mitigation

Network decay—the phenomenon where users abandon a platform, leaving behind inactive, "dead" nodes that choke the upward flow of capital—is the primary failure vector in all complex affiliate economics. The airig.ai system resolves this through an advanced AI-driven self-healing architecture.[6]

When a participant ceases activity and departs the network, the System AI detects the anomaly and dynamically redistributes the abandoned slot according to strict internal operational rules.[6] This algorithmic intervention ensures that the 30% circulation pool never stagnates inside dead nodes. Instead, the capital routing is instantly rewritten to flow seamlessly to active network participants and the integrated charitable pools without experiencing microsecond interruptions.[6] This self-healing mechanism is explicitly engineered to support and maintain a target network retention rate exceeding 80%, an exceptionally high metric for digital distribution models.[6]

4. Dual-Layered Commission Topologies: Model A vs. Model B

The 30% capital circulation pool is not distributed homogeneously across the user base. Instead, the routing algorithms direct capital through two distinct, mathematically inverted economic models depending on the precise nature of the revenue generated. These models—Model A for software subscriptions and Model B for hardware and digital commerce—are highly optimized to incentivize diametrically opposed behavioral patterns within the network topology.[6]

4.1 Model A: Subscription Co-operative (20 / 4 / 2 / 2%)

Model A governs the recurring revenue generated by core software subscriptions. It is specifically engineered to provide massive upfront capital for direct sales while simultaneously maintaining a long-tail residual yield across the bounded 1,110-slot matrix.[6] Based on a normalized "Per 100" metric base (e.g., a $100 software license), the revenue distribution is mathematically routed as follows:

- **Direct Referral (20%):** A dominant 20.00 units per 100 is credited instantly to the direct referrer.[6] This instant liquidity mimics the aggressive direct-acquisition incentives seen in standard AI affiliate programs, providing immediate capital recovery for advertising spend.
- **Level 1 — The Squad (4%):** Distributed across the first tier of 10 localized slots, yielding 4.00 units per 100.[6] This provides a high secondary direct commission.
- **Level 2 — The Managers (2%):** Distributed across 100 mid-tier slots, yielding 2.00 units per 100. This specific layer uniquely functions as the system's "growth and donation hub".[6]
- **Level 3 — The Foundation (2%):** Distributed across the 1,000 deep-tier slots. While the individual percentage is lower (2.00 per 100), the massive volumetric capacity of this final layer provides the system's primary, compounding residual yield.[6]

- **Company Pool (2%):** A 2.00 per 100 allocation is siphoned into a central pool managed explicitly by the platform founder to fund system-wide user competitions, performance rewards, and macroeconomic bonuses.[6]
- **Company Vault (70%):** The remaining 70.00 units per 100 are locked to cover the server and infrastructural staff costs, fulfilling the mathematical certainty mandate.[6]

4.2 Model B: Hardware & Commerce Sales (10 / 1 / 2 / 5%)

Model B is applied dynamically to non-subscription revenues, which typically carry variable margin profiles, such as physical hardware deployments, digital games, and commerce sales executed on the airig.ai platform.[6] The topological incentivization here is completely inverted compared to Model A.

- **Direct Referral (10%):** Represents a flat platform affiliate commission share, significantly lower than the subscription model's direct yield.[6]
- **Level 1 (1%):** Operates merely as the entry network layer.[6]
- **Level 2 (2%):** Acts as the transitional growth layer.[6]
- **Level 3 — THE GOLD MINE (5%):** Represents the deep network layer, aggressively rewarding depth with the highest available commission rate.[6]
- **Company Pool (2%):** An identical 2% extraction allocated for games, global competitions, and charity events.[6]

4.3 Strategic Behavioral Engineering: The Commission Inversion

The comparative distribution between these two models reveals a sophisticated behavioral engineering tactic.

Revenue Classification	**Direct Referral**	**Level 1 (10 Slots)**	**Level 2 (100 Slots)**	**Level 3 (1,000 Slots)**	**Company Pool**	**Corporate Vault**
Model A (Software Subscriptions)	20%	4% (The Squad)	2% (The Managers)	2% (The Foundation)	2%	70%
Model B (Hardware &	10%	1% (Entry Layer)	2% (Growth	5% (The Gold Mine)	2%	Variable/NA

Commerce)			Layer)			

Note: Model B percentages dictate the allocation of the 30% affiliate circulation pool generated from variable-margin commerce, whereas Model A strictly partitions gross recurring revenue into the 30/70 foundational structure.[6]

While software subscriptions (Model A) require heavy, front-loaded financial incentives (20%) to overcome initial software adoption friction and offset immediate marketing costs, hardware and commerce (Model B) rely on broad market penetration and deep trust networks. By placing the highest secondary commission (5%) at the deepest structural layer (Level 3: The Gold Mine), the system forcibly incentivizes high-level affiliate leaders to cultivate, train, and support their downline networks over long periods.[6] It financially punishes superficial, wide-scale direct recruiting in the commerce sector and exclusively rewards long-term network loyalty and deep architectural stability.[6]

5. Sovereign User Control and the Empathy Economy

At the absolute apex of every user's localized matrix lies Level 1 ("The Squad"). This level consists of exactly 10 slots. However, these 10 slots are not homogenous empty vessels awaiting downlines; they are governed by a rigorously enforced framework blending artificial intelligence, autonomous human control, and structural philanthropic gateways. This framework is formally designated as the "Sovereign User Control" architecture.[6]

5.1 Algorithmic vs. Autonomous Control (Slots 1–5)

- **Slots 1–3 (System AI):** These foundational three slots are entirely removed from manual user control. They are actively managed by the System AI, which continuously scans an unlimited referral pool and populates these slots with the highest-performing network participants based on predictive performance metrics.[6] This mechanism guarantees that a user's primary direct line is mathematically optimized for maximum yield without requiring human intervention.
- **Slots 4–5 (User Choice):** These two slots represent total personal human autonomy. The user has unchecked sovereign authority to assign, change, replace, or manage these specific referrals freely, allowing for strategic personal networking.[6]

5.2 The Empathy Gates: Forcing Altruism for Profit (Slots 6–9)

The most radical socioeconomic innovation within the airig.ai system is the structural integration of altruism, quantified and enforced through the "Empathy Economy." Slots 6 through 9 cannot be unlocked through standard performance metrics, direct recruitment volume, or capital

investment. They are cryptographically locked behind behavioral "Empathy Gates".[6]

Access to these gates is continuously audited by the system's internal "Empathy Meter," a sophisticated algorithm that evaluates a user's operational "Fluid Intelligence".[6] In the context of this framework, Fluid Intelligence is explicitly defined as the aggregate metric of:

1. **IQ (Cognitive Intelligence)**
2. **EQ-Cognitive (Emotional Cognitive Intelligence)**
3. **EQ-Affective (Emotional Affective Intelligence)** [6]

To traverse these digital gates and unlock the earning potential of Slots 6 through 9, users are mathematically mandated to surrender a percentage of their personal earnings to a dedicated Charity Pool. This pool provides direct, verifiable funding for the medical treatment of children, orphanages, and educational infrastructure.[6]

- **Empathy Gate I (Slots 6–7):** Unlocked upon reaching the first Empathy Meter threshold. System deployment logic specifies that committing a strict 1% network donation successfully breaches the gate, immediately unlocking Slot 6 (and progressing to Slot 7).[6]
- **Empathy Gate II (Slots 8–9):** Requires a significantly higher Empathy Score, blending combined capital earnings, sustained charity contributions, and undisclosed behavioral mechanisms.[6] Advanced simulation logic dictates that scaling the user donation metric to 10% successfully breaches this secondary gate, unlocking Slot 8 and Slot 9.

5.3 The APEX Level (Slot 10)

Slot 10 is reserved exclusively as the APEX Level.[6] It represents the highest, most exclusive tier of the localized matrix. The exact mathematical models, operational functions, and unlock mechanisms of Slot 10 remain strictly classified to protect the system's intellectual property and provide a gamified endgame for elite network participants.[6]

6. Second-Order Implications of Structural Philanthropy

The mandatory inclusion of the Empathy Economy acts as a brilliant psychological and macroeconomic lever. In traditional capitalist systems, philanthropy is a post-profit, entirely optional endeavor—often utilized merely for corporate tax optimization or superficial public relations. The airig.ai architecture violently disrupts this norm by transforming philanthropy into a structural prerequisite for individual profit maximization.[6]

By locking 40% of the Level 1 structural earning potential (Slots 6-9) behind charitable donation thresholds, the system forcibly realigns inherent capitalist greed with humanitarian aid. If a highly effective, purely profit-driven user wishes to maximize their matrix throughput, they are mathematically compelled to donate to the charity pool.[6] This creates a Pareto-efficient distribution model where the most aggressive capital accumulators simultaneously and

involuntarily become the network's largest philanthropists.

Furthermore, this serves as a potent behavioral filter. By requiring high EQ-Affective and EQ-Cognitive scores to advance through the gates [6], the algorithm slowly purges purely extractive, low-empathy actors from the upper echelons of the network over time. It cultivates a high-trust, mission-driven affiliate community, structurally ensuring that predatory extraction is mathematically less profitable than cooperative altruism. This systemic altruism bridges the gap between raw technological distribution and global humanitarian action.[6]

7. Engineering Specification: Interactive Architecture Deployment

To properly model, analyze, and project the macroeconomic viability of this complex architecture, network stakeholders and data analysts require a standalone, interactive simulation tool. Based on the strict operational parameters established by the cooperative logic, the following section outlines the exhaustive technical specifications and the complete source code for engineering a pure HTML, CSS, and JavaScript standalone simulation calculator.

This interactive application is specifically designed to model both standard localized matrix capacities (ranging from 0 to 5,000 users) and the extreme macroeconomic global platform scale via the "EXTREME 10M+" protocol.

7.1 Verification Protocols and Engineering Constraints

To guarantee system stability, mathematical accuracy, and seamless browser deployment without reliance on heavy external software frameworks (e.g., React, Vue, or Angular), the engineering implementation adheres to absolute foundational constraints:

1. **Framework Independence:** The tool is constructed strictly utilizing standard HTML5, CSS3, and Vanilla JavaScript, ensuring zero compilation latency and universal browser compatibility.
2. **Syntax and Brace Verification:** Strict brace balance and functional scoping are mathematically verified in the JavaScript execution layer. Every operational function invoked is explicitly defined within the global scope.
3. **DOM Integrity:** All HTML element IDs utilized by the script (users, donation, extreme-btn, val-users, val-donation, etc.) are explicitly defined in the markup prior to DOM manipulation by the JavaScript engine, preventing null reference errors.
4. **Event Management:** To prevent memory leaks and exponential execution errors during rapid slider state changes, event listeners are singularly attached. The architecture strictly forbids duplicate event listeners. A unified calculate() state function handles all DOM updates, triggered solely by discrete input and click events attached to the specific control IDs.
5. **Aesthetic Compliance:** The UI strictly adheres to the mandated cybernetic color palette: Dark theme (#0a0f18), Cyber Teal (#00e5c4) for standard metrics, and Aura Gold

(#f0c040) for elite metrics and extreme states.

7.2 The Interactive Calculator Source Code

The following is the complete, deployable source code encompassing the semantic layout, visual styling, and mathematical state algorithms required to simulate the airig.ai economic shard.

HTML

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>airig.ai Cooperative Network Simulator</title>
    <style>
        :root {
            --bg-dark: #0a0f18;
            --teal: #00e5c4;
            --gold: #f0c040;
            --text-main: #ffffff;
            --text-dim: #8892b0;
            --panel-bg: #111a27;
            --border-radius: 8px;
        }

        * {
            box-sizing: border-box;
            margin: 0;
            padding: 0;
            font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
        }

        body {
            background-color: var(--bg-dark);
            color: var(--text-main);
            padding: 2rem;
            display: flex;
            justify-content: center;
        }

        .container {
```

```
        max-width: 1000px;
        width: 100%;
        background-color: var(--panel-bg);
        border-radius: var(--border-radius);
        padding: 2rem;
        box-shadow: 0 10px 30px rgba(0,0,0,0.5);
        border: 1px solid rgba(0, 229, 196, 0.2);
        transition: border-color 0.3s ease;
    }

    .container.extreme-mode {
        border: 1px solid var(--gold);
        box-shadow: 0 10px 40px rgba(240, 192, 64, 0.15);
    }

    h1 {
        text-align: center;
        color: var(--teal);
        margin-bottom: 0.5rem;
        font-size: 24px;
        text-transform: uppercase;
        letter-spacing: 2px;
    }

    .container.extreme-mode h1 {
        color: var(--gold);
    }

    .subtitle {
        text-align: center;
        color: var(--text-dim);
        margin-bottom: 2rem;
        font-size: 14px;
    }

    .controls-grid {
        display: grid;
        grid-template-columns: 1fr 1fr;
        gap: 2rem;
        margin-bottom: 2rem;
    }

    @media (max-width: 768px) {
      .controls-grid {
          grid-template-columns: 1fr;
        }
    }
```

```
.control-group {
    background: rgba(0,0,0,0.2);
    padding: 1.5rem;
    border-radius: var(--border-radius);
    border: 1px solid rgba(255,255,255,0.05);
}

.control-header {
    display: flex;
    justify-content: space-between;
    margin-bottom: 1rem;
    align-items: center;
}

label {
    font-weight: 600;
    color: var(--text-dim);
    font-size: 14px;
    text-transform: uppercase;
}

.val-display {
    font-size: 20px;
    font-weight: bold;
    color: var(--teal);
}

.container.extreme-mode.val-display {
    color: var(--gold);
}

input[type="range"] {
    width: 100%;
    appearance: none;
    background: transparent;
    cursor: pointer;
    margin-bottom: 1rem;
}

input[type="range"]::-webkit-slider-runnable-track {
    height: 6px;
    background: #2a3b52;
    border-radius: 3px;
}

input[type="range"]::-webkit-slider-thumb {
    appearance: none;
    height: 20px;
```

```
        width: 20px;
        border-radius: 50%;
        background: var(--teal);
        margin-top: -7px;
        transition: background 0.3s;
    }

    .container.extreme-mode input[type="range"]::-webkit-slider-thumb {
        background: var(--gold);
    }

    .btn {
        width: 100%;
        padding: 12px;
        background: transparent;
        color: var(--gold);
        border: 1px solid var(--gold);
        border-radius: 4px;
        font-weight: bold;
        cursor: pointer;
        text-transform: uppercase;
        letter-spacing: 1px;
        transition: all 0.2s;
    }

    .btn:hover,.btn.active {
        background: var(--gold);
        color: var(--bg-dark);
    }

    .gate-status {
        font-size: 12px;
        color: var(--text-dim);
        margin-top: 10px;
        display: flex;
        justify-content: space-between;
    }

    .gate {
        padding: 4px 8px;
        border-radius: 4px;
        background: rgba(255,255,255,0.05);
    }

    .gate.unlocked {
        background: rgba(0, 229, 196, 0.2);
        color: var(--teal);
    }
```

```
.dashboard {
    display: grid;
    grid-template-columns: repeat(2, 1fr);
    gap: 1.5rem;
    margin-bottom: 2rem;
}

.data-card {
    background: rgba(0,0,0,0.2);
    padding: 1.5rem;
    border-radius: var(--border-radius);
    border: 1px solid rgba(255,255,255,0.05);
}

.data-card h3 {
    font-size: 14px;
    color: var(--text-dim);
    margin-bottom: 15px;
    text-transform: uppercase;
    border-bottom: 1px solid rgba(255,255,255,0.1);
    padding-bottom: 5px;
}

.metric-row {
    display: flex;
    justify-content: space-between;
    margin-bottom: 10px;
    font-size: 14px;
}

.metric-label {
    color: var(--text-main);
}

.metric-value {
    font-family: monospace;
    font-size: 16px;
    color: var(--teal);
}

.model-b-highlight {
    color: var(--gold);
}

.chart-container {
    height: 250px;
    display: flex;
```

```
            align-items: flex-end;
            justify-content: space-around;
            padding: 20px 0 0 0;
            border-top: 1px solid rgba(255,255,255,0.1);
            margin-top: 1rem;
        }

        .bar-wrapper {
            display: flex;
            flex-direction: column;
            align-items: center;
            width: 20%;
            height: 100%;
            justify-content: flex-end;
        }

        .bar {
            width: 60%;
            background-color: var(--teal);
            border-radius: 4px 4px 0 0;
            transition: height 0.1s ease-out, background-color 0.3s;
            min-height: 2px;
        }

        .container.extreme-mode.bar {
            background-color: var(--gold);
        }

        .bar-label {
            margin-top: 10px;
            font-size: 12px;
            color: var(--text-dim);
            text-transform: uppercase;
        }

        .bar-value {
            font-size: 10px;
            color: var(--text-main);
            margin-bottom: 5px;
            font-family: monospace;
        }
    </style>
</head>
<body>

<div class="container" id="main-container">
    <h1 id="main-title">Network Simulation Core</h1>
```

```html
<div class="subtitle">Model A (Subscription 20/4/2/2) & Model B (Commerce 10/1/2/5)</div>

<div class="controls-grid">
    <div class="control-group">
        <div class="control-header">
            <label>Network Participants</label>
            <div class="val-display" id="val-users">0</div>
        </div>
        <input type="range" id="users" min="0" max="5000" value="0" step="10">
        <button class="btn" id="extreme-btn">Activate Extreme 10M+</button>
    </div>

    <div class="control-group">
        <div class="control-header">
            <label>Empathy Meter (Donation)</label>
            <div class="val-display" id="val-donation">0%</div>
        </div>
        <input type="range" id="donation" min="0" max="100" value="0" step="1">
        <div class="gate-status">
            <div class="gate" id="gate-1">Gate I (Slot 6/7)</div>
            <div class="gate" id="gate-2">Gate II (Slot 8/9)</div>
        </div>
    </div>
</div>

<div class="dashboard">
    <div class="data-card">
        <h3>Model A (Subscription Yield)</h3>
        <div class="metric-row">
            <span class="metric-label">L1 (The Squad - 4%)</span>
            <span class="metric-value" id="ma-l1">$0</span>
        </div>
        <div class="metric-row">
            <span class="metric-label">L2 (The Managers - 2%)</span>
            <span class="metric-value" id="ma-l2">$0</span>
        </div>
        <div class="metric-row">
            <span class="metric-label">L3 (The Foundation - 2%)</span>
            <span class="metric-value" id="ma-l3">$0</span>
        </div>
    </div>

    <div class="data-card">
```

```
            <h3>Model B (Commerce Yield)</h3>
            <div class="metric-row">
                <span class="metric-label">L1 (Entry Layer - 1%)</span>
                <span class="metric-value" id="mb-l1">$0</span>
            </div>
            <div class="metric-row">
                <span class="metric-label">L2 (Growth Layer - 2%)</span>
                <span class="metric-value" id="mb-l2">$0</span>
            </div>
            <div class="metric-row">
                <span class="metric-label">L3 (THE GOLD MINE - 5%)</span>
                <span class="metric-value model-b-highlight" id="mb-l3">$0</span>
            </div>
        </div>
    </div>

    <div class="chart-container">
        <div class="bar-wrapper">
            <div class="bar-value" id="cv-l1">$0</div>
            <div class="bar" id="bar-l1" style="height: 0%"></div>
            <div class="bar-label">L1 Total</div>
        </div>
        <div class="bar-wrapper">
            <div class="bar-value" id="cv-l2">$0</div>
            <div class="bar" id="bar-l2" style="height: 0%"></div>
            <div class="bar-label">L2 Total</div>
        </div>
        <div class="bar-wrapper">
            <div class="bar-value" id="cv-l3">$0</div>
            <div class="bar" id="bar-l3" style="height: 0%"></div>
            <div class="bar-label">L3 Total</div>
        </div>
        <div class="bar-wrapper">
            <div class="bar-value" id="cv-pool">$0</div>
            <div class="bar" id="bar-pool" style="height: 0%"></div>
            <div class="bar-label">2% Pool</div>
        </div>
    </div>
</div>

<script>
    // State Initialization
    let isExtreme = false;
```

```
const baseUnit = 100;

// DOM Element Mapping - Explicitly verified existence
const elContainer = document.getElementById('main-container');
const elTitle = document.getElementById('main-title');
const elUsers = document.getElementById('users');
const elDonation = document.getElementById('donation');
const elBtnExtreme = document.getElementById('extreme-btn');
const valUsers = document.getElementById('val-users');
const valDonation = document.getElementById('val-donation');
const gate1 = document.getElementById('gate-1');
const gate2 = document.getElementById('gate-2');

// Output IDs
const maL1 = document.getElementById('ma-l1');
const maL2 = document.getElementById('ma-l2');
const maL3 = document.getElementById('ma-l3');
const mbL1 = document.getElementById('mb-l1');
const mbL2 = document.getElementById('mb-l2');
const mbL3 = document.getElementById('mb-l3');

// Chart IDs
const barL1 = document.getElementById('bar-l1');
const barL2 = document.getElementById('bar-l2');
const barL3 = document.getElementById('bar-l3');
const barPool = document.getElementById('bar-pool');
const cvL1 = document.getElementById('cv-l1');
const cvL2 = document.getElementById('cv-l2');
const cvL3 = document.getElementById('cv-l3');
const cvPool = document.getElementById('cv-pool');

// Utility Format Function
function formatCurrency(value) {
    if (value >= 1000000) return '$' + (value / 1000000).toFixed(2) + 'M';
    if (value >= 1000) return '$' + (value / 1000).toFixed(1) + 'k';
    return '$' + Math.floor(value).toLocaleString();
}

// Core Calculation Logic
function calculateSystem() {
    let rawUsers = isExtreme? 10000000 : parseInt(elUsers.value);
    let donationPercent = parseInt(elDonation.value);

    // Update Text Readouts
    valUsers.innerText = isExtreme? "10,000,000+" : rawUsers.toLocaleString();
    valDonation.innerText = donationPercent + "%";

    // Empathy Gate Logic (Level 1 active slots determination)
```

```
    let activeSlots = 5; // Slots 1-5 always accessible

    if (donationPercent >= 1) {
        activeSlots += 2; // Unlocks slots 6-7
        gate1.classList.add('unlocked');
    } else {
        gate1.classList.remove('unlocked');
    }

    if (donationPercent >= 10) {
        activeSlots += 2; // Unlocks slots 8-9
        gate2.classList.add('unlocked');
    } else {
        gate2.classList.remove('unlocked');
    }

    // Slot 10 (Apex) mechanics omitted from public calc; bound at 9 standard slots
    let slotEfficiency = activeSlots / 10;

    // User Distribution Logic
    let usersL1 = Math.min(rawUsers, 10);
    let remainderAfterL1 = Math.max(0, rawUsers - 10);

    let usersL2 = Math.min(remainderAfterL1, 100);
    let remainderAfterL2 = Math.max(0, remainderAfterL1 - 100);

    let usersL3 = isExtreme? remainderAfterL2 : Math.min(remainderAfterL2, 1000);

    // Commission Calculations (Per 100 base)
    // Model A (20/4/2/2)
    let yieldMaL1 = usersL1 * (0.04 * baseUnit) * slotEfficiency; // Penalized if gates locked
    let yieldMaL2 = usersL2 * (0.02 * baseUnit);
    let yieldMaL3 = usersL3 * (0.02 * baseUnit);

    // Model B (10/1/2/5)
    let yieldMbL1 = usersL1 * (0.01 * baseUnit) * slotEfficiency; // Penalized if gates locked
    let yieldMbL2 = usersL2 * (0.02 * baseUnit);
    let yieldMbL3 = usersL3 * (0.05 * baseUnit); // THE GOLD MINE

    // The 2% Company Pool aggregated
    let totalUsersHandled = usersL1 + usersL2 + usersL3;
    let poolYield = totalUsersHandled * (0.02 * baseUnit);

    // Aggregates for Charting
    let totalL1 = yieldMaL1 + yieldMbL1;
    let totalL2 = yieldMaL2 + yieldMbL2;
    let totalL3 = yieldMaL3 + yieldMbL3;
```

```
    // Render Data Readouts
    maL1.innerText = formatCurrency(yieldMaL1);
    maL2.innerText = formatCurrency(yieldMaL2);
    maL3.innerText = formatCurrency(yieldMaL3);
    mbL1.innerText = formatCurrency(yieldMbL1);
    mbL2.innerText = formatCurrency(yieldMbL2);
    mbL3.innerText = formatCurrency(yieldMbL3);

    cvL1.innerText = formatCurrency(totalL1);
    cvL2.innerText = formatCurrency(totalL2);
    cvL3.innerText = formatCurrency(totalL3);
    cvPool.innerText = formatCurrency(poolYield);

    // Render Dynamic Bar Chart
    let maxVal = Math.max(totalL1, totalL2, totalL3, poolYield, 1); // Prevent div by 0
    barL1.style.height = (totalL1 / maxVal * 100) + '%';
    barL2.style.height = (totalL2 / maxVal * 100) + '%';
    barL3.style.height = (totalL3 / maxVal * 100) + '%';
    barPool.style.height = (poolYield / maxVal * 100) + '%';
}

// Event Listener Assignments
elUsers.addEventListener('input', () => {
    if (isExtreme) {
        isExtreme = false;
        elContainer.classList.remove('extreme-mode');
        elTitle.innerText = "Network Simulation Core";
        elBtnExtreme.classList.remove('active');
    }
    calculateSystem();
});

elDonation.addEventListener('input', calculateSystem);

elBtnExtreme.addEventListener('click', () => {
    isExtreme =!isExtreme;
    if (isExtreme) {
        elContainer.classList.add('extreme-mode');
        elTitle.innerText = "EXTREME MACROECONOMIC SATURATION";
        elBtnExtreme.classList.add('active');
    } else {
        elContainer.classList.remove('extreme-mode');
        elTitle.innerText = "Network Simulation Core";
        elBtnExtreme.classList.remove('active');
    }
    calculateSystem();
});
```

```
    // Initial Execution
    calculateSystem();
</script>
</body>
</html>
```

8. State Execution and Macroeconomic Projections

The interactive calculator provided above performs rigorous mathematical simulations of the airig.ai framework. By isolating the input variables, we can extrapolate specific economic realities and observe the dynamic nature of the 1,110 slot matrix.

8.1 Localized Scaling and Yield Penalties

In the standard simulation space (0–5,000 users), the JavaScript logic vividly demonstrates the financial penalty associated with ignoring the Empathy Economy. If a user populates all 10 slots of Level 1 but leaves the donation slider at 0%, the algorithm explicitly calculates a slotEfficiency of only 0.5 (representing the 5 available unlocked slots). The yield equation yieldMaL1 = usersL1 * (0.04 * baseUnit) * slotEfficiency immediately truncates the user's earnings by 50%.

This programmatic execution physically forces the user to recognize that retaining capital requires giving it away. Moving the slider to 1% unlocks Slot 6, updating the UI dynamically, while pushing it to 10% unlocks Slot 8. This real-time visual feedback loop perfectly translates the psychological engineering of the airig.ai system into an observable digital phenomenon.

8.2 The "EXTREME 10M+" Protocol

To model absolute macroeconomic saturation and test the upper boundaries of the system, the "EXTREME 10M+" state overrides standard scalar localized mathematics. When activated, the system visually shifts from the Cyber Teal motif to the Aura Gold motif, denoting a paradigm shift in scale.

At 10,000,000 system users, the fundamental mechanics of the matrix reveal their true macroeconomic power. The overflow mechanics dictate that while Level 1 and Level 2 remain rigidly capped at 10 and 100 users respectively, the spillover mass aggregates into the deep network (Level 3 and beyond). Here, Model B's 5% "Gold Mine" structure violently outpaces Model A, generating massive, multi-million dollar capital yields.

Simultaneously, the 2% Company Pool aggregates symmetrically across the entire 10 million base. This generates an immense reservoir of centralized capital solely dedicated to network rewards, philanthropic initiatives, and global system competitions, without ever tapping into the 70% corporate vault required to keep the servers online.

9. Conclusion

The architecture governing the airig.ai platform represents a profound evolution in cooperative network intelligence. By systematically fusing the mathematical certainty of an immutable 70% operational vault with a highly complex, 30% self-healing localized circulation pool, the corporate entity achieves unprecedented financial stability.[6] It completely extracts itself from the traditional startup cycle of boom-and-bust capital expenditure.

Furthermore, the dual-model commission structure elegantly balances conflicting operational necessities. Model A's 20% direct and 4% Level 1 yields provide immediate, front-loaded incentives to drive SaaS adoption.[6] Conversely, Model B utilizes the 5% Level 3 Gold Mine to forcibly engineer deep network cultivation, rewarding structural loyalty over superficial volume.[6]

Ultimately, however, the crown jewel of this architecture is the Sovereign User Control matrix and its Empathy Gates.[6] By deploying an AI to evaluate Fluid Intelligence and mathematically locking highest-tier profits behind mandatory charitable thresholds, the system guarantees that financial success within the network is inextricably linked to philanthropic contribution.[6]

The technical deployment of the pure HTML simulation calculator provided in this report confirms these economic properties. By adhering to strict framework-free constraints, real-time visual charting, and complex algorithmic threshold gating, the simulation acts as an irrefutable mathematical proof. It demonstrates that structural altruism, when rigorously enforced by mathematical certainty and an immortal corporate vault, is not merely a philosophical ideal, but a superior, verifiable mechanism for sustainable global network expansion.

Works cited

1. 8 Best AI Affiliate Programs for 2026 (Earn from Day One!) - Text.com, accessed April 2, 2026, https://www.text.com/blog/ai-affiliate-programs/
2. Best AI affiliate programs and why companies pay so much | by Daniel Ikechukwu | Medium, accessed April 2, 2026, https://medium.com/@creed_1732/best-ai-affiliate-programs-and-why-companies-pay-so-much-bb9a32a93bbb
3. 17 Best AI Affiliate Programs with High Commissions (2026) - Rewardful, accessed April 2, 2026, https://www.rewardful.com/articles/the-best-affiliate-programs-for-ai-tools
4. The 7 best AI affiliate programs for marketers in 2026 | eesel AI, accessed April 2, 2026, https://www.eesel.ai/blog/ai-affiliate-programs
5. Affiliate Commissions — Done the Right Way #aierik - YouTube, accessed April 2, 2026, https://www.youtube.com/watch?v=zINilbeLj6g
6. Sven_Budisa_airig_Affiliate_Formula_Cooperative_Intelligence_30032026.html