# Продвинутое использование git

Олейников Артём Игоревич<sup>1</sup> 16 июня, 2024, Москва, Россия

<sup>&</sup>lt;sup>1</sup>Российский Университет Дружбы Народов

# Цели и задачи работы —

# Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

# Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

# Процесс выполнения лабораторной работы

# Node.js

```
aioleinikov@aioleinikov:-$ pnpm setup
Appended new lines to /home/aioleinikov/.bashrc

Next configuration changes were made:
export PNPM_HOME="/home/aioleinikov/.local/share/pnpm"
case ":$PATH:" in
*":$PPMH_HOME:"*);
*) export PATH="$PNPM_HOME:$PATH" ;;
esac

To start using pnpm, run:
source /home/aioleinikov/.bashrc
jaioleinikov@aioleinikov:-$ source -/.bashrc
aioleinikov@aioleinikov:-$
```

Рис. 1: Node.js

#### commitizen

```
\oplus
                                                                    Q ≡
                              aioleinikov@aioleinikov:~
aioleinikov@aioleinikov:~$ source ~/.bashrc
 nioleinikov@aioleinikov:~$ pnpm add -g commitizen
                    Update available! 8.12.0 \rightarrow 9.3.0.
       Changelog: https://github.com/pnpm/pnpm/releases/tag/v9.3.0
                    Run "pnpm add -g pnpm" to update.
         Follow @pnpmis for updates: https://twitter.com/pnpmis
                                            glob@7.2.3, inflight@1.0.6
Packages: +153
Downloading registry.npmjs.org/typescript/5.4.5: 5,83 MB/5,83 MB, done
Progress: resolved 153, reused 0, downloaded 153, added 153, done
 commitizen 4.3.0
Done in 10s
aioleinikov@aioleinikov:~$
```

Рис. 2: установка commitizen

# standard-changelog

```
⊞
                              aioleinikov@aioleinikov:~
                                           glob@7.2.3, inflight@1.0.6
Packages: +153
Downloading registry.npmjs.org/typescript/5.4.5: 5,83 MB/5,83 MB, done
Progress: resolved 153, reused 0, downloaded 153, added 153, done
  commitizen 4.3.0
Done in 10s
aioleinikov@aioleinikov:~$ pnpm add -g standard-changelog
                                           glob@7.2.3, inflight@1.0.6
Packages: +42
Progress: resolved 195, reused 153, downloaded 42, added 42, done
 standard-changelog 6.0.0
Done in 6.6s
```

Рис. 3: установка standard-changelog

# package.json

```
package.json
  Открыть ▼ +
      "name": "git-extended",
 2
      "version": "1.0.0",
      "description": "Git repo for educational purposes",
 5
      "main": "index.js",
      "repository": "git@github.com:aioleinikov/git-extended.git",
      "author": "aioleinikov",
      "license": "CC-BY-4.0",
      "config": {
          "commitizen": {
10
11
              "path": "cz-conventional-changelog"
12
13
14
```

Рис. 4: package.json

#### Использование commitizen




Рис. 5: Отправка

```
ioleinikov@aioleinikov:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? [] v
Hooks and filters directory? [/home/aioleinikov/git-extended/.git/hooks]
 aioleinikov@aioleinikov:~/git-extended$ git branch
* develor
 nioleinikov@aioleinikov:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:
             https://github.com/aioleinikov/git-extended/pull/new/develop
remote:
To github.com:aioleinikov/git-extended.git
 * [new branch] develop -> develop
 ioleinikov@aioleinikov:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

## git-flow




Рис. 7: Завершение релиза

# Отправим данные на github

```
ioleinikov@aioleinikov:~/git-extended$ git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (4/4), готово
Запись объектов: 100% (5/5), 2.67 КиБ | 1.34 МиБ/с, готово.
Total 5 (delta 0), reused θ (delta θ), pack-reused θ (from θ)
To github.com:aioleinikov/git-extended.git
  45d5e8f..e4d4ae9 develop -> develop
  45d5e8f..e38401f master -> master
 nioleinikov@aioleinikov:~/git-extended$ git push --tags
Перечисление объектов: 🎚, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 156 байтов | 156.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:aioleinikov/git-extended.git
 * [new tag]
                    v1.0.0 -> v1.0.0
 nioleinikov@aioleinikov:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/aioleinikov/git-extended/releases/tag/v1.0.0
 ioleinikov@aioleinikov:~/git-extended$
```

Рис. 8: Отправка

### Объединение веток

```
ioleinikov@aioleinikov:~/git-extended$ git flow feature start feature_branch
Переключились на новую ветку «feature/feature branch»
Summary of actions:
 A new branch 'feature/feature_branch' was created, based on 'develop'
 You are now on branch 'feature/feature branch'
Now, start committing on your feature. When done, use:
    git flow feature finish feature_branch
 mioleinikov@aioleinikov:~/git-extended$ touch test2
 nioleinikov@aioleinikov:-/git-extended$ git flow feature finish feature_branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была e4d4ae9).
Summary of actions:

    The feature branch 'feature/feature branch' was merged into 'develop'

 Feature branch 'feature/feature_branch' has been locally deleted
 You are now on branch 'develop'
 ioleinikov@aioleinikov:~/git-extended$
```

Рис. 9: Объединение веток

## git-flow





Рис. 10: Завершение релиза

# Подготовка рабочего репозитория



**Рис. 11:** package.json и коммит

# Подготовка рабочего репозитория

```
еречисление объектов: 4, готово.
юдсчет объектов: 180% (4/4), готово.
ри сжатии изменений используется до 6 потоков
жатие объектов: 108N (3/3), готово.
апись объектов: 108% (3/3), 1.11 КиБ | 1.11 МиБ/с, готово
fotal 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
emote: Resolving deltas: 100% (1/1), completed with 1 local object.
Fo github.com:aioleinikov/os-intro.git
  fldf4f5..db42570 master -> master
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
iow to name your supporting branch prefixes?
eature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
 upport branches? [support/]
ersion tag prefix? [] v
looks and filters directory? [/home/aioleinikov/work/study/2023-2024/Операционные системы/os-intro/.git/hooks]
```

Рис. 12: Завершение релиза

Выводы по проделанной работе

#### Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.