Can we still rely on yesterday’s review?

The column name stayed the same.

The values changed. The old approval survived.

PrivacyTwin Find personal data. Keep its evidence current.

PS-019 · Personal-Data Discovery and Privacy Evidence Inventory

Find it. Explain it. Review it.

01

Find candidate data

CSV and SQLite inspection with configurable detectors across five classes.

02

Explain the evidence

Actual detector counts, competing interpretations and temporary sensitivity experiments.

03

Keep reviews current

Purpose and retention declarations, gap previews and separate review dependencies.

The generated demo scans 4 sources and 22 fields. Every count comes from a scan.

One change. The affected review reopens.

BEFORE

`loyalty_id`

Internal identifier patterns

Classification · current

Metadata · current

→

AFTER VALUES CHANGE

`loyalty_id`

Mobile-shaped values

Classification · reopened

Metadata · current

Unrelated email reviews remain current. Expand the dependency comparison to see why.

Live challenge: scripted synthetic reviews, real Service lifecycle, disposable database.

Choose the change. Inspect the result.

33 / 33

Expected states matched

Eight executable scenarios, including metadata, rule changes, renames and reversion.

0

False reopenings

Measured across these scripted checks, including unrelated changes.

0

Missed reopenings

Measured against explicit per-scope expectations.

Then remove header hints or value evidence. Does the candidate survive—or does the scanner abstain?

Regression evidence from the reference policy; not a claim about all real-world changes.

Results with denominators—and limits.

Full system · 12 benchmark fields

Class	Precision	Recall	Support
Identity	1.000	1.000	2
Contact	1.000	1.000	2
Location	1.000	1.000	2
Official ID	1.000	1.000	2
Demographic	1.000	1.000	2

Same inputs · 7 separate stress fields

Method	Macro F1	Stress errors
Header rules	0.933	4 / 7
Headers + patterns	1.000	2 / 7
Full validation	1.000	0 / 7

Header-only uses weight 1 for headers. Pattern baseline removes Aadhaar/GSTIN checksums. See the exported method for details.

Developer-authored synthetic regression set. Independent human-labelled validation remains required. No general accuracy claim.

Every decision has dependencies.

CSV / SQLite
Controlled local inputs

→

Python core
Profile · detect · score

→

SQLite evidence
Snapshots · declarations · reviews

Next.js + FastAPI

One local workflow. The deterministic core runs without a model API.

Scoped dependencies

Compare classification evidence separately from declared purpose and retention.

Portable verification

Export evidence and recalculate aggregate scores with the included Python verifier.

Optional Gemini assistance calls an external provider. Package hashes establish consistency, not authenticity.

What we observed.
Why we concluded it.
When to review it again.

PrivacyTwin A living privacy evidence inventory for human review.

Discover candidate fields · document purpose and retention · expose gaps · keep decisions attached to their evidence.

Technical evidence, not a legal compliance determination. Submission report and repository workflow follow the organizer's requirements.