Comvi - Comparative Visualization of Molecular Surfaces using Similarity-based Clustering

Wilhelm Buchmüller, Shoma Kaiser, Damir Ravilija, Enis ...

Abstract— The goal of this paper is to show the reader the abstract methods and concrete applications that were used to extract and compare features and rank the similarity of the molecular protein maps. Further we present a new method of how the won data can be visualized on high resolution and large displays with a The paper describes the process and the approaches that were taken to solve this task.

Index Terms—Clustering, Similarity, feature extraction, Visualization, high-resolution display, Powerwall, MegaMol, VISUS



1 Introduction

Helvetica

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ae rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. est sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet. Consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Figure 1: lorem ipsum rasterized plus a longish caption spanning two lines

Over the span of 6 months the authors have Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse

2 RELATED WORK

TODO: cite kolesar for clustering

Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse [?].

2.1 Initial Challenges and encountered problems

It is clear that the task required from us that we learn how to compare the images, measure the distances between the images, and cluster these images. The given task required that

We could chose to find similarities and cluster the proteins in the .pdb format or given as bitmap image generated by **TODO**: cite megamol protein image

| Wilhelm Buchmller |
|---------------------------|
| buch.willi@googlemail.com |
| Enis |
| example@example.com |

Shoma Kaiser example@example.com Damir Rwilja example@example.com

Manuscript received 31 March 2011; accepted 1 August 2011; posted online 23 October 2011; mailed on 14 October 2011. For information on obtaining reprints of this article, please send email to: tvcg@computer.org.

Table 1: lorem ipsum tabulated

| dataset | full performance (fps) | half performance (ms) |
|---------|------------------------|-----------------------|
| balls | 1,243 | 0.1 |
| buckets | 23 | 23 |
| bolts | 23,312,134.3 | 22.1 |

2.2 Approaches to the Clustering-Problem

Right of the start we had several ideas of how we could approach this problem. With the recent trend in machine learning we had a couple of ideas of how we could determine a similarity metric between two images or classify an image into a more usable vector of data.

We ended up using a higher dimensional feature vector ... to determine the similarirty between two protein maps because we didnt manage to train a custom model in the given timeframe, due to

But our initial results with a pretrained Imagenet **TODO:** cite imagenet **TODO:** cite darknet publication model let us to believe that it should be definetly possible for this specified task to find a machine learning solution.

2.3 Approaches to the Visualization-Task

Our aproaches to visualizing the given clusters were the following, the reader is reminded that we are not just visualizing the clusters on a "normal machine" but rather the POWERWALL, a projected display with effectively 6-24 times the resolution of a consumer grade display. Details on the POWERWALL can be found TODO: cite powerwall publication here if available.

- 2.3.1 Approaches to the Interaction with the Powerwall TODO: cite correct pub and use correct name
- 2.4 Finding a feature vector to cluster the images
- 2.5 Finding the best performing similarity measure
- 2.6 Finding the best performing clustering algorithm
- 2.7 Finding the
- 2.8 Discussion of results
- 2.8.1 Dolor

ACKNOWLEDGMENTS

We would like to thank our supervisors Michael Krone and Florian Fries as well as our project examiner Prof. Ertl. We are grateful for the experience and knowledge that working on this project has given us. This work was partially funded by cake and cookies.