

ANTIGRAVITY 2.0 ENTERPRISE ECOSYSTEM

The Non-Coder's Master Handbook & Complete Operations Manual

Official GitHub Repository: https://github.com/aipro831gith/skills_bundle_by_sujal | Version: 2.0 Enterprise Grade

1. Core Philosophy: The Smart Toy Factory Analogy

Welcome to your personal software company! You do not need to know how to write code, design databases, or configure cloud servers. Think of this system as a **Smart Toy Factory** where you are the **Chief Executive (The Boss)**:

- **Tier 1 (The Salesman / Account Manager - start_agent.md)**: Speaks directly to you in plain English, greets you warmly, takes your dream idea, and guides you step-by-step.
- **Tier 2 (The Team Leader / Engineering Manager - team_leader.md)**: The non-blocking factory supervisor. It organizes the 27 smart robot workers into 8 specialized groups, checks their work, and ensures nobody makes mistakes.
- **Tier 3 (The 27 Specialized Robot Workers)**: Highly trained specialists (researchers, city planners, UI builders, backend coders, security guards, QA testers, surgeons, and deployment experts) who do the actual heavy lifting in parallel.

■ The 3 Root Work Folders	■ The 3 Universal Diaries
• 1_COMPLETE_DOCUMENTATION/: Houses master_spec_v1.md and all 7 Compulsory Documents. • 2_MAIN_CODING_FILES/: Application code (frontend/, backend/, database/). • 3_PROJECT_BACKUP_AND_DIARY/: Houses diaries, context snapshots, and surgical backups.	• diary_1_audit_log.md: Action history of every agent dispatch, test, and security audit. • diary_2_api_registry.md: Active registry of external APIs, WebSockets, and hardware baud rates. • diary_3_task_matrix.md: Real-time status tracker (PENDING IN_PROGRESS COMPLETED).

2. The 8 Collaborative Groups — Full Inventory & Allocation

All 27 agents and 29 skills are organized across **8 dedicated groups**. Each group has a clear mission, dedicated agents, specific skills, and defined trigger rules:

Group	Phase Name & Mission	Agents in Group	Skills Used	Activation & Trigger
Group 1	Product Discovery & Spec: Intakes your idea, researches competitors & APIs, and drafts master_spec_v1.md.	• start_agent • research_agent • spec_agent	• start_skill.md • research_skill.md • spec_skill.md	Manual: /start or /group-1. Gate: Pauses for Boss approval.
Group 2	System Architecture & 7 Docs: Maps 3-step city architecture (Macro stack -> Pipelines -> Streets) and generates ALL 7 Compulsory Documents.	• architecture_agent • document_agent • documentarian	• architecture_skill.md • document_skill.md • documentarian_architect_skill.md	Auto after Gate 1 (or manual /group-2). Gate: Pauses for Boss document lock.
Group 3	Factory Floor Construction: Parallel full-stack code generation (UI components, parameterized backend APIs, DB schemas, JWT security, Git versioning).	• builder_agent • frontend_builder • backend_builder • database_builder • security_guard • github_saver	• build_skill.md • build_frontend.md • build_backend.md • frontend_builder_skill.md • backend_builder_skill.md • database_builder_skill.md • security_guard_skill.md • github_saver_skill.md	Auto after Gate 2 (or manual /group-3 / /build-all).

Group 4	Quality Assurance & Fix: 3-pillar terminal testing (Syntax & imports, mathematical formula verification, simulated human click flows) with the 3 Paths Rule.	• qa_agent • surgical_agent	• qa_skill.md • surgical_skill.md	Auto after Group 3 (or manual /group-4 / /qa-test).
Group 5	Visual UX Refinement: Fine-tunes 3-state hover buttons (scale 1.03x), click spinners, responsive padding, and dark themes. Capped at Max 2 Loops .	• polish_agent • frontend_builder • surgical_agent • qa_agent	• polish_skill.md • frontend_builder_skill.md • surgical_skill.md • qa_skill.md	Auto after Group 4 (or manual /group-5 / /polish).
Group 6	Enterprise Audit & Compliance: Matches code against 7 Docs, runs DevSecOps vulnerability scans (SQLi, secrets, PII), and executes 10-Step Hardware Safety.	• auditor_agent • sec_ops_agent • hardware_compliance • surgical_agent	• auditor_skill.md • sec_ops_skill.md • hardware_compliance_skill.md • surgical_skill.md	Auto after Group 5 (or manual /group-6 / /audit-all).
Group 7	Archiving & Memory Pruning: Generates plain-English USER_MANUAL.md for end-users, enforces immutable versioning, and prunes daily context via Cron.	• user_manual_writer • memory_agent • memory_keeper • spec_agent • documentarian	• user_manual_writer_skill.md • memory_skill.md • memory_keeper_skill.md • spec_skill.md • documentarian_architect_skill.md	Auto after Group 6 (or manual /group-7 / /archive).
Group 8	Production Release Suite: Autonomous deployment helper for Web hosting, Google Play Console forms, Apple App Store, and GitHub CI/CD with staging safety.	• deploy_agent • web_deploy_agent • playstore_deploy_agent • appstore_deploy_agent • github_deploy_agent • start_agent	• deploy_skill.md • web_deploy_skill.md • playstore_deploy_skill.md • appstore_deploy_skill.md • github_deploy_skill.md • start_skill.md	STRICTLY MANUAL ONLY: Activated only when Boss types /deploy or /launch.

3. Master Hybrid Command Cheat Sheet

You can control the entire ecosystem using two levels of commands: **Macro Commands** (to run full multi-agent group phases) and **Micro Specialist Commands** (to deploy a single specific robot worker for a targeted task):

Command Type	Slash Command	Exact Agent Deployed	What This Command Does in Simple English
Macro Group	/start	- start_agent.md	Greets you warmly, builds 3 folders and 3 diaries, and asks for your software idea.
Macro Group	/group-1 or /discover	- Group 1 Workforce	Performs live competitor/API web search and drafts master_spec_v1.md.
Macro Group	/group-2 or /plan	- Group 2 Workforce	Generates 3-step city map and ALL 7 Compulsory Documents in folder 1.
Macro Group	/group-3 or /build	- Group 3 Workforce	Runs parallel factory floor construction (UI, Backend, Database, Security, Git).
Macro Group	/group-4 or /qa	- Group 4 Workforce	Runs terminal syntax, math calculation, and human click tests with surgical fixes.
Macro Group	/group-5 or /refine	- Group 5 Workforce	Refines visual hover states, loading animations, and responsive padding (Max 2 loops).
Macro Group	/group-6 or /audit-all	- Group 6 Workforce	Audits 7-docs parity, DevSecOps vulnerabilities, and 10-step hardware safety.
Macro Group	/group-7 or /archive	- Group 7 Workforce	Generates customer USER_MANUAL.md and daily Cron memory snapshots.
Macro Group	/group-8 or /launch	- Group 8 Workforce	MANUAL ONLY: Starts production release suite for Web, Play Store, App Store, and GitHub.
Macro Group	/end	- team_leader.md	Performs final safety checklist, ensures all diaries are saved, and closes session.
Micro Specialist	/research	- research_agent.md	Searches live web for competitor features, open-source libraries, and API docs.
Micro Specialist	/spec	- spec_agent.md	Drafts or updates master_spec_v1.md (or _v2.md) with numbered change logs.
Micro Specialist	/architecture	- architecture_agent.md	Maps 3-step city architecture and root agents.md rules and tasks.md checklist.
Micro Specialist	/document	- documentarian.md	Generates all 7 Compulsory Documents inside 1_COMPLETE_DOCUMENTATION/.
Micro Specialist	/build-all	- builder_agent.md	Spawns 5 concurrent builder sub-agents in background threads.
Micro Specialist	/qa-test	- qa_agent.md	Audits code syntax, compiler errors, floating-point math, and human UI flows.
Micro Specialist	/surgical	- surgical_agent.md	Backs up target file to folder 3 first, then executes precision line edit.
Micro Specialist	/polish	- polish_agent.md	Performs aesthetic visual sweep for hover states, transitions, and layout polish.
Micro Specialist	/audit	- auditor_agent.md	Reverse-engineers and rescues pre-built, broken, or vibe-coded applications.
Micro Specialist	/sec-ops	- sec_ops_agent.md	Scans for SQL injections, PII leaks, secret exposures, and open endpoints.
Micro Specialist	/hardware-compliance	- hardware_compliance.md	Enforces 10-step virtual check, physical wiring guide, and Disaster Blast Radius.
Micro Specialist	/manual	- user_manual_writer.md	Auto-generates plain-English USER_MANUAL.md for end-user customers.
Micro Specialist	/context-save	- memory_keeper.md	Compresses daily workspace state into context_snapshot.md in folder 3.
Micro Specialist	/context-load	- memory_keeper.md	Restores active project memory from the latest saved snapshot.
Micro Specialist	/deploy-web	- web_deploy_agent.md	Deploys website to Vercel / Netlify / Cloud Run with sandbox staging safety.

Micro Specialist	/deploy-playstore	- playstore_deploy_agent.md	Automates Google Play Console browser form-filling and builds signed APK/AAB.
Micro Specialist	/deploy-appstore	- appstore_deploy_agent.md	Prepares Apple iOS certificates, App Store Connect metadata, and TestFlight.
Micro Specialist	/deploy-github	- github_deploy_agent.md	Generates production release tags, branch protection rules, and CI/CD Actions.
Micro Specialist	/deploy-all	- deploy_agent.md	Runs full multi-platform release suite with cause-and-effect caution analysis.

4. Step-by-Step Walkthrough: The 2 Real-World Scenarios

Here is exactly how the ecosystem functions in real life across the two main software development scenarios:

Scenario A: Building a 100% Brand New Application from Scratch

Step 1: The Initial Idea (You type /start)

- The Salesman AI greets you: *'Namaste Boss! Welcome to your software company. Tell me your idea in one simple sentence.'*
- You reply: *'I want to build an invoice generator with dark mode and PDF export.'*

Step 2: Research & Spec Draft (Group 1 - Discovery)

- The Researcher searches competitor invoice apps online and checks PDF generation libraries.
- The Spec Writer drafts `1_COMPLETE_DOCUMENTATION/master_spec_v1.md`.
- **Gate 1:** The Salesman presents the spec to you. You read it and type APPROVED.

Step 3: Architecture & 7 Documents (Group 2 - Blueprint)

- The Architecture Agent creates the 3-step city map (`system_architecture_v1.md`), `agents.md`, and `tasks.md`.
- The Documentarian generates all 7 Compulsory Documents (PRD, API contracts, DB schemas, UI tokens, security policy, etc.).
- **Gate 2:** You review the 7 documents and type APPROVED & LOCKED.

Step 4: The Factory Floor Builds (Groups 3 $\rightarrow$ 4 $\rightarrow$ 5 $\rightarrow$ 6 $\rightarrow$ 7 Conveyor Belt)

- **Group 3:** 5 builder robots code the UI, backend APIs, database models, and JWT security in parallel.
- **Group 4:** QA testers audit code syntax, verify math calculation precision ($\$Total \times 1.03\$$), and test click journeys.
- **Group 5:** Polisher refines hover buttons and mobile styling (capped at 2 loops max).
- **Group 6:** SecOps audits security vulnerabilities and verifies 7-doc compliance.
- **Group 7:** User Manual Writer creates `USER_MANUAL.md` for your customers and saves memory snapshot.

Step 5: Production Launch (Group 8 - Manual Release)

- You type `/launch`. The Deployment Agent asks: *'Where would you like to launch? 1. Web (Vercel) 2. Android Play Store 3. All'*.
- It autonomously navigates the browser, fills console forms, and publishes your application safely!

Scenario B: Rescuing & Fixing an Existing Broken Application

The Situation: You have a previously vibe-coded project from another developer with broken features, zero documentation, and messy code.

Step 1: The Emergency Audit (You type /audit)

- The **Auditor Recovery Agent (Group 6)** scans your entire codebase, reverse-engineers the existing logic, and creates a comprehensive Diagnostic Health Report.

Step 2: Retrofitting Missing Documentation (Group 7 & 1)

- The Documentarian reconstructs all missing 7 Compulsory Documents based on the working parts of your code.
- The Spec Writer generates `master_spec_v1.md` reflecting your ideal fixed dream version.

Step 3: Surgical Repair (Group 4 & 6)

- The **Surgeon Agent** backs up broken files to folder 3, isolates the root-cause bugs, and applies precision line edits without breaking surrounding code.
- If major database restructuring is needed, the Team Leader issues a **Radius Impact File** to Group 3 Builders so they only patch the target models.

Step 4: Quality & Security Verification (Groups 4, 5, 6)

- QA runs real compiler checks and math tests. SecOps scans for SQL injection leaks. Polisher tunes the UI.

Step 5: Final Handover & User Manual (Group 7)

- Generates brand new `USER_MANUAL.md` and saves project state into `3_PROJECT_BACKUP_AND_DIARY/`.

5. Master Governance, Security & Hardware Safety Guardrails

The ecosystem is governed by strict rules embedded directly into .gemini and AGENTS.md:

A. The Universal Immutable Versioning Ladder (v1 $\rightarrow$ v2 $\rightarrow$ v3)

- **Zero Overwrites:** Whenever ANY agent updates ANY document, blueprint, diary, or bug fix report, it **NEVER overwrites** the previous file.
- **Sequential Chain:** [file]_v1.md $\rightarrow$ [file]_v2.md $\rightarrow$ [file]_v3.md with numbered change logs at the top.
- **In-Place Edit Lock:** An agent is physically blocked from editing an existing file in place unless you explicitly type: *'edit this document, do not create any other version of this document'*.

B. Zero-Trust Anti-Vibe-Coding Guardrails

- **100% Parameterized DB Queries:** Raw SQL string concatenation is forbidden. All queries must use parameter bindings (\$1, ?) to prevent SQL injection attacks.
- **Zero Hardcoded Secrets:** All API keys, tokens, and database passwords must live in process.env with a root .env.template provided.
- **PII Protection:** Passwords and user personal data are strictly banned from console logs and diaries.
- **Supply Chain Defense:** Package manifests (package.json, requirements.txt) are validated against fake or typosquatted package names.

C. Disaster-Proof Hardware Safety Protocol (Zero-Fire Protection)

Designed specifically for non-technical users connecting motors, sensors, microcontrollers, or robotics to their computer:

1. **Physical Connection Check:** Asks if the physical hardware is plugged in or if you want virtual simulation.
2. **Live Web Tolerance Search:** Searches official chip datasheets for exact voltage limits (3.3V vs 5V), baud rates, pinouts, and clock frequencies.
3. **Plain-English Physical Wire Guide:** Explains exactly where to plug cables (e.g. *'Plug the black wire into USB Port 1; connect Ground first'*).
4. **10-Step Virtual Simulation:** Runs 10 simulated test iterations testing memory bounds and zero-panic MISRA safety before touching physical hardware.
5. **Real-World Developer Solutions:** If errors occur, searches GitHub issues and official hardware forums for verified fixes used by real engineers.
6. **Disaster Blast Radius Report:** Shows you the minimum to maximum danger (Program crash $\rightarrow$ Memory freeze $\rightarrow$ Hardware overheating) and waits for your confirmation.

6. Quick Start Guide: How to Start in 3 Easy Steps

If you just downloaded or cloned this GitHub repository, here is how you start your software company immediately:

Step 1: Clone or place the folder on your computer: `git clone https://github.com/aipro831gith/skills_bundle_by_sujal.git`

Step 2: Open your AI interface or terminal in that workspace directory.

Step 3: Type `/start` and hit Enter. The Salesman AI will greet you, set up your office folders and diaries, and ask for your idea. Sit back and watch your 27 robot helpers build your software!

■ **Handcrafted for Non-Coders & Enterprise Leaders by Sujal**

All 27 Agents & 29 Skills Verified & Live at: https://github.com/aipro831gith/skills_bundle_by_sujal