


Ayush Goyal  
190905522

### OST Lab 5 (Session 3)

Q1)

```
$ vi HelloWorld.c
$ cat HelloWorld.c
#include<stdio.h>
int main(){
    int n;
    printf("\nEnter a number : ");
    scanf("%d", &n);
    printf("\nYour number was : %d", n);
    return 0;
}
$ git init
```

A screenshot of a terminal window titled 'student@dslab: ~/Desktop/ostlab3/gitstuff'. The terminal shows the following commands and their outputs: 'mkdir gitstuff', 'cd gitstuff', 'touch HelloWorld.c', 'vi HelloWorld.c', and 'cat HelloWorld.c'. The output of 'cat' shows the C code for a program that prompts for a number and prints it. Then, 'git init' is run, resulting in the message 'Initialized empty Git repository in /home/student/Desktop/ostlab3/gitstuff/.git/'.

```
student@dslab: ~/Desktop/ostlab3/gitstuff
File Edit View Search Terminal Help
student@dslab:~/Desktop/ostlab3$ mkdir gitstuff
student@dslab:~/Desktop/ostlab3$ cd gitstuff
student@dslab:~/Desktop/ostlab3/gitstuff$ touch HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$ vi HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$ cat HelloWorld.c
#include<stdio.h>

int main(){
    int n;
    printf("\nEnter a number : ");
    scanf("%d",&n);
    printf("\nYour number was : %d",n);
}

student@dslab:~/Desktop/ostlab3/gitstuff$ git init
Initialized empty Git repository in /home/student/Desktop/ostlab3/gitstuff/.git/
student@dslab:~/Desktop/ostlab3/gitstuff$
```

Q2)

```
$ git config user.email "aiqqia.ag@gmail.com"
$ git config user.name "aiqqia"
$ git status
$ git add HelloWorld.c
$ git commit -m "Initial Commit"
```

```
student@dslab: ~/Desktop/ostlab3/gitstuff
File Edit View Search Terminal Help
student@dslab:~/Desktop/ostlab3/gitstuff$ git config user.email "aiqqia.ag@gmail.com"
student@dslab:~/Desktop/ostlab3/gitstuff$ git config user.name "aiqqia"
student@dslab:~/Desktop/ostlab3/gitstuff$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)

        HelloWorld.c

nothing added to commit but untracked files present (use "git add" to track)
student@dslab:~/Desktop/ostlab3/gitstuff$ git add HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$ git commit -m "Initial Commit"
[master (root-commit) 0142464] Initial Commit
 1 file changed, 9 insertions(+)
 create mode 100644 HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$
```


Q3)

```
$ vi HelloWorld.c
$ git diff
```

```
student@dslab: ~/Desktop/ostlab3/gitstuff
File Edit View Search Terminal Help
student@dslab:~/Desktop/ostlab3/gitstuff$ git add HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$ git commit -m "Initial Commit"
[master (root-commit) 0142464] Initial Commit
 1 file changed, 9 insertions(+)
 create mode 100644 HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$ vi HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$ git diff
diff --git a/HelloWorld.c b/HelloWorld.c
index 2c96d1f..45edd05 100644
--- a/HelloWorld.c
+++ b/HelloWorld.c
@@ -4,6 +4,7 @@ int main(){
     int n;
     printf("\nEnter a number : ");
     scanf("%d",&n);
+    n+=1;
     printf("\nYour number was : %d",n);
 }
student@dslab:~/Desktop/ostlab3/gitstuff$
```

Q4)

```
$ git add HelloWorld.c
$ git commit -m "Second Commit"
$ git log
```



```
student@dslab: ~/Desktop/ostlab3/gitstuff
File Edit View Search Terminal Help
printf("\nYour number was : %d",n);
}

student@dslab:~/Desktop/ostlab3/gitstuff$ git add HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$ git commit -m "Second Commit"
[master ae5936a] Second Commit
1 file changed, 1 insertion(+)
student@dslab:~/Desktop/ostlab3/gitstuff$ git log
commit ae5936a788b9ce774b5a4a0e8c2d1612dec929d2 (HEAD -> master)
Author: aiqqia <aiqqia.ag@gmail.com>
Date: Mon Feb 15 13:54:33 2021 +0530


    Second Commit

commit 014246485fa9b02ed9ca4bae04db283cdb358e09
Author: aiqqia <aiqqia.ag@gmail.com>
Date: Mon Feb 15 13:50:11 2021 +0530

    Initial Commit
student@dslab:~/Desktop/ostlab3/gitstuff$
```

Q5)

```
$ vi HelloWorld.c
$ git status
$ git checkout --HelloWorld.c
$ git status
```



```
student@dslab: ~/Desktop/ostlab3/gitstuff
File Edit View Search Terminal Help
commit 014246485fa9b02ed9ca4bae04db283cdb358e09
Author: aiqqia <aiqqia.ag@gmail.com>
Date: Mon Feb 15 13:50:11 2021 +0530

    Initial Commit
student@dslab:~/Desktop/ostlab3/gitstuff$ vi HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)

        modified:   HelloWorld.c

no changes added to commit (use "git add" and/or "git commit -a")
student@dslab:~/Desktop/ostlab3/gitstuff$ git checkout -- HelloWorld.c
student@dslab:~/Desktop/ostlab3/gitstuff$ git status
On branch master
nothing to commit, working tree clean
student@dslab:~/Desktop/ostlab3/gitstuff$
```



Q6)

\$ git log

\$ git show 014246485fa9b02ed9ca4bae04db283cdb358e09

```
student@dslab: ~/Desktop/ostlab3/gitstuff
File Edit View Search Terminal Help
student@dslab:~/Desktop/ostlab3/gitstuff$ git log
commit ae5936a788b9ce774b5a4a0e8c2d1612dec929d2 (HEAD -> master)
Author: aiqqia <aiqqia.ag@gmail.com>
Date: Mon Feb 15 13:54:33 2021 +0530

    Second Commit

commit 014246485fa9b02ed9ca4bae04db283cdb358e09
Author: aiqqia <aiqqia.ag@gmail.com>
Date: Mon Feb 15 13:50:11 2021 +0530

    Initial Commit
student@dslab:~/Desktop/ostlab3/gitstuff$ git show 014246485fa9b02ed9ca4bae04db283cdb358e09
commit 014246485fa9b02ed9ca4bae04db283cdb358e09
Author: aiqqia <aiqqia.ag@gmail.com>
Date: Mon Feb 15 13:50:11 2021 +0530

    Initial Commit

diff --git a/HelloWorld.c b/HelloWorld.c
new file mode 100644
index 0000000..2c96d1f
--- /dev/null
+++ b/HelloWorld.c
@@ -0,0 +1,9 @@
#include<stdio.h>
+
+int main(){
+    int n;
+    printf("\nEnter a number : ");
+    scanf("%d",&n);
+    printf("\nYour number was : %d",n);
+...skipping...
commit 014246485fa9b02ed9ca4bae04db283cdb358e09
Author: aiqqia <aiqqia.ag@gmail.com>
Date: Mon Feb 15 13:50:11 2021 +0530

    Initial Commit
```

\*END OF LAB5\*