1. 搭建 github 仓库







2. 安装 vscode
3. 在 vscode 上搭建 python 编译环境
4. 在上述基础上，设计一个最基本的 python 程序并成功运行



5. 将此 python 程序同步到 github




```
HAir@DESKTOP-7Q0LE43 MINGW64 ~
$ cd e:

HAir@DESKTOP-7Q0LE43 MINGW64 /e
$ cd d:

HAir@DESKTOP-7Q0LE43 MINGW64 /d
$ cd Documents

HAir@DESKTOP-7Q0LE43 MINGW64 /d/Documents
$ cd VSCodeforPython

HAir@DESKTOP-7Q0LE43 MINGW64 /d/Documents/VSCodeforPython
$ cd DSP

HAir@DESKTOP-7Q0LE43 MINGW64 /d/Documents/VSCodeforPython/DSP (main)
$ cd .vscode

HAir@DESKTOP-7Q0LE43 MINGW64 /d/Documents/VSCodeforPython/DSP/.vscode (main)
$ git add .

HAir@DESKTOP-7Q0LE43 MINGW64 /d/Documents/VSCodeforPython/DSP/.vscode (main)
$ git commit -m "20210514"
[main b839759] 20210514
 4 files changed, 45 insertions(+)
 create mode 100644 .vscode/20210512.py
 create mode 100644 .vscode/demo.py
 create mode 100644 .vscode/launch.json
 create mode 100644 .vscode/settings.json

HAir@DESKTOP-7Q0LE43 MINGW64 /d/Documents/VSCodeforPython/DSP/.vscode (main)
$ git push -u origin main
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 24 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (7/7), 1.34 KiB | 1.34 MiB/s, done.
Total 7 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:air-sk/DSP.git
   3adf051..b839759  main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.

HAir@DESKTOP-7Q0LE43 MINGW64 /d/Documents/VSCodeforPython/DSP/.vscode (main)
$
```


air-sk / DSP
Unwatch 1
Star 0
Fork 0
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
main
1 branch
0 tags
Go to file
Add file
Code
air-sk 20210514
b839759 1 minute ago
2 commits
.vscode
20210514
1 minute ago
README.md
Initial commit
1 hour ago
README.md
DSP
About
No description, website, or topics provided.
Readme
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
© 2021 GitHub, Inc.
Terms
Privacy
Security
Status
Docs
Contact GitHub
Pricing
API
Training
Blog
About